



VINNERLOVE CONTINENCE CARE WIPES

VINNERLOVE 失禁护理乳霜湿巾

4-IN-1 SKIN CARE CREAM CLOTHS FOR FRAGILE, MOISTURE-EXPOSED SKIN
CLEANSING • MOISTURISING • SOOTHING • BARRIER PROTECTION

4 合 1 皮肤护理乳霜湿巾，针对脆弱与潮湿暴露皮肤打造
清洁 · 保湿 · 舒缓 · 屏障防护



CATALOGUE

目录

- PRODUCT SPECIFICATIONS	3
- USAGE SCENARIOS: BEYOND CONTINENCE CARE	5
- UNDERSTANDING MASD: DEVELOPMENT PATHWAYS AND HIGH-RISK POPULATIONS	7
- UNDERSTANDING PRESSURE INJURY: DEVELOPMENT PATHWAYS AND HIGH-RISK POPULATIONS	10
- COMPARISON: TRADITIONAL MULTI-STEP MASD CARE METHODS VS. VINNERLOVE	17
- VALUE: SIMPLER AND MORE CONSISTENT CARE WORKFLOWS	18
- DIRECTIONS FOR USE	19
- REFERENCE	20
- OTHER VINNER PRODUCT	21
- 产品详情	3
- 场景：不止于失禁护理	5
- 认识潮湿相关性皮肤损伤（MASD）：形成路径与高危人群	7
- 认识压力性损伤（压疮）：形成路径与高危人群	10
- 对比：传统多步骤MASD护理 VS. VINNERLOVE	17
- 价值：简化并提供一致性的皮肤护理流程	18
- 使用说明	19
- 参考文献	20
- 其他维尼产品	21

PRODUCT SPECIFICATIONS

产品详情

Product Overview

产品简介

VINNERLOVE Continence Care Wipes are cream-infused 4-in-1 skin care cloths designed to help caregivers cleanse, moisturise, soothe and protect fragile, moisture-exposed skin in one simple routine. The product is suitable for use in hospitals, nursing homes, long-term care facilities, home-care settings and personal daily care. It is particularly intended for skin frequently exposed to urine, faeces or perspiration, and for fragile skin affected by friction, skin-fold moisture or repeated cleansing. Typical applications include care for the fragile skin of the elderly, incontinence care, skin-fold care for individuals with a high BMI or diabetes, care of fragile periwound or peristomal skin, and the daily care of pressure-prone skin areas in individuals who are bedridden, less mobile or spend prolonged periods sitting.

VINNERLOVE 失禁护理乳霜湿巾是一款含乳霜配方的4合1皮肤护理湿巾，旨在帮助护理人员通过一个简单步骤完成 清洁、保湿、舒缓和防护 四重护理。

本产品适用于医院、养老院、长期护理机构、居家护理环境以及个人日常护理，尤其适用于长期暴露于尿液、粪便或汗液的皮肤，以及因摩擦、皮肤褶皱处潮湿环境或反复清洁而变得脆弱的皮肤的日常护理。

典型应用场景包括但不限于：老年人脆弱肌肤的护理、失禁患者的皮肤护理、高BMI人群、糖尿病患者及其他易发生皮肤褶皱潮湿问题人群的皮肤护理；伤口周围或造口周围脆弱皮肤的护理；长期卧床者或久坐人群受压迫部位皮肤的日常护理与保护。

Product Overview

产品简介

EN		CN	
Item	Specification	项目	规格
Product Name	VINNERLOVE Continence Care Wipes	产品名称	VINNERLOVE乳霜护理湿巾
Product Code	VLCONCW25	产品型号	VLCONCW25
Pack Size	25 Cloths/Pack	包装规格	25片/包

Cloth Size	20x30CM	无纺布规格	20x30CM
Cloth Weight	60GSM Thickened Non-Woven Fabric	无纺布重量	60克加厚无纺布
Product Type	Cream-infused no-rinse skin care cloth	产品类型	含乳霜配方的免冲洗皮肤护理湿巾
Care Concept	4-in-1: Cleanse, Moisturise, Soothe, Protect	护理理念	4合1: 清洁、保湿、舒缓、屏障防护
Botanical Soothe System	Golden Chamomile Extract + Witch Hazel Extract + Other	天然舒缓体系	金黄洋甘菊提取物+金缕梅提取物
Barrier Protection System	4% Dimethicone + 6% Liquid Paraffin / Mineral Oil	屏障防护体系	4% 二甲基硅油 + 6% 液体石蜡 (矿物油)
Skin Safety	pH-Balanced, Dermatologically Tested	皮肤相容性	pH平衡, 经皮肤科测试
Use Area	External skin only	使用部位	仅限皮肤外用
Recommended Users	Incontinent patients, People with high BMI or obesity who have diabetes, Wound or postoperative patients, Long-term bedridden, individuals or sedentary people	推荐人群	失禁患者、高BMI或肥胖人群、糖尿病患者、伤口或术后患者、长期卧床者或久坐人群
Application Settings	Hospitals, Nursing homes, Long-term care facilities, Home-care settings, Personal daily care	使用场景	医院、养老院、长期护理机构、居家护理环境、个人日常护理

USAGE SCENARIOS: BEYOND CONTINENCE CARE

使用场景：不止于失禁护理

Recommended Application Scenarios

推荐场景



Hospitals
医院



Nursing Homes
养老院



Care Facilities
护理机构



Home Care
居家护理



Personal Daily Care
个人日常护理

Elderly and Fragile Skin Care

老年人及脆弱皮肤护理

As skin ages, it may become more fragile and vulnerable to moisture, friction and frequent cleansing.
随着年龄增长，皮肤屏障功能可能逐渐减弱，更容易因潮湿、摩擦及频繁清洁而变得脆弱敏感。

MASD (Moisture-Associated Skin Damage) Care

MASD（潮湿相关性皮肤损伤）护理

MASD commonly occurs in individuals exposed to prolonged moisture, friction and repeated cleansing, particularly those with incontinence, fragile elderly skin or limited mobility.

潮湿相关性皮肤损伤常见于长期暴露于潮湿、摩擦及反复清洁环境中的人群，尤其包括失禁患者、脆弱老年肌肤及行动受限人群。

Continence Care

失禁护理

For users with urinary incontinence, faecal incontinence or dual incontinence, routine skin care should focus on timely cleansing, gentle handling, soothing comfort and barrier protection.

对于尿失禁、粪失禁或双重失禁使用者，日常护理应关注及时清洁、温和处理、舒缓不适和屏障防护。

Skin Folds and Intertrigo-Prone Areas Care

皮肤褶皱及间擦疹易发区域

Skin folds may trap moisture and experience skin-to-skin friction, especially in users with high BMI, diabetes, limited mobility or care dependency.

皮肤褶皱处容易滞留潮湿，并产生皮肤与皮肤之间的摩擦，尤其常见于高 BMI、糖尿病、行动受限或护理依赖人群。

Peri wound and Peristomal Skin Care

伤口及造口周围皮肤护理

Peri wound and peristomal skin is frequently exposed to moisture, wound exudate, stoma output, adhesive products and repeated cleansing. Daily skin care focused on gentle cleansing, moisturisation and skin protection may help support skin integrity and comfort in these vulnerable areas.

伤口周围及造口周围皮肤经常暴露于潮湿环境、伤口渗出液、造口排泄物、粘胶产品以及反复清洁等因素影响。通过温和清洁、保湿和皮肤防护为核心的日常护理，有助于维持这些脆弱区域的皮肤完整性与舒适度。

Pressure Injury Risk Care

压力性损伤（压疮）风险护理

Pressure injuries may develop when skin and underlying tissues are exposed to prolonged pressure, shear and friction, particularly in bedridden individuals, long-term medical device users, wheelchair users, older adults and those with limited mobility.

压力性损伤（压疮）可能发生于皮肤及皮下组织长期受到压力、剪切力及摩擦作用时，尤其常见于长期卧床者、长期医疗器械使用者、轮椅使用者、老年人及行动受限人群。

VINNERLOVE Continence Care Wipes is designed for continence care, fragile elderly skin, skin folds, MASD-prone skin and individuals at risk of pressure injuries. It helps gently remove urine, faeces, perspiration and other residues while forming a breathable protective barrier to help minimise the ongoing effects of moisture, friction and irritants on the skin. It also helps soothe irritated skin, maintain skin moisture and support everyday skin comfort.

VINNERLOVE 失禁护理乳霜湿巾专为失禁护理、脆弱老年肌肤护理、皮肤褶皱护理、MASD易感肌护理以及降低压疮风险设计，可帮助温和去除尿液、粪便、汗液及其他污物残留，同时形成透气性保护屏障，帮助减少潮湿、摩擦及刺激物对皮肤的持续影响，并舒缓受刺激肌肤，帮助维持皮肤水分与日常护理舒适度。

UNDERSTANDING MASD: DEVELOPMENT PATHWAYS AND HIGH-RISK POPULATIONS

认识MASD：类型、形成路径与高风险人群

MASD (Moisture-Associated Skin Damage)


MASD (MOISTURE-ASSOCIATED SKIN DAMAGE, 潮湿相关性皮肤损伤)

Is a collective term for a group of skin injuries caused when the skin is exposed repeatedly or for prolonged periods to moisture, irritants, and friction, leading to inflammation and skin damage. [3][4]
MASD encompasses several clinical categories, including incontinence-associated dermatitis, skin-fold moisture damage, periwound moisture-associated skin damage and peristomal moisture-associated skin damage. [3][4][16]

是一类皮肤损伤的统称，通常用于描述皮肤长期或反复暴露于潮湿、刺激物和摩擦等因素后出现的炎症和损伤。[3][4] MASD 可涉及多个护理区域，包括失禁相关性皮炎、皮肤褶皱处潮湿相关皮肤损伤、伤口周围潮湿相关皮肤损伤，以及造口周围潮湿相关皮肤损伤等。[3][4][16]

Types, Development Pathways and High-Risk Populations of MASD

MASD 的主要类型、形成路径与高风险人群



Incontinence Associated Dermatitis (IAD) 失禁相关性皮炎(IAD)

Incontinence-associated dermatitis (IAD) is commonly associated with repeated or prolonged exposure of the skin to urine and/or feces. [5]

失禁相关性皮炎 (IAD) 通常与尿液和/或粪便反复接触皮肤有关。[5]

Urine and/or Faeces Exposure + Excess Moisture


↓
Skin Barrier Impairment

↓
IAD

[5]

Users with Urinary Incontinence 尿失禁者;
Faecal Incontinence or Dual 粪失禁者;
Dual Incontinence 双重失禁者;
Long-term Users of Absorbent Pads or Incontinence Products 长期使用尿垫或吸收用品者;
Bedbound or Immobile Users 卧床或行动受限者;
Elderly 老年人;
ICU or Acute-Care Patients ICU或急性护理患者;
Long-Term Care Residents 长期护理住民.

[5][14]



Intertriginous Dermatitis (Intertrigo, ITD)

皮肤褶皱部位的间擦性皮炎（间擦疹）

Intertriginous dermatitis (Intertrigo, ITD) is a form of MASD affecting skin fold areas, commonly occurs in areas such as the groin, abdominal folds, under-breast folds, axillae, neck folds and other skin creases.^{[9][17]}

间擦疹属于皮肤褶皱处的 MASD 问题，常见于腹股沟、腹部褶皱、乳房下褶皱、腋下、颈部褶皱及其他皮肤褶皱处。^{[9][17]}

Occlusive environment within Skin Folds + Heat and Moisture + Skin-to-Skin Friction.

皮肤褶皱中的封闭环境 + 局部热量和潮湿 + 皮肤与皮肤之间摩擦导致



Skin Irritation + Breakdown. 皮肤刺激和损伤



Intertrigo 皮肤褶皱炎/间擦疹

[9][17]

High-BMI Individuals 高BMI人群;
Individuals with Obesity 肥胖人群;
Patients with Diabetes 糖尿病患者;
Care-Dependent Individuals 护理依赖人群.

[9][17]



Peri wound MASD

伤口周围 MASD

Peri wound MASD refers to moisture-associated skin damage affecting the skin surrounding a wound, caused by prolonged or repeated exposure to wound exudate. Excess wound exudate can lead to skin maceration, irritation, and impairment of the skin barrier. It is commonly observed around chronic wounds or heavily exuding wounds.^{[3][4]}

伤口周围 MASD 是指伤口周围皮肤因伤口渗液长期或反复接触而出现的潮湿相关皮肤损伤。伤口渗液可能导致周围皮肤浸渍、刺激和屏障受损，常见于慢性伤口、渗液较多的伤口周围。^{[3][4]}

Delayed Wound Management and Infrequent Dressing Changes.

伤口处理不及时+敷料不及时



Prolonged or Repeated Skin Exposure to Wound Exudate.

伤口渗液长期或反复接触皮肤




Peri wound MASD 伤口周围形成MASD

[3][4]

Individuals with Chronic Wounds 患有慢性伤口的人群;
Individuals with Heavily Exuding Wounds 患有渗液伤口的人群;
Individuals with Delayed Dressing Changes 敷料未及时更换人群;
Individuals Receiving Inadequate Wound Care 伤口未收到较好护理的人群.

[3][4]



Peristomal MASD

造口周围 MASD

Peristomal MASD refers to moisture-associated skin damage around a stoma caused by leakage, moisture or contact with irritant effluent.^[16]

造口周围 MASD 是指造口周围皮肤因渗漏、潮湿或刺激性排出物接触而出现的潮湿相关皮肤损伤。^[16]

Poor Ostomy Barrier Fit or other Contributing Factors.

由于造口底盘贴合不佳或其他原因



Peristomal Leakage. 造口周围渗漏



Prolonged Skin Exposure to Stoma Effluent

排出物持续接触皮肤



Peristomal MASD. 造口周围形成MASD

[16]

Stoma Patients 造口患者;
Individuals Requiring Long-Term Stoma Care 需长期造口护理的人群;
Individuals with Peristomal Leakage 造口周围渗漏者;
Individuals with Poor Appliance Fit 造口底盘贴合不佳者.

[16]

How to Manage MASD?

如何进行 MASD 管理?

MASD 管理步骤	VLCONCW 对应功能
Remove urine, faeces, sweat and residues 去除尿液、粪便、汗液和残留物	Cleanse: A water-based skin-cleansing system helps remove residues from the skin surface. 清洁: 水基皮肤清洁因子帮助去除皮肤表面的残留物
Support skin comfort after frequent cleansing 支持频繁清洁后的皮肤舒适度	Moisturise: Glycerin + lipid emollient system helps condition the skin and reduce dryness and discomfort after frequent cleansing. 保湿: 甘油+脂质润肤体系帮助润肤, 减少频繁清洁后的干燥不适
Soothe fragile and repeatedly cleansed skin 舒缓脆弱及反复清洁皮肤	Soothe: Golden Chamomile Extract + Witch Hazel Extract, together with additional natural botanical ingredients, help soothe and condition the skin. 舒缓: 金黄洋甘菊提取物 + 金缕梅提取物以及额外添加的天然植物成分帮助舒缓和调理皮肤
Reduce ongoing contact between the skin and moisture/irritants 减少潮湿和刺激物持续接触皮肤	Protect: Dimethicone + Mineral Oil barrier system forms a breathable protective layer on the skin surface, helping reduce direct contact between irritants and the skin. 防护: 二甲基硅油 + 矿物油屏障体系, 在皮肤表面形成透气防护层, 隔绝刺激物与皮肤的接触

UNDERSTANDING PRESSURE INJURY(PI): DEVELOPMENT PATHWAYS AND HIGH-RISK POPULATIONS

认识压力性损伤（压疮）：形成路径与高危人群

What Is a Pressure Injury (PI)?




什么是压力性损伤（压疮）？

根据 National Pressure Injury Advisory Panel, NPIAP 定义：

According to the National Pressure Injury Advisory Panel (NPIAP), a pressure injury is:

A localized injury to the skin and/or underlying soft tissue, usually over a bony prominence or related to a medical device, resulting from sustained pressure or pressure in combination with shear.^[18]

压力性损伤（PRESSURE INJURY）是由于持续压力或压力与剪切力共同作用所导致的皮肤和/或皮下软组织局部损伤，通常发生于骨隆突部位，也可与医疗器械相关。^[18]

常见部位	典型表现
 Sacrum 骶尾部	Persistent redness, skin discoloration, skin breakdown, ulceration 持续发红、皮肤变色、破损、溃疡
 Heel 足跟	Erythema, blistering, tissue necrosis 红斑、水疱、组织坏死
 Ischial Tuberosity 坐骨结节	Common in individuals who remain seated for prolonged periods 长期坐位患者常见
 Greater Trochanter (Hip) 髋部	Common in side-lying patients 侧卧患者常见
 Elbows, Scapulae, Occiput 肘部、肩胛部、枕后部	Common in long-term bedridden patients 长期卧床患者常见

How Do Pressure Injuries Develop?

压疮是如何形成的？


Pressure injuries are not caused by pressure alone. They result from the combined effects of pressure, shear, friction, moisture, and reduced tissue tolerance.^[19]

压力性损伤并非单纯由压力造成，而是压力、剪切力、摩擦、潮湿以及组织耐受性下降等因素共同作用的结果。^[19]

EN		CN	
Contributing Factor	Mechanism	形成因素	作用机制
Pressure	Prolonged compression impairs local blood flow	压力 (PRESSURE)	长时间受压导致局部血流受阻
Shear	Deformation of deep tissues causes vascular occlusion	剪切力 (SHEAR)	深层组织发生位移变形，导致血管闭塞
Friction	Increases the risk of superficial skin damage	摩擦 (FRICTION)	增加表皮损伤风险
Moisture	Reduces skin barrier function and tissue tolerance	潮湿 (MOISTURE)	降低皮肤屏障功能和组织耐受性
Aging, Malnutrition, etc.	Impairs tissue repair and resilience	老龄化、营养不良等	降低组织修复能力

Pathway of Pressure Injury Development

压疮的形成路径



High-Risk Populations for Pressure Injuries^{[19][20]}

压疮的高危人群^{[19][20]}

EN		CN	
High-Risk Population	Risk Factors	高危人群	风险原因
Bedridden Patients	Prolonged pressure and limited mobility	长期卧床患者	持续受压、活动受限
ICU Patients	Inability to reposition independently	ICU患者	无法自主翻身
Wheelchair Users	Prolonged pressure on the ischial area	轮椅使用者	坐骨长期受压
Patients with Incontinence	Moisture-associated skin barrier impairment	失禁患者	潮湿环境导致皮肤屏障受损
Older Adults	Thinner skin and reduced tissue tolerance	老年人	皮肤变薄、组织耐受性下降
Malnourished Patients	Impaired tissue repair and healing	营养不良患者	组织修复能力下降
Patients with Neurological Disorders	Reduced sensation and inability to reposition	神经损伤患者	感觉减退，无法及时调整体位
Individuals with Previous Pressure Injuries	Increased risk of recurrence	既往压疮患者	再发风险增加

How to manage PI?

如何管理压力性损伤风险？

Modern pressure injury prevention has evolved from pressure relief alone to a comprehensive prevention strategy.^[19] Core Preventive Measures Recommended by International Guidelines:

现代压力性损伤预防已从单纯减压发展为综合管理模式，^[19]国际指南推荐的核心措施为：



Risk assessment

风险评估



Regular repositioning and postural management

定时翻身与体位管理



Pressure-redistributing mattresses and support surfaces

减压床垫及支撑面使用



Nutritional support

营养支持



Routine skin inspection

皮肤检查



Incontinence management

失禁管理



Skin moisturisation and barrier protection

保湿及皮肤屏障保护

The Value of VINNERLOVE

VINNERLOVE的重要价值

Recent research has shown that, in addition to pressure redistribution, maintaining skin integrity and strengthening the skin barrier are important components of pressure injury prevention.^[19]

近年来研究发现，除了减压措施外，维持皮肤完整性和强化皮肤屏障功能同样是压力性损伤预防的重要组成部分。^[19]

A multicentre randomized controlled trial published in BMJ Open enrolled 858 high-risk elderly residents in long-term care facilities. In addition to standard pressure injury prevention measures, participants received twice-daily skin care using wipes containing emollient and skin barrier ingredients on high-risk areas such as the sacrum, buttocks, and heels.^[21]

一项发表于BMJ OPEN的多中心随机对照试验纳入858名养老机构高风险老年人，在标准压疮预防措施基础上，每日两次使用含润肤剂和皮肤屏障成分的护理湿巾，对骶尾部、臀部及足跟等压疮高风险区域进行护理。^[21]

Study Design

研究设计

Control Group 对照组	Intervention Group 干预组
• Regular repositioning • 定时翻身	• All standard preventive measures • 全部标准预防措施
• Pressure-redistributing mattress • 减压床垫	
• Routine hygiene care • 日常卫生护理	• Twice-daily skin care applied to high-risk pressure injury sites • 每日2次对压疮高风险区域进行皮肤护理

Study Outcome (120 Days)

研究结果 (120天)

Outcome 指标	Control Group 干预组	Intervention Group 干预组
Residents Remaining Free from Pressure Injury 未发生压力性损伤	91.6%	97.4%
Pressure Injury Incidence 压力性损伤发生率	8.4%	2.6%
Risk Reduction 风险变化	Compared with standard care: Absolute risk of pressure injuries reduced by: 5.8% ↓ The incidence rate of pressure injuries was reduced by: 50% ↓ (IRR = 0.50, 95% CI 0.31–0.81, p = 0.005). 与标准护理方法相比: 压力性损伤的绝对风险下降5.8% ↓ 压力性损伤的发生密度下降约50% ↓	

VINNERLOVE Continence Care Wipes help to:

VINNERLOVE失禁护理乳霜湿巾可帮助：

- Gently cleanse the skin
- 温和清洁皮肤

- Replenish skin moisture
- 补充皮肤水分

- Strengthen the skin barrier
- 强化皮肤屏障功能

- Reduce the impact of moisture, friction, and shear on the skin
- 降低潮湿、摩擦及剪切力对皮肤的影响

- Support the maintenance of skin integrity in high-risk individuals
- 支持高风险人群皮肤完整性维护

As part of a comprehensive pressure injury prevention strategy, VINNERLOVE Continence Care Wipes can be used alongside repositioning, pressure redistribution, support surface management, and incontinence care to help reduce the risk of pressure injury development.

作为压力性损伤综合预防策略的一部分，可与翻身减压、支撑面管理及失禁护理等措施配合使用，共同帮助降低压力性损伤发生风险。

COMPARISON: TRADITIONAL MULTI-STEP MASD CARE METHODS VS. VINNERLOVE

对比：传统多步骤MASD护理方法与VINNERLOVE

	方案	准备工作	清洁	保湿	护肤	保护
CN	VINNERLOVE	准备湿巾 (如有必要， 需准备额外的 清洁工具)	使用VINNERLOVE失禁护理湿巾一次性清洁、保湿、舒缓皮肤，并提供保护屏障			
	传统护理	准备清洁工具、 保湿产品、 护肤产品 以及皮肤屏障霜	去除尿液、 粪便、 汗液和残留物	涂抹保湿产品	涂抹 护肤舒缓类产品	涂抹屏障霜
	Solution	Preparation	Process	Moisturise	Soothe	Protect
EN	VINNERLOVE	Prepare the wipe. If necessary, prepare additional cleansing tools.	Use VINNERLOVE Continence Care Wipes to cleanse, moisturise, soothe the skin and provide a protective barrier in one step.			
	Traditional Care	Prepare cleansing tools, moisturising products, skin-soothing products and barrier cream	Remove urine, faeces, sweat and residues	Apply moisturising product	Apply skin-soothing care product	Apply barrier cream

VALUE: SIMPLER AND MORE CONSISTENT CARE WORKFLOWS

价值：简化并提供护理流程一致性

VINNERLOVE Supports Nursing Teams:

VINNERLOVE帮助护理团队：

减少 **60%**
护理时间

减少 **50%**
护理成本

减少管理 **多种
复杂产品**

提高不同班次的护理
一致性

覆盖 **多种
皮肤损伤**
情境

提升受护理者的
**护理体验
和尊严感**

Reduce care time
by **60%**

Reduce care costs
by **50%**

Improve **Care
Consistency**
across different shifts

Improve the care
**experience
and dignity**
of care recipients

Cover **Multiple
Skin Damage**
care scenarios

Reduce the need to manage
**Multiple
Complex
Products**

DIRECTIONS FOR USE

使用说明

01

Open the pack and remove one wipe.
打开包装，取出一片湿巾。

02

Gently cleanse the affected or moisture-exposed skin area using the wipe.
用湿巾轻柔清洁受影响或潮湿暴露的皮肤区域。

03

It is recommended to use a fresh wipe for each body area.
每个身体部位建议使用新的湿巾。

04

Allow the skin to air dry if necessary. No rinsing required.
必要时让皮肤自然干燥，无需冲洗。

05

Dispose of the wipe after use.
使用后丢弃，请勿冲入马桶。

06

Reseal the pack after opening to help maintain moisture.
开封后请重新密封包装，以保持湿巾湿润。

07

May be used as needed for daily incontinence care, personal hygiene care, or skin fold care.
可根据需要用于日常失禁护理、个人清洁护理或皮肤褶皱护理。

Precautions

注意事项：

For external use only. 仅限外用。

Avoid contact with eyes. 避免接触眼睛。

Do not swallow. 请勿吞食。

Do not flush. 请勿冲入马桶。

Do not reuse. 请勿重复使用。

Do not use on deep wounds or severely damaged skin unless directed by a healthcare professional.

Seek professional medical evaluation if redness, pain, skin breakdown, bleeding, signs of infection, or worsening symptoms occur. 如无医护人员指导，请勿用于深度伤口或严重破损皮肤。

Discontinue use if irritation or allergic reaction develops. 如出现泛红、疼痛、皮肤破损、出血、疑似感染或症状加重，请寻求专业医护评估。

Keep out of reach of children. 如出现刺激或过敏反应，请停止使用。请置于儿童接触不到的地方。

REFERENCE

参考文献

- [1].Graham T, Beeckman D, Kottner J, Fader M, Wallace S, et al. Skin cleansers and leave-on product interventions for preventing incontinence-associated dermatitis in adults. **Cochrane Database of Systematic Reviews**. 2025;(7):CD011627. doi:10.1002/14651858.CD011627.pub3.
- [2].Beeckman D, Campbell J, Campbell K, et al. **Proceedings of the Global IAD Expert Panel: Incontinence-Associated Dermatitis—Moving Prevention Forward**. Wounds International; 2015.
- [3].Woo KY, Beeckman D, Chakravarthy D. Management of moisture-associated skin damage: a scoping review. **Advances in Skin & Wound Care**. 2017;30(11):494-501. doi:10.1097/01.ASW.0000525627.54569.da.
- [4].Fletcher J, Beeckman D, Boyles A, et al. **International Best Practice Recommendations: Prevention and Management of Moisture-Associated Skin Damage (MASD)**. Wounds International; 2020.
- [5].Beele H, Smet S, Van Damme N, Beeckman D. Incontinence-associated dermatitis: pathogenesis, contributing factors, prevention and management options. **Drugs & Aging**. 2018;35(1):1-10.
- [6].Beeckman D, Schoonhoven L, Verhaeghe S, Heyneman A, Defloor T. Prevention and treatment of incontinence-associated dermatitis: literature review. **Journal of Advanced Nursing**. 2009;65(6):1141-1154. doi:10.1111/j.1365-2648.2009.04986.x.
- [7].Skin Integrity Research Group. **The Ghent Global IAD Categorisation Tool**. Ghent University; 2017.
- [8].Van den Bussche K, Verhaeghe S, Van Hecke A, Beeckman D. The Ghent Global IAD Monitoring Tool (GLOBIAD-M) to monitor the healing of incontinence-associated dermatitis (IAD): design and reliability study. **International Wound Journal**. 2018;15(4):555-564. doi:10.1111/iwj.12898.
- [9].Kottner J, Everink I, van Haastregt J, Blume-Peytavi U, Schols J. Prevalence of intertrigo and associated factors: a secondary data analysis of four annual multicentre prevalence studies in the Netherlands. **International Journal of Nursing Studies**. 2020;104:103437. doi:10.1016/j.ijnurstu.2019.103437.
- [10].Gray M, Giuliano KK. Incontinence-associated dermatitis, characteristics and relationship to pressure injury: a multisite epidemiologic analysis. **Journal of Wound, Ostomy and Continence Nursing**. 2018;45(1):63-67.
- [11].Fletcher J. Appropriate selection and use of barrier creams and films. **Wound Essentials**. 2015;10(2):64-68.
- [12].Cunich M, Barakat-Johnson M, Lai M, Arora S, Church J, Basjarahil S, et al. The costs, health outcomes and cost-effectiveness of interventions for the prevention and treatment of incontinence-associated dermatitis: a systematic review. **International Journal of Nursing Studies**. 2022;129:104216.
- [13].Banharak S, Panpanit L, Subindee S, et al. Prevention and care for incontinence-associated dermatitis among older adults: a systematic review. **Journal of Multidisciplinary Healthcare**. 2021.
- [14].成人失禁相关性皮炎护理实践专家共识组. 成人失禁相关性皮炎护理实践专家共识. 中华护理杂志. 2020;55(Suppl):100-105.
- [15].王国州, 任慈, 王青龙, 赵孟淑, 王莹. 成人失禁相关性皮炎高危因素的系统评价. 临床与病理杂志. 2019;39(8):1760-1767. doi:10.3978/j.issn.2095-6959.2019.08.024.
- [16].董珊, 袁玲, 陈秋菊, 吴玲, 魏敏, 张倩文. 肠造口周围潮湿相关性皮肤损伤预防与管理的最佳证据总结. 中华护理杂志. 2022;57(2):223-229. doi:10.3761/j.issn.0254-1769.2022.02.017.
- [17].Cunliffe T. Intertrigo. **Primary Care Dermatology Society**. Published
- [18].National Pressure Injury Advisory Panel (NPIAP). Pressure Injury Stages / Definition. NPIAP.
- [19].European Pressure Ulcer Advisory Panel (EPUAP), National Pressure Injury Advisory Panel (NPIAP), Pan Pacific Pressure Injury Alliance (PPPIA). Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. 2019.
- [20].Coleman S, Gorecki C, Nelson EA, et al. Patient risk factors for pressure ulcer development: systematic review. *International Journal of Nursing Studies*. 2013;50(7):974-1003.
- [21].Ryan H, O' Donnell D, Moore Z, et al. Use of wipes with emollient and barrier properties for the prevention of pressure injuries: a multicentre randomised controlled trial. *BMJ Open*. 2026;16:e106846.

OTHER VINNER PRODUCTS

维尼健康其他产品

Body Care

身体护理系列

EN		CN	
Product	Code	产品	型号
Bathing Wipes	VLBBW8	产品名称	VLBBW8
Bathing Gloves	VLBBG8	免冲洗沐浴手套	VLBBG8
Rinse-Free Shampoo Cap	VLSHMC1	免洗浴帽	VLSHMC1
Continence Care Wipes	VLCONCW25	失禁护理湿巾	VLCONCW25
Pure Water Wipes	HKPWW60	纯水婴儿湿巾	HKPWW60

Body Decolonization

身体去殖系列

EN		CN	
Product	Code	产品	型号
CHG Wash Cloths	VLCWC	CHG 洗必泰身体擦拭巾	VLCWC
CHG Wash Gloves	Coming Soon	CHG 洗必泰身体擦拭手套	即将上市
CHG Shampoo Cap	Coming Soon	CHG 洗必泰免洗浴帽	即将上市

Clinical Disinfection

医疗消毒系列

EN		CN	
Product	Code	产品	型号
Surface Disinfectant Wipes	VLCDW	季铵盐器械消毒湿巾	VLCDW
Alcohol Disinfectant Wipes	VLADW	酒精器械消毒湿巾	VLADW
Peracetic Acid Wipes	Coming Soon	过氧乙酸消毒湿巾	即将上市
Hydrogen Peroxide Disinfectant Wipes	Coming Soon	过氧化氢湿巾	即将上市

OEM/ODM

代工生产/定制代工

EN			CN		
Product Category	Customizable Products	Formula Availability	产品类别	可定制产品	配方研发
Baby & Mother Care Wipes	Baby wipes, maternity wipes, breast cleansing wipes, sensitive skin wipes	✓	母婴护理湿巾	婴儿湿巾、产妇护理湿巾、乳房清洁湿巾、敏感肌湿巾	✓
Personal Hygiene Wipes	Feminine hygiene wipes, toilet wipes, deodorizing wipes, travel wipes	✓	个人卫生湿巾	女性护理湿巾、厕用湿巾、除味湿巾、旅行湿巾	✓
Medical & Healthcare Wipes	Patient cleansing wipes, pre-op cleansing wipes, wound surrounding skin cleansing wipes, medical care wipes	✓	医疗及健康护理湿巾	患者清洁湿巾、术前清洁湿巾、伤口周围皮肤清洁湿巾、医疗护理湿巾	✓
Disinfection Wipes	Surface disinfectant wipes, alcohol wipes, non-alcohol disinfectant wipes, sporicidal wipes	✓	消毒湿巾	表面消毒湿巾、酒精湿巾、无酒精消毒湿巾、孢子杀灭型消毒湿巾	✓
Pet Care Wipes	Pet cleansing wipes, deodorizing wipes, paw wipes, ear and eye wipes	✓	宠物护理湿巾	宠物清洁湿巾、宠物除味湿巾、宠物足部湿巾、耳眼护理湿巾	✓
Household & Cleaning Wipes	Kitchen wipes, bathroom wipes, floor wipes, glass wipes, multi-purpose cleaning wipes	✓	家居清洁湿巾	厨房湿巾、浴室湿巾、地板湿巾、玻璃湿巾、多用途清洁湿巾	✓
Industrial & Specialty Wipes	Equipment cleaning wipes, heavy-duty cleaning wipes, anti-static wipes, customized functional wipes	✓	工业及特殊用途湿巾	设备清洁湿巾、重油污清洁湿巾、防静电湿巾、定制功能湿巾	✓

VINNERLOVE provides a complete patient hygiene and infection prevention portfolio, covering daily body care, body decolonization, and clinical surface disinfection. From bedside bathing to professional healthcare disinfection, we support safer, cleaner, and more comfortable care environments.

VINNERLOVE 提供完整的患者清洁护理与感染预防产品组合，覆盖日常身体护理、身体去殖护理及医疗表面消毒。从床旁沐浴到专业医疗消毒，我们致力于帮助医疗及护理机构打造更安全、更洁净、更舒适的护理环境。

Vinner (Shenzhen) Health Products Limited.
 维尼健康（深圳）股份有限公司
 Room 608, Baoshan Times building, Shenzhen Longhua District, China. 518129
 深圳市龙华区宝山时代大厦 608室

www.vinner-wipes.com
 hongzihao@vinnercare.cn
 liulizan@vinnercare.cn
 TEL: +86 0755-61695825

