

Farmhannong Agro Weekly - 출처 확인용 PDF

이 파일은 원문 기사 전체를 복제한 보관본이 아니라, 링크 차단/삭제 시에도 출처 확인을 돕기 위한 색인 PDF입니다.

카드 발행일	2026 - 09 - 21
카드 번호	13
출처	CropWatch (네브래스카大)
원문 제목	This Week on N Field: Residual Herbicides for Palmer Amaranth in Soybean
원 URL	https://cropwatch.unl.edu/news/week-n-field-residual-herbicides-palmer-amaranth-soybean/
제목 검색 URL	https://www.google.com/search?q=%22This+Week+on+N+Field%3A+Residual+Herbicides+for+Palmer+Amaranth+in+Soybean%22+CropWatch+%28%EB%84%A4%EB%B8%8C%EB%9E%98%EC%8A%A4%EC%B9%B4%E5%A4%A7%29
검색 키워드	Palmer amaranth residual herbicides soybean overlapping applications 15 inch 30 inch row spacing layering resistance Jhala Nebraska September 18 2026 season - long
PDF 생성일	2026 - 09 - 21 08:30

카드 요약 / 당시 확인 내용

Nebraska Extension published on September 18, 2026 field research examining whether residual herbicides applied before and after soybean emergence can provide season - long control of herbicide - resistant Palmer amaranth. Researchers compared 15 - inch and 30 - inch soybean rows, finding that narrower row spacing combined with overlapping residual applications reduces late - season weed escapes and seed production. The herbicide layering approach applies residual products both pre - emergence and post - emergence with overlapping applications to maintain consistent season - long control. The research emphasizes multiple control tactics working together rather than relying on single applications for resistance management. Experts featured: Amit Jhala, Nebraska Extension Weed Management Specialist, and UNL doctoral student Ankit Yadav.