

Farmhannong Agro Weekly - 출처 확인용 PDF

이 파일은 원문 기사 전체를 복제한 보관본이 아니라, 링크 차단/삭제 시에도 출처 확인을 돕기 위한 색인 PDF입니다.

카드 발행일	2026 - 09 - 21
카드 번호	15
출처	DTN Progressive Farmer
원문 제목	Corn Grain Quality Concerns Mount With Variable, Wet Weather
원 URL	https://www.dtnpf.com/agriculture/web/ag/crops/article/2026/09/15/corn-grain-quality-concerns-mount
제목 검색 URL	https://www.google.com/search?q=%22Corn+Grain+Quality+Concerns+Mount+With+Variable%2C+Wet+Weather%22+DTN+Progressive+Farmer
검색 키워드	corn ear mold ear rot kernel sprouting Corn Belt Southern Plains Fusarium Diplodia Aspergillus mycotoxin test weight dry 15% moisture scout September 15 2026 Kansas State
PDF 생성일	2026 - 09 - 21 08:30

카드 요약 / 당시 확인 내용

Reports of corn ear mold, ear rot and kernel sprouting are spreading across the Corn Belt and Southern Plains due to wet and hot conditions during crop maturation (September 15, 2026). Fusarium ear rot and Diplodia ear rot thrive in warm, wet post-silking conditions, while Aspergillus ear mold develops in hot, dry weather. Kansas State University agronomist Logan Simon reported many calls on a variety of progressing ear molds. Kernel sprouting occurs when kernels germinate before harvest, triggered by delayed silking, hail, insect injury, late rains, warm temperatures and upright ears. A stalled cold front from Nebraska - Kansas to the Great Lakes is producing repeated rain, with temperatures in the 90s south of the front. Mycotoxin contamination can harm livestock and complicate grain marketing; molds reduce test weight and elevate moisture. Recommendations: scout fields before harvest, dry grain to 15% moisture or below, segregate affected grain, and harvest sprouted corn quickly.