Statistical tables

Public Insensitivity to the Paris Temperature Targets

Ziqian Xia, Rachit Dubey, and Sara M. Constantino

Tables S1–S12.

Table S1 Linear Regression Model predicting Worry Index.

	Dependent Variable: Worry Index		
Predictor	**Coefficient** (β)	**Std. Error**	**95% CI**
(Intercept)	51.718***	2.478	[46.86, 56.58]
Projected Warming (°C)	2.767***	0.625	[1.54, 3.99]
Observations	986		
R^2	0.020		
Adjusted R^2	0.019		

Note: Unstandardized OLS regression coefficients. Confidence intervals (CI) are 95%.
Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Table S2 Pairwise Comparisons of Risk Perception across Temperature Conditions (Holm-corrected) with Cohen's d.

Group 1	**Group 2**	N_1	N_2	**Statistic** (t)	**df**	p	p_{adj}	**Cohen's** d	**Sig.**
1.5	2	101	113	−0.1643	210.7023	0.870	1.000	−0.022	ns
1.5	2.5	101	102	−1.5633	200.2496	0.120	1.000	−0.220	ns
1.5	3	101	73	−0.6723	153.3969	0.502	1.000	−0.104	ns
1.5	3.5	101	109	−1.3659	206.7954	0.173	1.000	−0.189	ns
1.5	4	101	115	−1.6152	208.3519	0.108	1.000	−0.221	ns
1.5	4.5	101	102	−2.2450	200.0718	0.026	1.000	−0.315	ns
1.5	5	101	86	−2.1474	180.0185	0.033	1.000	−0.315	ns
1.5	5.5	101	89	−3.3078	186.7379	0.001	0.051	−0.480	ns
1.5	6	101	96	−2.9112	193.2765	0.004	0.173	−0.415	ns
2	2.5	113	102	−1.4122	212.9375	0.159	1.000	−0.192	ns
2	3	113	73	−0.5298	155.3519	0.597	1.000	−0.079	ns
2	3.5	113	109	−1.2138	219.9990	0.226	1.000	−0.163	ns
2	4	113	115	−1.4620	224.3353	0.145	1.000	−0.194	ns
2	4.5	113	102	−2.1013	212.9778	0.037	1.000	−0.286	ns
2	5	113	86	−2.0115	185.7889	0.046	1.000	−0.287	ns
2	5.5	113	89	−3.1801	194.9398	0.002	0.075	−0.446	ns
2	6	113	96	−2.7820	200.9790	0.006	0.249	−0.386	ns
2.5	3	102	73	0.7203	148.3048	0.472	1.000	0.112	ns
2.5	3.5	102	109	0.1890	208.9528	0.850	1.000	0.026	ns
2.5	4	102	115	−0.0213	212.7201	0.983	1.000	−0.003	ns
2.5	4.5	102	102	−0.6966	201.9903	0.487	1.000	−0.098	ns
2.5	5	102	86	−0.7096	176.8736	0.479	1.000	−0.104	ns
2.5	5.5	102	89	−1.8496	185.1866	0.066	1.000	−0.268	ns
2.5	6	102	96	−1.4804	191.3900	0.140	1.000	−0.211	ns

Continued on next page...

Table S2 – continued from previous page

Group 1	Group 2	N_1	N_2	Statistic (t)	df	p	p_{adj}	Cohen's d	Sig.
3	3.5	73	109	−0.5495	152.3814	0.583	1.000	−0.083	ns
3	4	73	115	−0.7505	147.1473	0.454	1.000	−0.114	ns
3	4.5	73	102	−1.3312	147.6148	0.185	1.000	−0.207	ns
3	5	73	86	−1.3104	152.0193	0.192	1.000	−0.209	ns
3	5.5	73	89	−2.3315	149.5415	0.021	0.865	−0.371	ns
3	6	73	96	−1.9985	156.9086	0.047	1.000	−0.309	ns
3.5	4	109	115	−0.2141	220.2803	0.831	1.000	−0.029	ns
3.5	4.5	109	102	−0.8798	208.9863	0.380	1.000	−0.121	ns
3.5	5	109	86	−0.8794	182.2359	0.380	1.000	−0.127	ns
3.5	5.5	109	89	−2.0156	191.1759	0.045	1.000	−0.287	ns
3.5	6	109	96	−1.6454	197.2539	0.101	1.000	−0.231	ns
4	4.5	115	102	−0.6901	213.0122	0.491	1.000	−0.094	ns
4	5	115	86	−0.7028	179.3145	0.483	1.000	−0.101	ns
4	5.5	115	89	−1.8653	190.3271	0.064	1.000	−0.263	ns
4	6	115	96	−1.4879	195.9109	0.138	1.000	−0.207	ns
4.5	5	102	86	−0.0661	176.3472	0.947	1.000	−0.010	ns
4.5	5.5	102	89	−1.1854	184.8194	0.237	1.000	−0.172	ns
4.5	6	102	96	−0.8334	190.9868	0.406	1.000	−0.119	ns
5	5.5	86	89	−1.0376	171.7890	0.301	1.000	−0.157	ns
5	6	86	96	−0.7150	179.0788	0.476	1.000	−0.106	ns
5.5	6	89	96	0.3077	182.9720	0.759	1.000	0.045	ns

Note: Pairwise comparisons using Welch's t-tests. P-values are adjusted using the Holm step-down method. Cohen's d is reported for each comparison.

Table S3 OLS Regression: Interaction between Temperature and Unit Framing (°C vs °F).

	Dependent Variable: Worry Index		
Predictor	**Coefficient** (β)	**Std. Error**	**95% CI**
(Intercept)	59.73***	1.28	$[57.22, 62.25]$
Projected Warming (centered)	3.16***	0.88	$[1.43, 4.90]$
Unit Condition [Fahrenheit]	4.27*	1.79	$[0.77, 7.78]$
Warming × Unit [F]	–0.71	1.25	$[-3.16, 1.74]$
Observations	986		
R^2	0.026		
Adjusted R^2	0.023		

Note: Assigned warming is expressed in Celsius-equivalent units and centered at the sample mean (3.699°C). The reference group is Celsius; the Fahrenheit coefficient therefore represents the average unit-framing difference at the sample-mean warming level. The interaction term tests whether the warming slope differs by unit.
Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Table S4 Semantic Similarity Analysis across Five Embedding Models (N=986).

Embedding Model	**Text Input**	**Δ (Within–Between)**	p**-value**	**Significance**
all-mpnet-base-v2	Raw	0.00223	0.025	*Sig.*
	Clean[a]	0.00233	0.018	*Sig.*
BAAI/bge-large-en-v1.5	Raw	0.00111	0.041	*Sig.*
	Clean[a]	0.00095	0.076	*Marginal*
mixedbread-ai/mxbai-embed-large-v1	Raw	0.00095	0.102	*Non-sig.*
	Clean[a]	0.00081	0.159	*Non-sig.*
all-MiniLM-L6-v2	Raw	0.00133	0.110	*Non-sig.*
	Clean[a]	0.00131	0.123	*Non-sig.*
intfloat/e5-large-v2	Raw	0.00014	0.580	*Non-sig.*
	Clean[a]	0.00004	0.860	*Non-sig.*

[a] "Clean" text input refers to responses where explicit temperature references (e.g., "1.5 degrees", "6C") were removed to test for semantic content independent of numerical cues.
Significance is determined by permutation testing (1000 iterations).

Table S5 Interaction Model for Party-Specific Sensitivity to Projected Warming.

Term	Coefficient	Std. Error	95% CI
(Intercept)	62.864***	3.140	$[56.70, 69.03]$
Projected Warming (°C)	2.746***	0.787	$[1.20, 4.29]$
Republican (vs Democrat)	–23.235***	4.851	$[-32.76, -13.71]$
Warming × Republican	0.095	1.222	$[-2.30, 2.49]$
Observations	845		
R^2	0.186		
Adjusted R^2	0.183		

Note: Party coding follows survey skip logic: self-identified Democrats/Republicans are coded directly, and Independents/No preference/Other are classified using lean (Closer to Democratic/Republican). The interaction term is not statistically significant ($p = 0.938$), indicating little evidence that warming sensitivity differs by party. Separate within-party regressions are reported in Table S11.
Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Table S6 Pilot 1 Full OLS Regression (Outcome: Worry 1–7).

Predictor	Coefficient	Std. Error	t-stat	95% CI	p-value
(Intercept)	4.759***	0.224	21.286	$[4.32, 5.20]$	< 0.001
Projected Warming (°C)	0.126*	0.056	2.239	$[0.02, 0.24]$	0.026
Observations	493				
R^2	0.010				
Adjusted R^2	0.008				

Note: OLS model estimated as Worry $\sim$ Projected Warming.
Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Table S7 Pilot 2 Full OLS Regression (Outcome: Worry 0–100).

Predictor	Coefficient	Std. Error	t-stat	95% CI	p-value
(Intercept)	56.985***	3.838	14.849	$[49.44, 64.52]$	< 0.001
Projected Warming (°C)	1.511	0.946	1.598	$[-0.35, 3.37]$	0.111
Observations	498				
R^2	0.005				
Adjusted R^2	0.003				

Note: OLS model estimated as Worry $\sim$ Projected Warming.
Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Table S8 Main Study Item-Level Full OLS Regression (Outcome: Worry Assigned Temperature).

Predictor	Coefficient	Std. Error	t-stat	95% CI	p-value
(Intercept)	56.651***	2.626	21.570	$[51.50, 61.80]$	< 0.001
Projected Warming (°C)	2.591***	0.662	3.913	$[1.29, 3.89]$	< 0.001
Observations	986				
R^2	0.015				
Adjusted R^2	0.014				

Note: OLS model estimated as Assigned-temperature Worry $\sim$ Projected Warming.
Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Table S9 Main Study Item-Level Full OLS Regression (Outcome: Harm to US People).

Predictor	Coefficient	Std. Error	t-stat	95% CI	p-value
(Intercept)	57.237***	2.504	22.859	$[52.32, 62.15]$	< 0.001
Projected Warming (°C)	2.519***	0.631	3.990	$[1.28, 3.76]$	< 0.001
Observations	986				
R^2	0.016				
Adjusted R^2	0.015				

Note: OLS model estimated as Harm to US People $\sim$ Projected Warming.
Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Table S10 Main Study Item-Level Full OLS Regression (Outcome: Personal Harm).

Predictor	Coefficient	Std. Error	t-stat	95% CI	p-value
(Intercept)	41.266***	2.881	14.325	$[35.61, 46.92]$	< 0.001
Projected Warming (°C)	3.191***	0.726	4.394	$[1.77, 4.62]$	< 0.001
Observations	986				
R^2	0.019				
Adjusted R^2	0.018				

Note: OLS model estimated as Personal Harm $\sim$ Projected Warming.
Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Table S11 Within-Party Linear Regressions of Worry Index on Projected Warming.

Metric	Democrats	Republicans
Observations (N)	491	354
Intercept (β, SE)	62.86*** (2.69)	39.63*** (4.33)
Intercept 95% CI	$[57.58, 68.14]$	$[31.11, 48.15]$
Projected Warming (°C) (β, SE)	2.75*** (0.67)	2.84** (1.09)
Projected Warming 95% CI	$[1.42, 4.07]$	$[0.69, 4.99]$
R^2	0.033	0.019
Adjusted R^2	0.031	0.016

Note: Each column reports a separate OLS model estimated within party, with Worry Index as outcome and Projected Warming (°C) as predictor.
Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Panel A. Primary continuous-temperature regression

Table S12 Sensitivity Analyses Excluding Accounts Matched from Prolific's Post Hoc LLM-Check Export.

Analytic sample	N	β	SE	p-value	R^2
Full analytic sample	986	2.767	0.625	$< .001$	0.020
Excluding 19 matched accounts	967	2.863	0.633	$< .001$	0.021

Panel B. Five-model embedding sensitivity analysis

Model	Input	Full Δ	Full p	Exclusion Δ	Exclusion p
MPNet-Base	Raw	0.00223	0.025	0.00195	0.052
	Clean	0.00233	0.018	0.00202	0.053
MiniLM-L6	Raw	0.00133	0.110	0.00102	0.247
	Clean	0.00131	0.123	0.00103	0.262
E5-Large	Raw	0.00014	0.580	0.00006	0.826
	Clean	0.00004	0.860	–0.00005	0.860
BGE-Large	Raw	0.00111	0.041	0.00092	0.076
	Clean	0.00095	0.076	0.00076	0.146
Mxbai-Large	Raw	0.00095	0.102	0.00073	0.198
	Clean	0.00081	0.159	0.00059	0.313

Note: N=986 in the full analytic sample and N=967 after excluding the 19 accounts that could be matched to archived main-study records. The primary model is Worry Index $\sim$ Projected Warming (°C). Embedding values report $\Delta = \mu_{\text{within}} - \mu_{\text{between}}$ and two-sided permutation p-values from 1,000 label permutations with seed 123. No participant identifiers are included.