Statistical Tables

Public Insensitivity to the Paris Temperature Targets

Ziqian Xia, Rachit Dubey, and Sara M. Constantino

Table 1. Main-study regression of the Worry Index on projected warming.

Predictor	b	SE	t	95% CI	p
Intercept	51.718	2.478	20.873	[46.86, 56.58]	< 0.001
Projected warming (°C)	2.767	0.625	4.430	[1.54, 3.99]	< 0.001
Observations	986				
R^2	0.020				
Adjusted R^2	0.019				

Note. Unstandardized OLS coefficients; two-sided tests and 95% confidence intervals. The Worry Index averages three 0–100 items. Warming is in Celsius-equivalent units.

Table 2. Pairwise comparisons across warming levels with Holm correction.

Group 1	Group 2	N_1	N_2	t	df	p	p_{Holm}
1.5	2	101	113	-0.1643	210.7023	0.870	1.000
1.5	2.5	101	102	-1.5633	200.2496	0.120	1.000
1.5	3	101	73	-0.6723	153.3969	0.502	1.000
1.5	3.5	101	109	-1.3659	206.7954	0.173	1.000
1.5	4	101	115	-1.6152	208.3519	0.108	1.000
1.5	4.5	101	102	-2.2450	200.0718	0.026	1.000
1.5	5	101	86	-2.1474	180.0185	0.033	1.000
1.5	5.5	101	89	-3.3078	186.7379	0.001	0.051
1.5	6	101	96	-2.9112	193.2765	0.004	0.173
2	2.5	113	102	-1.4122	212.9375	0.159	1.000
2	3	113	73	-0.5298	155.3519	0.597	1.000
2	3.5	113	109	-1.2138	219.9990	0.226	1.000
2	4	113	115	-1.4620	224.3353	0.145	1.000
2	4.5	113	102	-2.1013	212.9778	0.037	1.000
2	5	113	86	-2.0115	185.7889	0.046	1.000
2	5.5	113	89	-3.1801	194.9398	0.002	0.075
2	6	113	96	-2.7820	200.9790	0.006	0.249
2.5	3	102	73	0.7203	148.3048	0.472	1.000
2.5	3.5	102	109	0.1890	208.9528	0.850	1.000
2.5	4	102	115	-0.0213	212.7201	0.983	1.000
2.5	4.5	102	102	-0.6966	201.9903	0.487	1.000
2.5	5	102	86	-0.7096	176.8736	0.479	1.000
2.5	5.5	102	89	-1.8496	185.1866	0.066	1.000
2.5	6	102	96	-1.4804	191.3900	0.140	1.000
3	3.5	73	109	-0.5495	152.3814	0.583	1.000
3	4	73	115	-0.7505	147.1473	0.454	1.000
3	4.5	73	102	-1.3312	147.6148	0.185	1.000
3	5	73	86	-1.3104	152.0193	0.192	1.000
3	5.5	73	89	-2.3315	149.5415	0.021	0.864
3	6	73	96	-1.9985	156.9086	0.047	1.000
3.5	4	109	115	-0.2141	220.2803	0.831	1.000
3.5	4.5	109	102	-0.8798	208.9863	0.380	1.000
3.5	5	109	86	-0.8794	182.2359	0.380	1.000
3.5	5.5	109	89	-2.0156	191.1759	0.045	1.000
3.5	6	109	96	-1.6454	197.2539	0.101	1.000
4	4.5	115	102	-0.6901	213.0122	0.491	1.000
4	5	115	86	-0.7028	179.3145	0.483	1.000
4	5.5	115	89	-1.8653	190.3271	0.064	1.000
4	6	115	96	-1.4879	195.9109	0.138	1.000
4.5	5	102	86	-0.0661	176.3472	0.947	1.000
4.5	5.5	102	89	-1.1854	184.8194	0.237	1.000
4.5	6	102	96	-0.8334	190.9868	0.406	1.000
5	5.5	86	89	-1.0376	171.7890	0.301	1.000
5	6	86	96	-0.7150	179.0788	0.476	1.000
5.5	6	89	96	0.3077	182.9720	0.759	1.000

Note. Warming levels are in Celsius-equivalent units, pooling the Celsius and Fahrenheit conditions. Two-sided Welch tests; Holm correction across all 45 contrasts.

Table 4. Interaction between projected warming and unit framing.

Predictor	b	SE	t	95% CI	p
Intercept	59.734	1.283	46.554	[57.22, 62.25]	< 0.001
Projected warming (centered)	3.162	0.884	3.579	[1.43, 4.90]	< 0.001
Fahrenheit (vs. Celsius)	4.274	1.786	2.393	[0.77, 7.78]	0.017
Warming $\times$ Fahrenheit	-0.712	1.247	-0.571	[-3.16, 1.74]	0.568
Observations	986				
R^2	0.026				
Adjusted R^2	0.023				

Note. Unstandardized OLS coefficients; two-sided tests and 95% confidence intervals. Warming is centered at the main-sample mean (3.699°C). Celsius is the reference unit.

Table 5. Semantic similarity across five embedding models.

Model	Input	Within	Between	Δ	p
MPNet-Base	Raw	0.46445	0.46222	0.00223	0.025
MPNet-Base	Clean	0.46471	0.46238	0.00233	0.018
MiniLM-L6	Raw	0.39978	0.39846	0.00133	0.110
MiniLM-L6	Clean	0.40508	0.40377	0.00131	0.123
E5-Large	Raw	0.83040	0.83026	0.00014	0.580
E5-Large	Clean	0.83179	0.83175	0.00004	0.860
BGE-Large	Raw	0.61863	0.61752	0.00111	0.041
BGE-Large	Clean	0.62047	0.61952	0.00095	0.076
Mxbai-Large	Raw	0.61447	0.61352	0.00095	0.102
Mxbai-Large	Clean	0.61684	0.61604	0.00081	0.159

Note. $N = 986$. Δ is mean within-condition minus between-condition cosine similarity. Two-sided permutation tests use 1,000 label permutations (seed 123); p-values are unadjusted. Clean input removes numeric and temperature cues as described in SI Section S5.

Table 6. Interaction between projected warming and political party.

Predictor	b	SE	t	95% CI	p
Intercept	62.864	3.140	20.019	[56.70, 69.03]	< 0.001
Projected warming (°C)	2.746	0.787	3.488	[1.20, 4.29]	< 0.001
Republican (vs. Democrat)	-23.235	4.851	-4.790	[-32.76, -13.71]	< 0.001
Warming × Republican	0.095	1.222	0.077	[-2.30, 2.49]	0.938
Observations	845				
R^2	0.186				
Adjusted R^2	0.183				

Note. Unstandardized OLS coefficients; two-sided tests and 95% confidence intervals. Democrats are the reference group. Self-identified partisans are coded directly; Independents, Other party, and No preference respondents are classified using the leaning question. Respondents without a Democratic or Republican affiliation or lean are excluded. Table 11 reports separate within-party fits.

Table 7. Pilot 1: regression of worry on projected warming.

Predictor	b	SE	t	95% CI	p
Intercept	4.759	0.224	21.286	[4.32, 5.20]	< 0.001
Projected warming (°C)	0.126	0.056	2.239	[0.02, 0.24]	0.026
Observations	493				
R^2	0.010				
Adjusted R^2	0.008				

Note. Unstandardized OLS coefficients; two-sided tests and 95% confidence intervals. Worry uses a 1–7 scale; warming is in °C.

Table 8. Pilot 2: regression of worry on projected warming.

Predictor	b	SE	t	95% CI	p
Intercept	56.985	3.838	14.849	[49.44, 64.52]	< 0.001
Projected warming (°C)	1.511	0.946	1.598	[-0.35, 3.37]	0.111
Observations	498				
R^2	0.005				
Adjusted R^2	0.003				

Note. Unstandardized OLS coefficients; two-sided tests and 95% confidence intervals. Worry uses a 0–100 scale; warming is in °C.

Table 9. Main-study item-level regression: worry about assigned warming.

Predictor	b	SE	t	95% CI	p
Intercept	56.651	2.626	21.570	[51.50, 61.80]	< 0.001
Projected warming (°C)	2.591	0.662	3.913	[1.29, 3.89]	< 0.001
Observations	986				
R^2	0.015				
Adjusted R^2	0.014				

Note. Unstandardized OLS coefficients; two-sided tests and 95% confidence intervals. The outcome uses a 0–100 scale; warming is in Celsius-equivalent units. Each item is fitted separately on the main analytic sample.

Table 10. Main-study item-level regression: harm to people in the United States.

Predictor	b	SE	t	95% CI	p
Intercept	57.237	2.504	22.859	[52.32, 62.15]	< 0.001
Projected warming (°C)	2.519	0.631	3.990	[1.28, 3.76]	< 0.001
Observations	986				
R^2	0.016				
Adjusted R^2	0.015				

Note. Unstandardized OLS coefficients; two-sided tests and 95% confidence intervals. The outcome uses a 0–100 scale; warming is in Celsius-equivalent units. Each item is fitted separately on the main analytic sample.

Table 11. Main-study item-level regression: personal harm.

Predictor	b	SE	t	95% CI	p
Intercept	41.266	2.881	14.325	[35.61, 46.92]	< 0.001
Projected warming (°C)	3.191	0.726	4.394	[1.77, 4.62]	< 0.001
Observations	986				
R^2	0.019				
Adjusted R^2	0.018				

Note. Unstandardized OLS coefficients; two-sided tests and 95% confidence intervals. The outcome uses a 0–100 scale; warming is in Celsius-equivalent units. Each item is fitted separately on the main analytic sample.

Table 12. Within-party regressions of the Worry Index on projected warming.

Predictor	b	SE	t	95% CI	p
Democrat					
Intercept	62.864	2.687	23.396	[57.58, 68.14]	< 0.001
Projected warming	2.746	0.674	4.077	[1.42, 4.07]	< 0.001
Observations	491				
R^2	0.033				
Adjusted R^2	0.031				
Republican					
Intercept	39.629	4.330	9.151	[31.11, 48.15]	< 0.001
Projected warming	2.841	1.094	2.596	[0.69, 4.99]	0.010
Observations	354				
R^2	0.019				
Adjusted R^2	0.016				

Note. Separate OLS models within party, including leaners. Warming is in Celsius-equivalent units. Each fit estimates its own residual variance; its standard errors need not equal those in the pooled interaction model (Table 5).

Table 13. Sensitivity analyses excluding accounts matched to the post hoc LLM-check export.

Sample	N	b	SE	p	R^2
Full sample	986	2.767	0.625	< 0.001	0.020
Excluding matched accounts	967	2.863	0.633	< 0.001	0.021

Note. Primary OLS regression of the Worry Index on warming. Archived aggregate results after excluding 19 matched accounts; reproducing the exclusion requires the nonpublic participant-level classification.

Table 12 (continued). Embedding sensitivity

Model	Input	Full Δ	Full p	Exclusion Δ	Exclusion p
MPNet-Base	Raw	0.00223	0.025	0.00195	0.052
MPNet-Base	Clean	0.00233	0.018	0.00202	0.053
MiniLM-L6	Raw	0.00133	0.110	0.00102	0.247
MiniLM-L6	Clean	0.00131	0.123	0.00103	0.262
E5-Large	Raw	0.00014	0.580	0.00006	0.826
E5-Large	Clean	0.00004	0.860	-0.00005	0.860
BGE-Large	Raw	0.00111	0.041	0.00092	0.076
BGE-Large	Clean	0.00095	0.076	0.00076	0.146
Mxbai-Large	Raw	0.00095	0.102	0.00073	0.198
Mxbai-Large	Clean	0.00081	0.159	0.00059	0.313

Note. Full sample: $N = 986$; exclusion sample: $N = 967$. Δ is within-condition minus between-condition cosine similarity. Two-sided permutation tests use 1,000 label permutations (seed 123); p-values are unadjusted.