

Integration Test Evidence Pack

Generated from committed evidence artifacts in docs/evidence/latest.

Evidence Summary

docs\evidence\latest\summary.json

```
■{
  "generatedAt": "2026-05-03T15:02:26",
  "repoRoot": "C:\\Users\\ziuvar\\Desktop\\PRUEBAS INTEGRACION",
  "evidenceRoot": "docs/evidence/latest",
  "rabbitmq": {
    "cp01": {
      "orderId": "ORD-1777838559240",
      "httpCode": 202,
      "timeTotal": 0.008838,
      "correlationId": "32f16a65-36e7-417a-8f7b-82f50aed013c"
    },
    "cp09": {
      "orderId": "ORD-1777838563191",
      "httpCode": 202,
      "queueReadyPatternMatched": true,
      "correlationId": "659e00d5-4adb-416c-af80-08c4e10a9585"
    },
    "cp10": {
      "scaledWorkers": 2,
      "orderIds": [
        "ORD-1777838567713",
        "ORD-1777838567737",
        "ORD-1777838567760",
        "ORD-1777838567782"
      ],
      "worker1Seen": true,
      "worker2Seen": true
    }
  },
  "kafka": {
    "cp01": {
      "orderId": "ORD-1777838599216",
      "httpCode": 202,
      "timeTotal": 0.023589,
      "correlationId": "06f45e2c-7222-48ea-90c1-5f44aba19d77"
    },
    "cp09": {
      "orderId": "ORD-1777838602877",
      "httpCode": 202,
      "timeTotal": 0.005395,
      "notificationProcessedWhileStopped": false,
      "notificationProcessedAfterRestart": true,
      "correlationId": "a4a9829e-7d1d-4179-ad03-5c8fe3e168fe"
    },
    "cp10": {
      "scaledConsumers": 2,
      "orderIds": [
        "ORD-1777838631719",
        "ORD-1777838631750",
        "ORD-1777838631786",
        "ORD-1777838631817",
        "ORD-1777838631845",
        "ORD-1777838631875",
        "ORD-1777838631901",
        "ORD-1777838631926"
      ],
      "consumer1Seen": true,
      "consumer2Seen": true
    }
  }
}
```

RabbitMQ - Containers

docs\evidence\latest\rabbitmq\03-ps.txt

```
■NAME IMAGE COMMAND SERVICE CREATED STATUS PORTS
pruebasintegracion-notification-worker-1 pruebasintegracion-notification-worker "docker-entrypoint.s..."
notification-worker 9 seconds ago Up 8 seconds
pruebasintegracion-orders-api-1 pruebasintegracion-orders-api "docker-entrypoint.s..." orders-api 9 seconds ago Up 8
seconds 0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp
pruebasintegracion-rabbitmq-1 rabbitmq:3.13-management "docker-entrypoint.s..." rabbitmq 10 seconds ago Up 8 seconds
0.0.0.0:5672->5672/tcp, [::]:5672->5672/tcp, 0.0.0.0:15672->15672/tcp, [::]:15672->15672/tcp
```

RabbitMQ - API Response

docs\evidence\latest\rabbitmq\07-cp01-response.txt

```
■{"status":"accepted","message":"Pedido recibido y enviado a RabbitMQ","orderId":"ORD-1777838559240"}  
TIME_TOTAL=0.008838  
HTTP_CODE=202
```

RabbitMQ - Producer Log

docs\evidence\latest\rabbitmq\08-orders-api-after-cp01.log

```
■orders-api-1 |
orders-api-1 | > rabbitmq-orders-api@1.0.0 start
orders-api-1 | > node server.js
orders-api-1 |
orders-api-1 | [orders-api][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
orders-api-1 | [orders-api][rabbitmq] API escuchando en puerto 3000
orders-api-1 | [orders-api][rabbitmq] RabbitMQ no disponible: connect ECONNREFUSED 172.18.0.2:5672
orders-api-1 | [orders-api][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
orders-api-1 | [orders-api][rabbitmq] RabbitMQ no disponible: connect ECONNREFUSED 172.18.0.2:5672
orders-api-1 | [orders-api][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
orders-api-1 | [orders-api][rabbitmq] Conexion lista y cola "pedidos" disponible.
orders-api-1 | [orders-api][rabbitmq] Pedido ORD-1777838559240 publicado en cola "pedidos" con
correlationId=32f16a65-36e7-417a-8f7b-82f50aed013c.
```

RabbitMQ - Consumer Log

docs\evidence\latest\rabbitmq\09-notification-after-cp01.log

```
■notification-worker-1 |
notification-worker-1 | > rabbitmq-notification-worker@1.0.0 start
notification-worker-1 | > node worker.js
notification-worker-1 |
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] RabbitMQ no disponible: connect ECONNREFUSED 172.18.0.2:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] RabbitMQ no disponible: connect ECONNREFUSED 172.18.0.2:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Escuchando cola "pedidos" con prefetch=1.
notification-worker-1 | [3cea17cc0fae][rabbitmq] Mensaje recibido orderId=ORD-1777838559240
correlationId=32f16a65-36e7-417a-8f7b-82f50aed013c
notification-worker-1 | [3cea17cc0fae][rabbitmq] Simulando envio de notificacion...
```

RabbitMQ - Queue While Worker Stopped

docs\evidence\latest\rabbitmq\14-queue-state-worker-stopped.txt

```
■Timeout: 60.0 seconds ...  
Listing queues for vhost / ...  
name messages_ready messages_unacknowledged consumers  
pedidos 1 0 0
```

RabbitMQ - Recovery Log

docs\evidence\latest\rabbitmq\16-notification-after-recovery.log

```
■notification-worker-1 |
notification-worker-1 | > rabbitmq-notification-worker@1.0.0 start
notification-worker-1 | > node worker.js
notification-worker-1 |
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] RabbitMQ no disponible: connect ECONNREFUSED 172.18.0.2:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] RabbitMQ no disponible: connect ECONNREFUSED 172.18.0.2:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Escuchando cola "pedidos" con prefetch=1.
notification-worker-1 | [3cea17cc0fae][rabbitmq] Mensaje recibido orderId=ORD-1777838559240
correlationId=32f16a65-36e7-417a-8f7b-82f50aed013c
notification-worker-1 | [3cea17cc0fae][rabbitmq] Simulando envio de notificacion...
notification-worker-1 | [3cea17cc0fae][rabbitmq] Pedido ORD-1777838559240 procesado y confirmado con ack manual.
notification-worker-1 | [3cea17cc0fae][rabbitmq] Cerrando worker...
notification-worker-1 | [3cea17cc0fae][rabbitmq] Conexion cerrada. Reintentando...
notification-worker-1 |
notification-worker-1 | > rabbitmq-notification-worker@1.0.0 start
notification-worker-1 | > node worker.js
notification-worker-1 |
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Escuchando cola "pedidos" con prefetch=1.
notification-worker-1 | [3cea17cc0fae][rabbitmq] Mensaje recibido orderId=ORD-1777838563191
correlationId=659e00d5-4adb-416c-af80-08c4e10a9585
notification-worker-1 | [3cea17cc0fae][rabbitmq] Simulando envio de notificacion...
notification-worker-1 | [3cea17cc0fae][rabbitmq] Pedido ORD-1777838563191 procesado y confirmado con ack manual.
```

RabbitMQ - Scaled Workers Log

docs\evidence\latest\rabbitmq\21-notification-after-scale.log

```
■notification-worker-1 |
notification-worker-2 |
notification-worker-1 | > rabbitmq-notification-worker@1.0.0 start
notification-worker-1 | > node worker.js
notification-worker-2 | > rabbitmq-notification-worker@1.0.0 start
notification-worker-2 | > node worker.js
notification-worker-2 |
notification-worker-1 |
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] RabbitMQ no disponible: connect ECONNREFUSED 172.18.0.2:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] RabbitMQ no disponible: connect ECONNREFUSED 172.18.0.2:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Escuchando cola "pedidos" con prefetch=1.
notification-worker-1 | [3cea17cc0fae][rabbitmq] Mensaje recibido orderId=ORD-1777838559240
correlationId=32f16a65-36e7-417a-8f7b-82f50aed013c
notification-worker-1 | [3cea17cc0fae][rabbitmq] Simulando envio de notificacion...
notification-worker-1 | [3cea17cc0fae][rabbitmq] Pedido ORD-1777838559240 procesado y confirmado con ack manual.
notification-worker-1 | [3cea17cc0fae][rabbitmq] Cerrando worker...
notification-worker-2 | [8ca8f0e33b25][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Conexion cerrada. Reintentando...
notification-worker-2 | [8ca8f0e33b25][rabbitmq] Escuchando cola "pedidos" con prefetch=1.
notification-worker-2 | [8ca8f0e33b25][rabbitmq] Mensaje recibido orderId=ORD-1777838567737
correlationId=1825ca7d-dd75-4165-bac2-44cf5dbe61ba
notification-worker-1 |
notification-worker-1 | > rabbitmq-notification-worker@1.0.0 start
notification-worker-2 | [8ca8f0e33b25][rabbitmq] Simulando envio de notificacion...
notification-worker-1 | > node worker.js
notification-worker-1 |
notification-worker-1 | [3cea17cc0fae][rabbitmq] Intentando conexion a amqp://admin:admin@rabbitmq:5672
notification-worker-1 | [3cea17cc0fae][rabbitmq] Escuchando cola "pedidos" con prefetch=1.
notification-worker-2 | [8ca8f0e33b25][rabbitmq] Pedido ORD-1777838567737 procesado y confirmado con ack manual.
notification-worker-1 | [3cea17cc0fae][rabbitmq] Mensaje recibido orderId=ORD-1777838563191
correlationId=659e00d5-4adb-416c-af80-08c4e10a9585
notification-worker-1 | [3cea17cc0fae][rabbitmq] Simulando envio de notificacion...
notification-worker-2 | [8ca8f0e33b25][rabbitmq] Mensaje recibido orderId=ORD-1777838567782
correlationId=15e54303-b1d8-402c-a607-d17fc63a367d
notification-worker-1 | [3cea17cc0fae][rabbitmq] Pedido ORD-1777838563191 procesado y confirmado con ack manual.
notification-worker-2 | [8ca8f0e33b25][rabbitmq] Simulando envio de notificacion...
notification-worker-2 | [8ca8f0e33b25][rabbitmq] Pedido ORD-1777838567782 procesado y confirmado con ack manual.
notification-worker-1 | [3cea17cc0fae][rabbitmq] Mensaje recibido orderId=ORD-1777838567713
correlationId=ce56ee03-021a-4a0e-83d4-cbcb8ff86819
notification-worker-1 | [3cea17cc0fae][rabbitmq] Simulando envio de notificacion...
notification-worker-1 | [3cea17cc0fae][rabbitmq] Pedido ORD-1777838567713 procesado y confirmado con ack manual.
notification-worker-1 | [3cea17cc0fae][rabbitmq] Mensaje recibido orderId=ORD-1777838567760
correlationId=d4e0e5a0-be37-4ac4-83e6-7a7996078b27
notification-worker-1 | [3cea17cc0fae][rabbitmq] Simulando envio de notificacion...
notification-worker-1 | [3cea17cc0fae][rabbitmq] Pedido ORD-1777838567760 procesado y confirmado con ack manual.
```


Kafka - Containers

docs\evidence\latest\kafka\03-ps.txt

```
■NAME IMAGE COMMAND SERVICE CREATED STATUS PORTS
pruebasintegracion-billing-consumer-1 pruebasintegracion-billing-consumer "docker-entrypoint.s..." billing-consumer 15
seconds ago Up 14 seconds
pruebasintegracion-inventory-consumer-1 pruebasintegracion-inventory-consumer "docker-entrypoint.s..."
inventory-consumer 15 seconds ago Up 14 seconds
pruebasintegracion-kafka-1 bitnamilegacy/kafka:4.0.0-debian-12-r10 "/opt/bitnami/script..." kafka 16 seconds ago Up 14
seconds 0.0.0.0:29092->29092/tcp, [::]:29092->29092/tcp
pruebasintegracion-kafka-ui-1 provectuslabs/kafka-ui:latest "/bin/sh -c 'java --..." kafka-ui 15 seconds ago Up 14
seconds 0.0.0.0:8081->8080/tcp, [::]:8081->8080/tcp
pruebasintegracion-notification-consumer-1 pruebasintegracion-notification-consumer "docker-entrypoint.s..."
notification-consumer 15 seconds ago Up 14 seconds
pruebasintegracion-orders-api-1 pruebasintegracion-orders-api "docker-entrypoint.s..." orders-api 15 seconds ago Up 14
seconds 0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp
```

Kafka - Topic Description

docs\evidence\latest\kafka\04-topic-describe.txt

```
■Topic: orders.events TopicId: oxCIZ0Z7RW-r5-H-oSvBHW PartitionCount: 2 ReplicationFactor: 1 Configs:
segment.bytes=1073741824
Topic: orders.events Partition: 0 Leader: 1 Replicas: 1 Isr: 1 Elr: LastKnownElr:
Topic: orders.events Partition: 1 Leader: 1 Replicas: 1 Isr: 1 Elr: LastKnownElr:
```

Kafka - API Response

docs\evidence\latest\kafka\09-cp01-response.txt

```
■{"status":"accepted","message":"Pedido recibido y evento OrderCreated publicado en  
Kafka","orderId":"ORD-1777838599216"}  
TIME_TOTAL=0.023589  
HTTP_CODE=202
```

Kafka - Producer Log

docs\evidence\latest\kafka\10-orders-api-after-cp01.log

```
■orders-api-1 |
orders-api-1 | > kafka-orders-api@1.0.0 start
orders-api-1 | > node server.js
orders-api-1 |
orders-api-1 | {"level":"WARN","timestamp":"2026-05-03T20:03:03.237Z","logger":"kafkajs","message":"KafkaJS v2.0.0
switched default partitioner. To retain the same partitioning behavior as in previous versions, create the producer
with the option \"createPartitioner: Partitioners.LegacyPartitioner\". See the migration guide at
https://kafka.js.org/docs/migration-guide-v2.0.0#producer-new-default-partitioner for details. Silence this warning
by setting the environment variable \"KAFKAJS_NO_PARTITIONER_WARNING=1\""}
orders-api-1 | [orders-api][kafka] Intentando conexion a kafka:9092
orders-api-1 | [orders-api][kafka] API escuchando en puerto 3000
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.254Z","logger":"kafkajs","message":"[Connection]
Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"orders-api","stack":"Error:
connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.254Z","logger":"kafkajs","message":"[BrokerPool]
Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":0,"retryTime":345}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.601Z","logger":"kafkajs","message":"[Connection]
Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"orders-api","stack":"Error:
connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.602Z","logger":"kafkajs","message":"[BrokerPool]
Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":1,"retryTime":664}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.268Z","logger":"kafkajs","message":"[Connection]
Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"orders-api","stack":"Error:
connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.268Z","logger":"kafkajs","message":"[BrokerPool]
Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":2,"retryTime":1176}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.446Z","logger":"kafkajs","message":"[Connection]
Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"orders-api","stack":"Error:
connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.446Z","logger":"kafkajs","message":"[BrokerPool]
Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":3,"retryTime":2332}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:07.781Z","logger":"kafkajs","message":"[Connection]
Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"orders-api","stack":"Error:
connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:07.782Z","logger":"kafkajs","message":"[BrokerPool]
Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":4,"retryTime":5450}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:13.233Z","logger":"kafkajs","message":"[Connection]
Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"orders-api","stack":"Error:
connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:13.233Z","logger":"kafkajs","message":"[BrokerPool]
Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":5,"retryTime":11752}
orders-api-1 | [orders-api][kafka] Kafka no disponible: Connection error: connect ECONNREFUSED 172.18.0.2:9092
orders-api-1 | [orders-api][kafka] Intentando conexion a kafka:9092
orders-api-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:16.246Z","logger":"kafkajs","message":"[Connection]
Response CreateTopics(key: 19, version: 3)","broker":"kafka:9092","clientId":"orders-api","error":"Topic creation
errors","correlationId":2,"size":68}
orders-api-1 | [orders-api][kafka] Conexion lista y topic "orders.events" preparado con 2 particiones.
orders-api-1 | [orders-api][kafka] Evento OrderCreated publicado orderId=ORD-1777838599216
correlationId=06f45e2c-7222-48ea-90c1-5f44aba19d77.
```

Kafka - Inventory Consumer Log

docs\evidence\latest\kafka\11-inventory-after-cp01.log

```
■inventory-consumer-1 |
inventory-consumer-1 | > kafka-generic-consumer@1.0.0 start
inventory-consumer-1 | > node consumer.js
inventory-consumer-1 | [inventory-consumer][kafka] Intentando conexion a kafka:9092
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.026Z","logger":"kafkajs","message":"[Connect
ion] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"inventory-consumer","s
tack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.027Z","logger":"kafkajs","message":"[BrokerP
ool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":0,"retryTime":269}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.298Z","logger":"kafkajs","message":"[Connect
ion] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"inventory-consumer","s
tack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.299Z","logger":"kafkajs","message":"[BrokerP
ool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":1,"retryTime":594}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.894Z","logger":"kafkajs","message":"[Connect
ion] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"inventory-consumer","s
tack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.895Z","logger":"kafkajs","message":"[BrokerP
ool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":2,"retryTime":1210}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.107Z","logger":"kafkajs","message":"[Connect
ion] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"inventory-consumer","s
tack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.107Z","logger":"kafkajs","message":"[BrokerP
ool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":3,"retryTime":1942}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:07.053Z","logger":"kafkajs","message":"[Connect
ion] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"inventory-consumer","s
tack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:07.054Z","logger":"kafkajs","message":"[BrokerP
ool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":4,"retryTime":3640}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:10.698Z","logger":"kafkajs","message":"[Connect
ion] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"inventory-consumer","s
tack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:10.699Z","logger":"kafkajs","message":"[BrokerP
ool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":5,"retryTime":5834}
inventory-consumer-1 | [inventory-consumer][kafka] Kafka no disponible: Connection error: connect ECONNREFUSED
172.18.0.2:9092
inventory-consumer-1 | [inventory-consumer][kafka] Intentando conexion a kafka:9092
inventory-consumer-1 | [inventory-consumer][kafka] Escuchando topic "orders.events" en
groupId="inventory-service-group" desde instanceId="8e4cc3271e99".
inventory-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:13.878Z","logger":"kafkajs","message":"[Consumer]
Starting","groupId":"inventory-service-group"}
inventory-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:13.884Z","logger":"kafkajs","message":"[Connect
ion] Response GroupCoordinator(key: 10, version: 2)","broker":"kafka:9092","clientId":"inventory-consumer","error":"T
he group coordinator is not available","correlationId":2,"size":55}
inventory-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:18.383Z","logger":"kafkajs","message":"[Consumer
Group] Consumer has joined the group","groupId":"inventory-service-group","memberId":"inventory-consumer-7cec2da3-01d
2-4c0d-a110-d909e1b63eaa","leaderId":"inventory-consumer-7cec2da3-01d2-4c0d-a110-d909e1b63eaa","isLeader":true,"membe
rAssignment":{"orders.events":[0,1]},groupProtocol":"RoundRobinAssigner","duration":4504}
inventory-consumer-1 | [inventory-consumer][kafka] Evento recibido eventType=OrderCreated orderId=ORD-1777838599216
inventory-consumer-1 | [inventory-consumer][kafka] Reserva de inventario topic=orders.events partition=1 offset=0
key=ORD-1777838599216
```

Kafka - Billing Consumer Log

docs\evidence\latest\kafka\12-billing-after-cp01.log

```
■billing-consumer-1 |
billing-consumer-1 | > kafka-generic-consumer@1.0.0 start
billing-consumer-1 | > node consumer.js
billing-consumer-1 |
billing-consumer-1 | [billing-consumer][kafka] Intentando conexion a kafka:9092
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.214Z","logger":"kafkajs","message":["Connectio
n] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"billing-consumer","stack"
:"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.215Z","logger":"kafkajs","message":["BrokerPoo
l] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":0,"retryTime":349}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.565Z","logger":"kafkajs","message":["Connectio
n] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"billing-consumer","stack"
:"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.565Z","logger":"kafkajs","message":["BrokerPoo
l] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":1,"retryTime":604}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.171Z","logger":"kafkajs","message":["Connectio
n] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"billing-consumer","stack"
:"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.171Z","logger":"kafkajs","message":["BrokerPoo
l] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":2,"retryTime":1230}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.403Z","logger":"kafkajs","message":["Connectio
n] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"billing-consumer","stack"
:"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.403Z","logger":"kafkajs","message":["BrokerPoo
l] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":3,"retryTime":2394}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:07.802Z","logger":"kafkajs","message":["Connectio
n] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"billing-consumer","stack"
:"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:07.802Z","logger":"kafkajs","message":["BrokerPoo
l] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":4,"retryTime":3934}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:11.738Z","logger":"kafkajs","message":["Connectio
n] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"billing-consumer","stack"
:"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete] (node:net:1611:16)"}
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:11.738Z","logger":"kafkajs","message":["BrokerPoo
l] Failed to connect to seed broker, trying another broker from the list: Connection error: connect ECONNREFUSED
172.18.0.2:9092","retryCount":5,"retryTime":6508}
billing-consumer-1 | [billing-consumer][kafka] Kafka no disponible: Connection error: connect ECONNREFUSED
172.18.0.2:9092
billing-consumer-1 | [billing-consumer][kafka] Intentando conexion a kafka:9092
billing-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:14.755Z","logger":"kafkajs","message":["Connectio
n] Response CreateTopics(key: 19, version: 3)","broker":"kafka:9092","clientId":"billing-consumer","error":"Topic
creation errors","correlationId":2,"size":68}
billing-consumer-1 | [billing-consumer][kafka] Escuchando topic "orders.events" en groupId="billing-service-group"
desde instanceId="0dcc5ca3ef67".
billing-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:14.759Z","logger":"kafkajs","message":["Consumer]
Starting","groupId":"billing-service-group"}
billing-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:17.776Z","logger":"kafkajs","message":["ConsumerGr
oup] Consumer has joined the group","groupId":"billing-service-group","memberId":"billing-consumer-4cf1dfbd-6924-4b57
-837e-415611545bba","leaderId":"billing-consumer-4cf1dfbd-6924-4b57-837e-415611545bba","isLeader":true,"memberAssignm
ent":{"orders.events":[0,1]},"groupProtocol":"RoundRobinAssigner","duration":3016}
billing-consumer-1 | [billing-consumer][kafka] Evento recibido eventType=OrderCreated orderId=ORD-1777838599216
billing-consumer-1 | [billing-consumer][kafka] Generacion de factura topic=orders.events partition=1 offset=0
key=ORD-1777838599216
```

Kafka - Notification Consumer Log

docs\evidence\latest\kafka\13-notification-after-cp01.log

```
■notification-consumer-1 |
notification-consumer-1 | > kafka-generic-consumer@1.0.0 start
notification-consumer-1 | > node consumer.js
notification-consumer-1 |
notification-consumer-1 | [notification-consumer][kafka] Intentando conexión a kafka:9092
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.021Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.022Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":0,"retryTime":360}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.385Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.385Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":1,"retryTime":864}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.250Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.250Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":2,"retryTime":1702}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.954Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.955Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":3,"retryTime":2838}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:08.796Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:08.797Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":4,"retryTime":5502}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:14.318Z","logger":"kafkajs","message":"[Conn
ection] Response CreateTopics(key: 19, version: 3)","broker":"kafka:9092","clientId":"notification-consumer","error":"
Topic creation errors","correlationId":2,"size":68}
notification-consumer-1 | [notification-consumer][kafka] Escuchando topic "orders.events" en
groupId="notification-service-group" desde instanceId="e99a8e7505a2".
notification-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:14.323Z","logger":"kafkajs","message":"[Consu
mer] Starting","groupId":"notification-service-group"}
notification-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:17.707Z","logger":"kafkajs","message":"[Consu
merGroup] Consumer has joined the group","groupId":"notification-service-group","memberId":"notification-consumer-bc1
d81bc-14f1-48a7-bb8f-b3cae57b1c7c","leaderId":"notification-consumer-bc1d81bc-14f1-48a7-bb8f-b3cae57b1c7c","isLeader":
true,"memberAssignment":{"orders.events":[0,1]},"groupProtocol":"RoundRobinAssigner","duration":3384}
notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838599216
notification-consumer-1 | [notification-consumer][kafka] Envío de notificación topic=orders.events partition=1
offset=0 key=ORD-1777838599216
```

Kafka - Consumer Group Lag

docs\evidence\latest\kafka\21-consumer-groups-while-stopped.txt

■

```
GROUP TOPIC PARTITION CURRENT-OFFSET LOG-END-OFFSET LAG CONSUMER-ID HOST CLIENT-ID
notification-service-group orders.events 1 1 2 1 notification-consumer-bc1d81bc-14f1-48a7-bb8f-b3cae57b1c7c
/172.18.0.4 notification-consumer
notification-service-group orders.events 0 - 0 - notification-consumer-bc1d81bc-14f1-48a7-bb8f-b3cae57b1c7c
/172.18.0.4 notification-consumer
```


Kafka - Recovery Log

docs\evidence\latest\kafka\23-notification-after-recovery.log

```
■notification-consumer-1 |
notification-consumer-1 | > kafka-generic-consumer@1.0.0 start
notification-consumer-1 | > node consumer.js
notification-consumer-1 |
notification-consumer-1 | [notification-consumer][kafka] Intentando conexion a kafka:9092
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.021Z","logger":"kafkajs","message":["Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.022Z","logger":"kafkajs","message":["Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":0,"retryTime":360}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.385Z","logger":"kafkajs","message":["Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.385Z","logger":"kafkajs","message":["Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":1,"retryTime":864}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.250Z","logger":"kafkajs","message":["Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.250Z","logger":"kafkajs","message":["Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":2,"retryTime":1702}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.954Z","logger":"kafkajs","message":["Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.955Z","logger":"kafkajs","message":["Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":3,"retryTime":2838}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:08.796Z","logger":"kafkajs","message":["Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:08.797Z","logger":"kafkajs","message":["Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":4,"retryTime":5502}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:14.318Z","logger":"kafkajs","message":["Conn
ection] Response CreateTopics(key: 19, version: 3)","broker":"kafka:9092","clientId":"notification-consumer","error":"
Topic creation errors","correlationId":2,"size":68}
notification-consumer-1 | [notification-consumer][kafka] Escuchando topic "orders.events" en
groupId="notification-service-group" desde instanceId="e99a8e7505a2".
notification-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:14.323Z","logger":"kafkajs","message":["Consu
mer] Starting","groupId":"notification-service-group"}
notification-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:17.707Z","logger":"kafkajs","message":["Consu
merGroup] Consumer has joined the group","groupId":"notification-service-group","memberId":"notification-consumer-bc1
d81bc-14f1-48a7-bb8f-b3cae57b1c7c","leaderId":"notification-consumer-bc1d81bc-14f1-48a7-bb8f-b3cae57b1c7c","isLeader":
true,"memberAssignment":{"orders.events":[0,1]},"groupProtocol":"RoundRobinAssigner","duration":3384}
notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838599216
notification-consumer-1 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=1
offset=0 key=ORD-1777838599216
notification-consumer-1 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838599216
correlationId=06f45e2c-7222-48ea-90c1-5f44aba19d77
notification-consumer-1 | [notification-consumer][kafka] Cerrando consumidor...
notification-consumer-1 |
notification-consumer-1 | > kafka-generic-consumer@1.0.0 start
notification-consumer-1 | > node consumer.js
notification-consumer-1 |
notification-consumer-1 | [notification-consumer][kafka] Intentando conexion a kafka:9092
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:25.421Z","logger":"kafkajs","message":["Conn
ection] Response CreateTopics(key: 19, version: 3)","broker":"kafka:9092","clientId":"notification-consumer","error":"
Topic creation errors","correlationId":2,"size":68}
notification-consumer-1 | [notification-consumer][kafka] Escuchando topic "orders.events" en
groupId="notification-service-group" desde instanceId="e99a8e7505a2".
notification-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:25.425Z","logger":"kafkajs","message":["Consu
mer] Starting","groupId":"notification-service-group"}
notification-consumer-1 | {"level":"INFO","timestamp":"2026-05-03T20:03:50.757Z","logger":"kafkajs","message":["Consu
merGroup] Consumer has joined the group","groupId":"notification-service-group","memberId":"notification-consumer-143
a2d74-c178-40ed-b3c6-797ac32771c1","leaderId":"notification-consumer-143a2d74-c178-40ed-b3c6-797ac32771c1","isLeader":
true,"memberAssignment":{"orders.events":[0,1]},"groupProtocol":"RoundRobinAssigner","duration":25331}
```

notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838602877
notification-consumer-1 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=1
offset=1 key=ORD-1777838602877

Kafka - Consumer Group After Scale

docs\evidence\latest\kafka\28-consumer-group-after-scale.txt

■

```
GROUP TOPIC PARTITION CURRENT-OFFSET LOG-END-OFFSET LAG CONSUMER-ID HOST CLIENT-ID
notification-service-group orders.events 0 4 4 0 notification-consumer-7f397605-b864-4e05-a390-9132e3cc5a4b
/172.18.0.8 notification-consumer
notification-service-group orders.events 1 6 6 0 notification-consumer-143a2d74-c178-40ed-b3c6-797ac32771c1
/172.18.0.4 notification-consumer
```

Kafka - Scaled Consumers Log

docs\evidence\latest\kafka\27-notification-after-scale.log

```
■notification-consumer-2 |
notification-consumer-2 | > kafka-generic-consumer@1.0.0 start
notification-consumer-2 | > node consumer.js
notification-consumer-1 |
notification-consumer-2 | [notification-consumer][kafka] Intentando conexion a kafka:9092
notification-consumer-1 | > kafka-generic-consumer@1.0.0 start
notification-consumer-2 | {"level":"ERROR","timestamp":"2026-05-03T20:03:51.749Z","logger":"kafkajs","message":"[Conn
ection] Response CreateTopics(key: 19, version: 3)","broker":"kafka:9092","clientId":"notification-consumer","error":"
Topic creation errors","correlationId":2,"size":68}
notification-consumer-1 | > node consumer.js
notification-consumer-1 |
notification-consumer-2 | [notification-consumer][kafka] Escuchando topic "orders.events" en
groupId="notification-service-group" desde instanceId="40d3b5bf0267".
notification-consumer-1 | [notification-consumer][kafka] Intentando conexion a kafka:9092
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.021Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-2 | {"level":"INFO","timestamp":"2026-05-03T20:03:51.754Z","logger":"kafkajs","message":"[Consu
mer] Starting","groupId":"notification-service-group"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.022Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":0,"retryTime":360}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.385Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-2 | {"level":"INFO","timestamp":"2026-05-03T20:03:55.320Z","logger":"kafkajs","message":"[Consu
merGroup] Consumer has joined the group","groupId":"notification-service-group","memberId":"notification-consumer-7f3
97605-b864-4e05-a390-9132e3cc5a4b","leaderId":"notification-consumer-143a2d74-c178-40ed-b3c6-797ac32771c1","isLeader":
false,"memberAssignment":{"orders.events":[0],"groupProtocol":"RoundRobinAssigner","duration":3565}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:03.385Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":1,"retryTime":864}
notification-consumer-2 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838631750
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.250Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-2 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=0
offset=1 key=ORD-1777838631750
notification-consumer-2 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838631750
correlationId=06cb6e4e-fb26-4109-9c1f-3ae874105a92
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:04.250Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":2,"retryTime":1702}
notification-consumer-2 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838631845
notification-consumer-2 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=0
offset=2 key=ORD-1777838631845
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.954Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-2 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838631845
correlationId=7e53c15e-f841-458e-9b2b-2e08a43015f3
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:05.955Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":3,"retryTime":2838}
notification-consumer-2 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838631875
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:08.796Z","logger":"kafkajs","message":"[Conn
ection] Connection error: connect ECONNREFUSED 172.18.0.2:9092","broker":"kafka:9092","clientId":"notification-consum
er","stack":"Error: connect ECONNREFUSED 172.18.0.2:9092\n at TCPConnectWrap.afterConnect [as oncomplete]
(node:net:1611:16)"}
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:08.797Z","logger":"kafkajs","message":"[Brok
erPool] Failed to connect to seed broker, trying another broker from the list: Connection error: connect
ECONNREFUSED 172.18.0.2:9092","retryCount":4,"retryTime":5502}
notification-consumer-2 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=0
offset=3 key=ORD-1777838631875
notification-consumer-1 | {"level":"ERROR","timestamp":"2026-05-03T20:03:14.318Z","logger":"kafkajs","message":"[Conn
ection] Response CreateTopics(key: 19, version: 3)","broker":"kafka:9092","clientId":"notification-consumer","error":"
```

```
Topic creation errors", "correlationId": 2, "size": 68}
notification-consumer-2 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838631875
correlationId=071a88f6-6372-41cd-b8c8-8d7862d3867c
notification-consumer-1 | [notification-consumer][kafka] Escuchando topic "orders.events" en
groupId="notification-service-group" desde instanceId="e99a8e7505a2".
notification-consumer-1 | {"level": "INFO", "timestamp": "2026-05-03T20:03:14.323Z", "logger": "kafkajs", "message": "[Consumer] Starting", "groupId": "notification-service-group"}
notification-consumer-1 | {"level": "INFO", "timestamp": "2026-05-03T20:03:17.707Z", "logger": "kafkajs", "message": "[ConsumerGroup] Consumer has joined the group", "groupId": "notification-service-group", "memberId": "notification-consumer-bc1d81bc-14f1-48a7-bb8f-b3cae57b1c7c", "leaderId": "notification-consumer-bc1d81bc-14f1-48a7-bb8f-b3cae57b1c7c", "isLeader": true, "memberAssignment": {"orders.events": [0, 1]}, "groupProtocol": "RoundRobinAssigner", "duration": 3384}
notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838599216
notification-consumer-1 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=1
offset=0 key=ORD-1777838599216
notification-consumer-1 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838599216
correlationId=06f45e2c-7222-48ea-90c1-5f44aba19d77
notification-consumer-1 | [notification-consumer][kafka] Cerrando consumidor...
notification-consumer-1 |
notification-consumer-1 | > kafka-generic-consumer@1.0.0 start
notification-consumer-1 | > node consumer.js
notification-consumer-1 |
notification-consumer-1 | [notification-consumer][kafka] Intentando conexion a kafka:9092
notification-consumer-1 | {"level": "ERROR", "timestamp": "2026-05-03T20:03:25.421Z", "logger": "kafkajs", "message": "[Connection] Response CreateTopics(key: 19, version: 3)", "broker": "kafka:9092", "clientId": "notification-consumer", "error": "Topic creation errors", "correlationId": 2, "size": 68}
notification-consumer-1 | [notification-consumer][kafka] Escuchando topic "orders.events" en
groupId="notification-service-group" desde instanceId="e99a8e7505a2".
notification-consumer-1 | {"level": "INFO", "timestamp": "2026-05-03T20:03:25.425Z", "logger": "kafkajs", "message": "[Consumer] Starting", "groupId": "notification-service-group"}
notification-consumer-1 | {"level": "INFO", "timestamp": "2026-05-03T20:03:50.757Z", "logger": "kafkajs", "message": "[ConsumerGroup] Consumer has joined the group", "groupId": "notification-service-group", "memberId": "notification-consumer-143a2d74-c178-40ed-b3c6-797ac32771c1", "leaderId": "notification-consumer-143a2d74-c178-40ed-b3c6-797ac32771c1", "isLeader": true, "memberAssignment": {"orders.events": [0, 1]}, "groupProtocol": "RoundRobinAssigner", "duration": 25331}
notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838602877
notification-consumer-1 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=1
offset=1 key=ORD-1777838602877
notification-consumer-1 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838602877
correlationId=a4a9829e-7d1d-4179-ad03-5c8fe3e168fe
notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838631719
notification-consumer-1 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=0
offset=0 key=ORD-1777838631719
notification-consumer-1 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838631719
correlationId=757d4b9e-fcf5-4407-86c5-1e04617c0b92
notification-consumer-1 | {"level": "ERROR", "timestamp": "2026-05-03T20:03:53.790Z", "logger": "kafkajs", "message": "[Connection] Response Heartbeat(key: 12, version: 3)", "broker": "kafka:9092", "clientId": "notification-consumer", "error": "The group is rebalancing, so a rejoin is needed", "correlationId": 11, "size": 10}
notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838631786
notification-consumer-1 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=1
offset=2 key=ORD-1777838631786
notification-consumer-1 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838631786
correlationId=b46a751e-4d2a-4b1b-8e01-ac476abd9d70
notification-consumer-1 | {"level": "ERROR", "timestamp": "2026-05-03T20:03:55.301Z", "logger": "kafkajs", "message": "[Connection] Response Heartbeat(key: 12, version: 3)", "broker": "kafka:9092", "clientId": "notification-consumer", "error": "The group is rebalancing, so a rejoin is needed", "correlationId": 13, "size": 10}
notification-consumer-1 | {"level": "WARN", "timestamp": "2026-05-03T20:03:55.309Z", "logger": "kafkajs", "message": "[Runner] The group is rebalancing, re-joining", "groupId": "notification-service-group", "memberId": "notification-consumer-143a2d74-c178-40ed-b3c6-797ac32771c1", "error": "The group is rebalancing, so a rejoin is needed"}
notification-consumer-1 | {"level": "INFO", "timestamp": "2026-05-03T20:03:55.320Z", "logger": "kafkajs", "message": "[ConsumerGroup] Consumer has joined the group", "groupId": "notification-service-group", "memberId": "notification-consumer-143a2d74-c178-40ed-b3c6-797ac32771c1", "leaderId": "notification-consumer-143a2d74-c178-40ed-b3c6-797ac32771c1", "isLeader": true, "memberAssignment": {"orders.events": [1]}, "groupProtocol": "RoundRobinAssigner", "duration": 10}
notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838631817
notification-consumer-1 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=1
offset=3 key=ORD-1777838631817
notification-consumer-1 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838631817
correlationId=3c32b223-3fee-4185-9a79-db2ba155ae86
notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838631901
notification-consumer-1 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=1
offset=4 key=ORD-1777838631901
notification-consumer-1 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838631901
correlationId=486d9b92-4395-4c79-971e-dd8471bb4196
notification-consumer-1 | [notification-consumer][kafka] Evento recibido eventType=OrderCreated
orderId=ORD-1777838631926
```

notification-consumer-1 | [notification-consumer][kafka] Envio de notificacion topic=orders.events partition=1
offset=5 key=ORD-1777838631926
notification-consumer-1 | [notification-consumer][kafka] Procesamiento completado para orderId=ORD-1777838631926
correlationId=b544d3e4-166d-4cbb-94a2-38a973cad368