


APPLICATION SPECIFICATION FOR MIRROR MEZZ COVER



MIRROR MEZZ COVER

THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

REVISION DESCRIPTION				APPLICATION SPECIFICATION FOR			
CHANGE NO.				MIRROR MEZZ COVER			
REVISED BY	HCGOH	DATE	2021/09/14	DOC TYPE	DOC TYPE DESCRIPTION	DOC PART	SERI
REV APPR BY	SHONG	DATE	2021/09/23	PS	APPLICATION SPECIFICATION WORD	000	209311
INITIAL RELEASE				CUSTOMER	DOCUMENT NUMBER	REVISION	SHEET
INITIAL DRWN	HCGOH	DATE	2021/09/14	GENERAL MARKET	2093110001-AS	A	1 OF 7
INITIAL APPR	SHONG	DATE	2021/09/23				

1.0 SCOPE

This specification provides guidance for the use of Mirror Mezz Cover, it is not all inclusive and refinements may be needed that are beyond this document. If questions arise, then please contact Molex.


2.0 PRODUCT DESCRIPTION

The purpose of Mirror Mezz Cover is to protect the connector pins and acts as a dust cover after Mirror Mezz connector is soldered on board, before mating with another Mirror Mezz connector. It is not designed to be use as a pick & place cover.

3.0 GENERAL REQUIREMENT

3.1 REMOVE KAPTON TAPE

After Mirror Mezz soldered on board, remove the pick & place Kapton tape.
(For proper removal of pick & place Kapton tape, please refer to 2028280001-AS)



THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


REVISION DESCRIPTION				APPLICATION SPECIFICATION FOR			
CHANGE NO. 678427				MIRROR MEZZ COVER			
REVISED BY	HCGOH	DATE	2021/09/14	DOC TYPE	DOC TYPE DESCRIPTION	DOC PART	SERI
REV APPR BY	SHONG	DATE	2021/09/23	PS	APPLICATION SPECIFICATION WORD	000	209311
INITIAL RELEASE				CUSTOMER	DOCUMENT NUMBER	REVISION	SHEET
INITIAL DRWN	HCGOH	DATE	2021/09/14	GENERAL MARKET	2093110001-AS	A	2 OF 7
INITIAL APPR	SHONG	DATE	2021/09/23				

3.2 COVER ORIENTATION


Before Cover assembly, orientate and align Cover to Mirror Mezz connector as shown below:



Mirror Mezz Cover



Mirror Mezz Connector





Cover Orientation

THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

REVISION DESCRIPTION				APPLICATION SPECIFICATION FOR			
CHANGE NO. 678427				MIRROR MEZZ COVER			
REVISED BY	HCGOH	DATE	2021/09/14	DOC TYPE	DOC TYPE DESCRIPTION	DOC PART	SERI
REV APPR BY	SHONG	DATE	2021/09/23	PS	APPLICATION SPECIFICATION WORD	000	209311
INITIAL RELEASE				CUSTOMER	DOCUMENT NUMBER	REVISION	SHEET
INITIAL DRWN	HCGOH	DATE	2021/09/14	GENERAL MARKET	2093110001-AS	A	3 OF 7
INITIAL APPR	SHONG	DATE	2021/09/23				

3.3 COVER ASSEMBLY

- Mirror Mezz Cover has 2 finger grippers for cover placement and removal.
- For PCB design, preferably to have sufficient finger accessibility/space to hold the cover.
- Cover and connector should be parallel with respect to each other during mating.
- Any assembly fixture used must allow the cover connectors to seek their natural position and condition, without imposing undue side forces.




Cover Handling

THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

REVISION DESCRIPTION				APPLICATION SPECIFICATION FOR			
CHANGE NO. 678427				MIRROR MEZZ COVER			
REVISED BY	HCGOH	DATE	2021/09/14	DOC TYPE	DOC TYPE DESCRIPTION	DOC PART	SERI
REV APPR BY	SHONG	DATE	2021/09/23	PS	APPLICATION SPECIFICATION WORD	000	209311
INITIAL RELEASE				CUSTOMER	DOCUMENT NUMBER	REVISION	SHEET
INITIAL DRWN	HCGOH	DATE	2021/09/14	GENERAL MARKET	2093110001-AS	A	4 OF 7
INITIAL APPR	SHONG	DATE	2021/09/23				

3.4 RECOMMENDED LATERAL ALIGNMENT FOR CAPPING.

To minimize connector damage, use a smooth motion (No mechanical shock) during capping. The connector and cap “lead-in’s” will correct for linear-off-sets as shown below.



THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


REVISION DESCRIPTION				APPLICATION SPECIFICATION FOR			
CHANGE NO. 678427				MIRROR MEZZ COVER			
REVISED BY	HCGOH	DATE	2021/09/14	DOC TYPE	DOC TYPE DESCRIPTION	DOC PART	SERI
REV APPR BY	SHONG	DATE	2021/09/23	PS	APPLICATION SPECIFICATION WORD	000	209311
INITIAL RELEASE				CUSTOMER	DOCUMENT NUMBER	REVISION	SHEET
INITIAL DRWN	HCGOH	DATE	2021/09/14	GENERAL MARKET	2093110001-AS	A	5 OF 7
INITIAL APPR	SHONG	DATE	2021/09/23				

3.5 RECOMMENDED ANGULAR ALIGNMENT FOR CAPPING.

To minimize risk during capping:

1. Cover should be parallel with respect to the connector
2. Use a smooth motion during capping (No mechanical shock).

If necessary to cap at an oblique orientation, then the recommended maximum skew:




THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


REVISION DESCRIPTION				APPLICATION SPECIFICATION FOR			
CHANGE NO. 678427				MIRROR MEZZ COVER			
REVISED BY	HCGOH	DATE	2021/09/14	DOC TYPE	DOC TYPE DESCRIPTION	DOC PART	SERI
REV APPR BY	SHONG	DATE	2021/09/23	PS	APPLICATION SPECIFICATION WORD	000	209311
INITIAL RELEASE				CUSTOMER	DOCUMENT NUMBER	REVISION	SHEET
INITIAL DRWN	HCGOH	DATE	2021/09/14	GENERAL MARKET	2093110001-AS	A	6 OF 7
INITIAL APPR	SHONG	DATE	2021/09/23				

4.0 REMOVAL OF COVER

When removing the cover, grip the finger gripper firmly and lift the cover vertically upward.



Cover Removal



Cover Removed

THIS DOCUMENT CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

REVISION DESCRIPTION				APPLICATION SPECIFICATION FOR			
CHANGE NO. 678427				MIRROR MEZZ COVER			
REVISED BY	HCGOH	DATE	2021/09/14	DOC TYPE	DOC TYPE DESCRIPTION	DOC PART	SERI
REV APPR BY	SHONG	DATE	2021/09/23	PS	APPLICATION SPECIFICATION WORD	000	209311
INITIAL RELEASE				CUSTOMER	DOCUMENT NUMBER	REVISION	SHEET
INITIAL DRWN	HCGOH	DATE	2021/09/14	GENERAL MARKET	2093110001-AS	A	7 OF 7
INITIAL APPR	SHONG	DATE	2021/09/23				