Author: Zian Wang

## Test case1:

```
"C:\Program Files\Java\jdk-15.0.2\bin\java.exe" "-javaagent:A:\IntelliJ IDEA Communit
Case1 is Not Complete
Case1 is Connected
The node A's outdegree is 2
The node A's indegree is 2
The node A's totaldegree is 4
The node B's outdegree is 1
The node B's indegree is 1
The node B's totaldegree is 2
The node C's outdegree is 1
The node C's indegree is 1
The node C's totaldegree is 2
The node D's outdegree is 3
The node D's indegree is 3
The node D's totaldegree is 6
The node E's outdegree is 1
The node E's indegree is 1
The node E's totaldegree is 2
```

## Test case2:

```
Case2 is Complete
Case2 is Connected
The node A's outdegree is 3
The node A's indegree is 5
The node A's totaldegree is 6
The node B's outdegree is 3
The node B's outdegree is 3
The node B's indegree is 5
The node C's outdegree is 6
The node C's indegree is 3
The node C's totaldegree is 6
The node C's totaldegree is 6
The node D's outdegree is 3
The node D's outdegree is 3
The node D's indegree is 3
The node D's totaldegree is 6
```

## Test case3:

```
Case3 is Not Complete
The node A's outdegree is 3
The node A's indegree is 3
The node A's totaldegree is 6
The node B's outdegree is 3
The node B's indegree is 3
The node B's totaldegree is 6
The node C's outdegree is 3
The node C's indegree is 3
The node C's totaldegree is 6
The node D's outdegree is 3
The node D's indegree is 3
The node D's totaldegree is 6
The node E's outdegree is 0
The node E's indegree is 0
The node E's totaldegree is 0
```

## Test case4:

```
Case4:
Case4 is Not Complete
The node A's outdegree is 0
The node A's indegree is 1
The node A's totaldegree is 1
The node B's outdegree is 1
The node B's indegree is 3
The node B's totaldegree is 4
The node C's outdegree is 2
The node C's indegree is 2
The node C's totaldegree is 4
The node D's outdegree is 3
The node D's indegree is 2
The node D's totaldegree is 5
The node E's outdegree is 3
The node E's indegree is 1
The node E's totaldegree is 4
```