CSGE602055 Operating Systems CSF2600505 Sistem Operasi Week 05: Virtual Memory

Rahmat M. Samik-Ibrahim

University of Indonesia

http://rms46.vlsm.org/2/207.html Always check for the latest revision!

REV127 20-Mar-2018

Operating Systems 2018-1 (Room 3114 Tue/Thu) Class: A (10:00-12:00) | B (13:00-15:00) | C (16:00-18:00)

Week	Schedule	Торіс	OSC9
Week 00	06 Feb - 12 Feb 2018	Overview 1	Ch. 1, 16
Week 01	13 Feb - 19 Feb 2018	Overview 2 & Scripting	Ch. 1, 2
Week 02	20 Feb - 26 Feb 2018	Protection, Security, Privacy,	Ch. 14, 15
		& C-language	
Week 03	27 Feb - 05 Mar 2018	I/O, BIOS, Loader, & Systemd	Ch. 13
Week 04	06 Mar - 12 Mar 2018	Addressing, Shared Lib, & Pointer	Ch. 8
Week 05	13 Mar - 19 Mar 2018	Virtual Memory	Ch. 9
Reserved	20 Mar - 24 Mar 2018		
Mid-Term	03 Apr 2018	13:00 - 15:30 (UTS)	
Week 06	05 Apr - 11 Apr 2018	Concurency: Processes & Threads	Ch. 3, 4
Week 07	12 Apr - 18 Apr 2018	Synchronization	Ch. 5, 7
Week 08	19 Apr - 25 Apr 2018	Scheduling	Ch. 6
Week 09	26 Apr - 07 May 2018	File System & Persistent Storage	Ch. 10, 11, 12
Reserved	08 May - 14 May 2018		
Week 10	15 May - 21 May 2018	I/O Programming	
		& Network Sockets Programming	
Reserved	22 May - 22 May 2018		
Final	23 May - 26 May 2018	(UAS)	
Deadline	07 Jun 2018 16:00	Extra assignment deadline	

The Check List (Operating Systems)
 □ Starting Point: http://rms46.vlsm.org/2/207.html □ Text Book: any recent/decent OS book but map it to OSC9. □ Create public project "os181" on your github.com account.
\square Create file "README.md" and add an extra line every week. For e.g. 1:
ZCZC Sistem Operasi 2018 Awal (1) ZCZC W01 Have tried demo for week 01. ZCZC W02 Week 02 is done. ZCZC W03 Week 03 is done.
 □ Encode your QRC with image size of approximately 250x250 pixels: "OS181 CLASS ID GITHUB-ACCOUNT SSO-ACCOUNT SIAK-Full-Name" Special for Week 00: Mail your embedded QRC to: os181@vlsm.org with Subject: [W00] CLASS ID SIAK-NAME. □ Write your Memo (with QRC) every week. □ Using your SSO account, login to badak.cs.ui.ac.id via
kawung.cs.ui.ac.id.
 □ Check folder badak:///extra/Week00/ □ Every week, copy the weekly demo files to your own home directory. Eg. for Week00: cp -r /extra/Week00/W00-demos/ W00-demos/

 $^{^1\}mbox{Week}$ 00 line is optional. The following "ZCZC WXX" weekly tags are mandatory.

Week 05: Memory

- Start
- Week 05
- Virtual Memory
- 4 Memory Allocation Algorothm
- TOP
- 6 06-memory
- The End

Virtual Memory

- Reference: (OSC9-ch09 demo-w05)
- Virtual Memory: Separation Logical from Physical.
- Virtual Address Space: logical view.
- Demand Paging
- Page Flags: Valid / Invalid
- Page Fault
- Demand Paging Performance
- Copy On Write (COW)
- Page Replacement Algorithm
 - Reference String
 - First-In-First-Out (FIFO)
 - Belady Anomaly
 - Optimal Algorithm
 - Least Recently Used (LRU)
 - LRU Implementation
 - Lease Frequently Used (LFU)
 - Most Frequently Used (MFU)

Allocation Algorothm

- Page-Buffering Algorithms
- Allocation of Frames
- Fixed Allocation
- Priority Allocation
- Global vs. Local Allocation
- Non-Uniform Memory Access (NUMA)
- Thrashing
- Working-Set Model
- Shared Memory via Memory-Mapped I/O
- Kernel
 - Buddy System Allocator
 - Slab Allocator

TOP



Figure: top

TOP (2)

⊗ ⊜ ⊕	@rmsbas	se: ~									
гоо ×	@r	× @r ×	@r	× @r ×	@je ×	@r ×	0	r × (Dr ×	@r × @r	× @r × 🕂
top -	18:37	7:28 up	14:07	, 1 user	, load	avera	ge	: 2.77	, 2.7	1, 2.74	
Tasks:	128	total,	1 r	unning, 1	27 sleep	ing,		0 stop	ped,	0 zombie	9
%Cpu(s	5): 14				ni, 68.1					hi, 0.0	
KiB Me		8197060			. 52 used,			08 fre		191512 but	
KiB Sv	vap:	683004	tota	ι,	O used,	68	30	04 fre	e.	639140 cad	ched Mem
				-							
	USER	PR		VIRT	RES	SHR		%CPU			COMMAND
	root	20		162032	112	•		225.2	0.0	1882:33	
3448		20		0	0		S	14.0	0.0		kworker/0:2
3198		20		0	0		S	9.6	0.0		kworker/4:0
3062		20		0	0	0		5.0	0.0		kworker/1:2
3289		20		0	0		S	2.3	0.0		kworker/6:1
	root	20		0	0	0		2.0	0.0		rcu_sched
3376		20		0	0	0		1.3	0.0		kworker/5:0
1914	root	20		0	0		S	0.3	0.0		kworker/2:1
1	root	20	0	28684	4736	3012	S	0.0	0.1	0:02.91	systemd
2	root	20		0	0		S	0.0	0.0		kthreadd
3	root	20		0	Θ		S	0.0	0.0	0:15.26	ksoftirqd/0
5	root	0	- 20	0	0	0	S	0.0	0.0	0:00.00	kworker/0:+
8	root	20	0	0	Θ		S	0.0	0.0	0:00.00	rcu_bh
9	root	rt	0	0	0	0	S	0.0	0.0	0:00.00	migration/0
10	root	rt	0	0	0	0	S	0.0	0.0		watchdog/0
11	root	rt	0	0	0	0	S	0.0	0.0	0:00.28	watchdog/1
12	root	rt	0	0	0		S	0.0	0.0	0:00.00	migration/1
13	root	20	0	0	0	0	S	0.0	0.0	0:06.80	ksoftirqd/1

Figure: "h" = help

TOP (3)

```
@rmsbase: ~
      | @r... × |
Fields Management for window 1:Def, whose current sort field is %CPU
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
   'd' or <Space> toggles display, 's' sets sort. Use 'q' or <Esc> to end!
 PID
          = Process Id
                            TTY
                                     = Controlling T
                                                       USED
                                                                = Res+Swap Size
 USFR
          = Effective Use
                            TPGTD
                                     = Tty Process G
                                                       nsIPC
                                                                = IPC namespace
 PR
          = Priority
                            SID
                                     = Session Id
                                                       nsMNT
                                                                = MNT namespace
 NI
          = Nice Value
                            nTH
                                     = Number of Thr
                                                       nsNET
                                                                = NET namespace
 VIRT
          = Virtual Image
                            P
                                     = Last Used Cpu
                                                       nsPID
                                                                = PID namespace
 RES
          = Resident Size
                            TIME
                                     = CPU Time
                                                       nsUSER
                                                                = USER namespac
 SHR
                            SWAP
                                                       nsUTS
                                                                = UTS namespace
          = Shared Memory
                                     = Swapped Size
          = Process Statu
                            CODE
                                     = Code Size (Ki
 %CPU
         = CPU Usage
                            DATA
                                     = Data+Stack (K
 %MEM
         = Memory Usage
                            nMai
                                     = Major Page Fa
 TIME+
          = CPU Time, hun
                            nMin
                                     = Minor Page Fa
 COMMAND = Command Name/
                            nDRT
                                     = Dirty Pages C
 PPID
          = Parent Proces
                            WCHAN
                                     = Sleeping in F
 UID
                                     = Task Flags <s
          = Effective Use
                            Flags
 RUID
          = Real User Id
                            CGROUPS = Control Group
 RUSER
                            SUPGIDS = Supp Groups I
          = Real User Nam
 SUID
          = Saved User Id
                            SUPGRPS = Supp Groups N
 SUSER
          = Saved User Na
                            TGID
                                     = Thread Group
 GID
                            ENVIRON = Environment v
          = Group Id
 GROUP
          = Group Name
                            vMj
                                     = Major Faults
  PGRP
          = Process Group
                            vMn
                                     = Minor Faults
```

Figure: Moving Fields: "f"

TOP (4)

```
@rmsbase: ~
                        × @r... × @je... × @r... × @r... ×
                                                           @r... × @r... × @r... ×
Fields Management for window 1:Def, whose current sort field is %CPU
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
   'd' or <Space> toggles display, 's' sets sort. Use 'g' or <Esc> to end!
 PID
         = Process Id
                            SUID
                                    = Saved User Td
                                                       vMn
                                                               = Minor Faults
 VIRT
         = Virtual Image
                            SUSFR
                                    = Saved User Na
                                                      nsIPC
                                                               = IPC namespace
 RES
         = Resident Size
                            GID
                                                      nsMNT
                                    = Group Id
                                                               = MNT namespace
 SHR
         = Shared Memory
                            GROUP
                                    = Group Name
                                                      nsNET
                                                               = NET namespace
 SWAP
         = Swapped Size
                            PGRP
                                    = Process Group
                                                      nsPID
                                                               = PID namespace
 CODE
         = Code Size (Ki
                            TTY
                                    = Controlling T
                                                      nsUSER
                                                               = USER namespac
 DATA
         = Data+Stack (K
                            TPGID
                                                      nsUTS
                                                               = UTS namespace
                                    = Tty Process G
 USED
         = Res+Swap Size
                            SID
                                    = Session Id
 nDRT
         = Dirty Pages C
                            nTH
                                    = Number of Thr
 PPID
         = Parent Proces
                            P
                                    = Last Used Cpu
 %MEM
         = Memory Usage
                            TIME
                                    = CPU Time
 USER
         = Effective Use
                            nMaj
                                    = Major Page Fa
 PR
         = Priority
                            nMin
                                    = Minor Page Fa
 NI
         = Nice Value
                            WCHAN
                                    = Sleeping in F
         = Process Statu
                            Flags
                                    = Task Flags <s
 %CPU
         = CPU Usage
                            CGROUPS = Control Group
 TIME+
         = CPU Time. hun
                            SUPGIDS = Supp Groups I
                            SUPGRPS = Supp Groups N
 COMMAND = Command Name/
 UID
                            TGID
         = Effective Use
                                    = Thread Group
 RUID
                            ENVIRON = Environment v
         = Real User Id
 RUSER
         = Real User Nam
                            vMi
                                    = Maior Faults
```

Figure: Moving Fields

TOP (5)

```
@rmsbase: ~/Downloads
       @r... × | @r... × | @r... × |
                           @r... × @je... × @r... × @r... × @r... × @r... × @r... × @r... ×
top - 19:57:14 up 11:38,  1 user,  load average: 0.43, 0.54, 0.58
Tasks: 285 total, 2 running, 283 sleeping, 0 stopped,
                                                             0 zombie
%Cpu(s): 3.8 us, 1.3 sy, 0.0 ni, 94.6 id, 0.3 wa, 0.0 hi, 0.0 si,
KiB Mem : 16385976 total, 269672 free, 3179788 used,12936516 buff/cache
KiB Swap: 1000444 total,
                            994752 free.
                                              5692 used. 12649780 avail Mem
 PID
         VIRT
                 RES
                        SHR
                              SWAP
                                      CODE
                                              DATA
                                                     USED nDRT
 3547 2377296 394828 165776
                                      196 1642748 394828
                                 0
                                                              0
 1234
      278216
               87880
                     59116
                                 0
                                      2288
                                             25164
                                                   87880
                                      196 1856708 433176
 3321 2683572 433176 149376
                                 0
 2708 1687448 214112
                                       12 1179008 214112
                     80608
                                 0
 2841 679488
              50860 30484
                                 0
                                       292
                                            389096
                                                    50860
 3748 1896812 321288
                     76656
                                 0 133688 1474084 321288
 3971 2047252 440112 97384
                                   133688 1587052 440112
32501 630768
              33500
                     27960
                                 0
                                        76
                                           373220
                                                   33500
 4067 8554396 320516 109756
                                 0
                                       196 7954584 320516
 4130 2391592 341632 117636
                                 0
                                      196 1717824 341632
22635 2198448 274812 108000
                                 0
                                       196 1532152 274812
 1292
                                 0
            0
                   0
                          0
                                        0
                                                 0
 2514
      930224
               34304
                      26028
                                 0
                                            448864
                                                    34304
                                        36
 3233 4515228 360812 126784
                                   133688 3757984 360812
32495
        33488
                3380
                       2836
                                 0
                                        96
                                              1264
                                                     3380
 2388
       44036
                4424
                       2724
                                       212
                                              1716
                                                     4424
                                 0
 2412 423204
              11380
                       5264
                                       152
                                            374232
                                 0
                                                    11380
 2512
      685824
               74188
                     36868
                                       552
                                            399836
                                                    74188
```

Figure: Write Configuration .toprc: "W"

06-memory

```
/* Copyright (C) 2016-2018 Rahmat M. Samik-Ibrahim
 * http://rahmatm.samik-ibrahim.vlsm.org/
 * This program is free script/software. This program is distributed in the
 * hope that it will be useful, but WITHOUT ANY WARRANTY; without even the
 * implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 * REVO4 Mon Mar 12 17:33:30 WIB 2018
 * START Mon Oct 3 09:26:51 WIB 2016
 */
#define MSIZEO 0x10000
#define MSTZE1 0x10008
#define MSTZE2 0x10009
#define MSTZE3 0x1000A
#define MSIZE4 0x20978
#define MSIZE5 0x20979
#define MSIZE6 0x2097A
#define MSIZE7 0xF0000
#define MSIZE8 0x10000
#define MSTZE9 0x1000
#define LINE
#define MAXSTR 80
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <string.h>
#include <sys/types.h>
void printLine(int line) {
   while(line-- > 0) putchar('x');
  putchar('\n'):
  fflush(NULL):
```

06-memory (2)

```
void main (void) {
   int
        msize[] = {MSIZE0, MSIZE1, MSIZE2, MSIZE3, MSIZE4,
                    MSIZE5, MSIZE6, MSIZE7, MSIZE8, MSIZE97:
   int ii. ii:
   int myPID = (int) getpid();
   char strSYS1[MAXSTR], strOUT[MAXSTR];
   char* chrStr = strSYS1:
   char* chrPTR:
   printLine(LINE):
   sprintf(strSYS1, "top -b -n 1 -p%d | tail -5", myPID);
   system (strSYS1);
   sprintf(strSYS1, "top -b -n 1 -p%d | tail -1", mvPID);
  for (ii=0; ii< (sizeof(msize)/sizeof(int)); ii++){
     chrStr = malloc(msize[ii]);
     fgets(strOUT, sizeof(strOUT)-1, popen(strSYS1, "r"));
     strOUT[(int) strlen(strOUT)-1]='\0':
     printf("%s [%X]\n", strOUT, msize[ii]);
     free(chrStr):
   7
  for (ii=0: ii< (sizeof(msize)/sizeof(int)): ii++){
     chrPTR = chrStr = malloc(msize[ii]):
     for (ii=0:ii<msize[ii]:ii++)
         *chrPTR++='x':
     fgets(strOUT, sizeof(strOUT)-1, popen(strSYS1, "r"));
      strOUT[(int) strlen(strOUT)-1]='\0':
     printf("%s [%X]\n", strOUT, msize[ii]);
     free(chrStr);
}
```

06-memory (2)

>>>> \$./06-memory KiB Mem: 8197060 total, 957928 used, 7239132 free, 192520 buffers KiB Swap: 660108 cached 683004 total, 0 used, 683004 free. Mem PID VIRT RES SHR. SWAP CODE DATA USED nDRT [10000] [10008] Γ100091 [1000A] [20978] [20979] [2097A] [F0000] [10000]

[1000]

06-memory (3)

4362	4376	1200	1068	0	4	524	1200	0 [1000]
4362	4376	1200	1068	0	4	524	1200	0 [10000]
4362	4376	1276	1068	0	4	524	1276	0 [10008]
4362	4376	1276	1068	0	4	524	1276	0 [10009]
4362	4376	1284	1068	0	4	524	1284	0 [1000A]
4362	4376	1284	1068	0	4	524	1284	0 [20978]
4362	4376	1352	1068	0	4	524	1352	0 [20979]
4362	4376	1352	1068	0	4	524	1352	0 [2097A]
4362	5340	2144	1068	0	4	1488	2144	0 [F0000]
4362	5340	2324	1068	0	4	1488	2324	0 [10000]
4362	5340	2324	1068	0	4	1488	2324	0 [1000]
>>>>> \$								

The End

- \square This is the end of the presentation.
- extstyle ext
- This is the end of the presentation.