Git commands summary

1. setup and configuration	what it does?
git --version	show the installed Git version
git config --global user.name	set your name for all commits
git config --global core.editor	set the default text editor
git config --list	show all current configuration
git help <command>	open the manual page for a command
git init	create a new empty Git repository in the current folder
git clone <url>	Download a full copy of a remote repository
git clone <url> <folder>	clone into a specific folder name
git status	show changed, staged and untracked files
git status -s	short version of the status
git add .	stage all changes in the current directory

Galaxy A13

التاريخ: .....

git log	show the commit history
git log -p <files>	show the history of a file with changes
git diff	show unstaged changes
git reflog	show a log of where HEAD has been
git branch	list local branches
git switch <branch>	switch to a branch
git merge <branch>	merge a branch into the current branch
git remote -v	list remote repositories with their URLs
push	upload local commits to the remote
git reset <files>	Unstage a file (older syntax)
git clean -n	Preview untracked files that would be removed
git stash	Temorailly save uncommited

Galaxy A13

git stash list	list all stashes
git stash clear	Delete all stashes
git tag	list tags
git tag -d <name>	Delete a local tag
git mv <old> <new>	Rename or move a file
git gc	clean up and optimize the repository
git fsck	check the repository for corruption
git ls-files	list all tracked files
git rm <file>	Delete a file and stage the deletion
.gitignore	A file listing patterns
git tag <name>	create a lightweight ta on the current comm
git push origin --tags	Push all tags to the rem

Galaxy A13