

Lab4-Assignment

[Screen shot [#1] showing Role assigned to the EC2 instance]

- Created EC2 instance name: zy
- Assign an IAM role(**LabInstanceProfile** role) to EC2 instance

i-0c09387fb081ea341

< **Instance summary for i-0c09387fb081ea341 (zy)** Info Refresh Connect Instance state ▼ Actions ▼

Updated 8 minutes ago

Instance ID i-0c09387fb081ea341	Public IPv4 address 18.204.231.22 open address	Private IPv4 addresses 172.31.24.235
IPv6 address -	Instance state Running	Public IPv4 DNS ec2-18-204-231-22.compute-1.amazonaws.com open address
Hostname type IP name: ip-172-31-24-235.ec2.internal	Private IP DNS name (IPv4 only) ip-172-31-24-235.ec2.internal	Elastic IP addresses -
Answer private resource DNS name IPv4 (A)	Instance type t2.micro	AWS Compute Optimizer finding Opt-in to AWS Compute Optimizer for recommendations. Learn more
Auto-assigned IP address 18.204.231.22 [Public IP]	VPC ID vpc-087f22cf73018cbe2	Auto Scaling Group name -
IAM Role LabRole	Subnet ID subnet-06b71d7f1fd00d7f4	Managed false
IMDSv2 Required	Instance ARN arn:aws:ec2:us-east-1:354754152263:instance/i-0c09387fb081ea341	
Operator -		

- Attach 3 policies to the role (EC2, S3, and Cloudformation)

LabRole [Info](#)

[Delete](#)

Summary

[Edit](#)

Creation date

February 12, 2025, 18:52 (UTC-08:00)

ARN

[arn:aws:iam::354754152263:role/LabRole](#)

Instance profile ARN

[arn:aws:iam::354754152263:instance-profile/LabInstanceProfile](#)

Last activity

[8 minutes ago](#)

Maximum session duration

1 hour

[Permissions](#)[Trust relationships](#)[Tags](#)
(1)[Last Accessed](#)[Revoke sessions](#)

Permissions policies (3) [Info](#)

[Simulate](#)[Remove](#)[Add permissions](#)

You can attach up to 10 managed policies.

Filter by Type

All types

< 1 >

☐	Policy name ?	Type	Attached entities
☐	AmazonEC2ContainerRegistryFullAccess	AWS managed	1
☐	AmazonS3FullAccess	AWS managed	1
☐	AWSCloudFormationFullAccess	AWS managed	1

[Screenshot [#2] showing installation successful by showing \$ aws version]

- AWS Cli installed on my EC2 instance, run \$ aws version successfully

```
inflating: aws/dist/docutils/parsers/rst/include/s5defs.txt
inflating: aws/dist/docutils/parsers/rst/include/isoamns.txt
inflating: aws/dist/docutils/parsers/rst/include/isonum.txt
ubuntu@ip-172-31-24-235:~$ sudo ./aws/install
You can now run: /usr/local/bin/aws --version
ubuntu@ip-172-31-24-235:~$ /usr/local/bin/aws --version
aws-cli/2.24.3 Python/3.12.6 Linux/6.8.0-1021-aws exe/x86_64.ubuntu.24
ubuntu@ip-172-31-24-235:~$
```

[Screenshot [#3]: showing all these commands and a successful clone of your repository]

- access into `opt/lab-2-stack`

`sudo chown $USER:$USER /opt/lab-2-stack` → this command added here is for changes the owner of the `/opt/lab-2-stack` directory to the current user, allowing them to modify its contents

```
[ubuntu@ip-172-31-24-235:~$ sudo mkdir /opt/lab-2-stack
[ubuntu@ip-172-31-24-235:~$ sudo chown $USER:$USER /opt/lab-2-stack
[ubuntu@ip-172-31-24-235:~$ cd /opt/lab-2-stack
```

- connect SSH key and clone the repo by using SSH successfully

```
ubuntu@ip-172-31-24-235:/opt/lab-2-stack$ ssh -T git@github.com
[Enter passphrase for key '/home/ubuntu/.ssh/id_ed25519':
Hi zianw52! You've successfully authenticated, but GitHub does not provide shell access.
ubuntu@ip-172-31-24-235:/opt/lab-2-stack$ git clone git@github.com:clouderity/lab-4-zianw52.git
Cloning into 'lab-4-zianw52'...
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (10/10), done.
remote: Total 11 (delta 2), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (11/11), 15.30 KiB | 783.00 KiB/s, done.
Resolving deltas: 100% (2/2), done.
ubuntu@ip-172-31-24-235:/opt/lab-2-stack$
```

Screenshot of the stack from AWS CloudFormation service [#4].

- Edit the ./deploy.sh script to add key pair name as **zykey**
- Change the stack name into stack3 since the last stack creation fails

Stacks (2)

Filter by stack name

Filter status: Active

View nested

Stack name	Status	Created time	Description
my-first-cloudformation-stack3	CREATE_COMPLETE	2025-02-12 22:17:42 UTC-0800	CloudFormation template to create two EC2 micro instances and two S3 buckets.
c147188a3805024l8982961t1w354754152263	CREATE_COMPLETE	2025-02-12 18:52:09 UTC-0800	This template allows Cloud9 deployment and also deploys an ec2 Bastion host.

Screenshot of the two created S3 buckets from S3 service [#5]

- S3 buckets are successfully created as well

Amazon S3

Account snapshot - updated every 24 hours

View Storage Lens dashboard

General purpose buckets

Directory buckets

General purpose buckets (2)

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	IAM Access Analyzer	Creation date
my-first-cloudformation-stack3-bucket1-us-east-1	US East (N. Virginia) us-east-1	View analyzer for us-east-1	February 12, 2025, 22:17:48 (UTC-08:00)
my-first-cloudformation-stack3-bucket2-us-east-1	US East (N. Virginia) us-east-1	View analyzer for us-east-1	February 12, 2025, 22:17:48 (UTC-08:00)

Screenshot the destroy command after execution [#6].

- using command and delete the stack3 successfully

```
ubuntu@ip-172-31-24-235:/opt/lab-2-stack/lab-4-ziyanw52$ nano destroy.sh
ubuntu@ip-172-31-24-235:/opt/lab-2-stack/lab-4-ziyanw52$ chmod +x ./destroy.sh
ubuntu@ip-172-31-24-235:/opt/lab-2-stack/lab-4-ziyanw52$ ./destroy.sh
Stack my-first-cloudformation-stack3 has been deleted successfully.
ubuntu@ip-172-31-24-235:/opt/lab-2-stack/lab-4-ziyanw52$
```

Screenshot of the stack from AWS CloudFormation service showing status "DELETE COMPLETE" [#7]


- the stack3 status shows the stack has been deleted

The screenshot shows the AWS CloudFormation console interface. On the left is a navigation menu with 'CloudFormation' selected, and sub-items like 'Stacks', 'StackSets', 'Exports', 'Infrastructure Composer', 'laC generator', 'Hooks overview', and 'Hooks'. The main content area has a blue header with a notification about 'Hooks' and a 'View Hooks overview' button. Below the header, it says 'Stacks (11)' and includes buttons for 'Delete', 'Update', 'Stack actions', and 'Create stack'. There is a search bar 'Filter by stack name' and a 'Filter status' dropdown set to 'Deleted'. A 'View nested' toggle is also present. The main table lists the stacks. The first stack, 'my-first-cloudformation-stack3', is highlighted with a blue border and shows a status of 'DELETE_COMPLETE' in a green box. The 'Created time' is '2025-02-12 22:17:42 UTC-0800' and the 'Description' is 'CloudFormation template to create two EC2 micro instances and two S3 buckets.'

Stack name	Status	Created time	Description
my-first-cloudformation-stack3	DELETE_COMPLETE	2025-02-12 22:17:42 UTC-0800	CloudFormation template to create two EC2 micro instances and two S3 buckets.

Screenshot of the S3 service dashboard [#8]

- after the stack3 is deleted, it automatically direct into the S3 main page



- double check the S3 buckets and see their is no bucket, means deleted successfully

