




Let's save your time from routine work.

- Have you ever tweaked lots of Components in play mode, and noted values for later?
- Do you need to try many settings or Material properties to pick which looks better?
- Do you even want to copy a lot, then paste after lunch or the weekend?
- Would you like a Component presets panel to apply values quickly?

That's why I made this!

The videos below show the **brief** and the **smooth workflow**, and how to use as a **presets panel**.




Overview:



- Easy to copy and paste multiple Components or Materials.
- Just drag'n'drop to snapshot them, and drag'n'drop to paste the copies back.
- All the copies can be managed and edited in a foldable Inspector-like window.
- With custom labels and quick search bar, it could work as a presets panel.
- One click to find the copy source.
- Most copies will be saved in the project.



The further technical documentation is available [here](#).

And the operation manual is right below.

Using:







UI - Manage

Convenient functions.
Hover to show buttons.

- Fold or expand all.
- Delete all.
- Delete the group.
- Fold or expand all items.
- Fold or expand the group.
- Delete the item.
- Fold or expand the item.
- Bold label indicates it's not persistent.
- Make persistent without scene references.
- Click to ping the copy source.
- Double click to select it.
- Click to copy to buffer for menu usage.
- Double click to duplicate the item.

UI - Search

Filter items with a search bar.
Identify with custom labels.

- Quick search menu.
- Auto parse current item keywords.
- Needless to key in manually.
- Auto filter by selected objects.
- Search bar.
- Any text filters by item name.
- Prefix "t:" by type and "l:" by label.
- Default label indicates the copy source.
- Edit the item label.
- The 1st line is the item name.
- The others from the 2nd line are labels.

Add-on:

- Here's **AuxCursor** to show cross windows dragging hint, useful for editor developer.
- This also includes a small utility: **Material Property Copier**.
- It provides context menus **"Copy Properties"** and **"Paste Properties"** for Material.
- It works just like the similar menus of a Component.

Release Notes:

1.2.3

- Fix, quick search menu to determine the existing keywords.
- Change the package name.

1.2.2

- Free version, drag'n'drop Transform, Camera, Light to copy and paste for trial.
- Free version, able to filter items with the search bar.
- Fix, error occurs when use the context menu to copy more than the limit in free version.
- Fix, API "track" didn't work properly.
- Fix, unfocus the text field when change layout to ensure display correctly.
- Fix, potential uncleared editor error.
- Add the label "Ignore" to the asset copies in case.

1.2.1

- New, double-click the Copy button to duplicate a copied item.

1.2

- More features for free version, e.g., more copies, fold item, preview, find source, API.
- New, custom item label for search and identification.
- New, quick search menu to select filters without manual typing.
- New, auto filter by tracking selected objects.
- Change the search bar to work like the Project window's instead of regex.
- Keep the search filter after exiting the editor.
- Keep the fold states after exiting the editor.
- Clearer GUI, show item's buttons only when mouse hover, and adjust layout a little.
- Show a confirm dialog when click "Clear all" button to avoid miss operation.
- Save label data to AssetImporter.userData instead of a temp file in assets.
- Optimize, lower reload frequency with a new trigger system, obvious while playing.
- Optimize, new faster reload system for multiple windows usage.
- Change the store folder from "Temps/Clipboard" to "Temp/Clipboard".
- Change EditrixStyle API from "Create" to "Load", and reuse the generated texture.
- Fix, drag an object into a field of a copied item.
- Fix, Inspector reflection for dragging paste in Unity 5.5.0p3.
- Fix, support to copy audio filters.
- Improve compatibility for the same name types of different assemblies.

1.1.7

- Move the toolbar "Window" and "Tooltip" buttons to the window context menu.
- Change the toolbar "Clear" button icon instead of text.

1.1.6

- Fix the random crash caused by removing component in Unity 5.5.
- Fix the hideFlags error occurs when copying component in Unity 5.5.

1.1.5

- Add the documentation link to the window context menu "Help".
- Remove the big tooltip shows when there's no copied items.

1.1.4

- Change the drag'n'drop pasting system to avoid some weird behavior on Mac.
- It's able to cancel dragging paste by press "Esc" key.

1.1.3

- Fix showing the Save Assets dialog when copying, if the Verify Saving Assets flag set.
- Fix the null reference of an unexpected empty prefab when loading copies.
- Fix creating the style images from the window constructor.

1.1.2

- Fix an error when cleaning invalid Editor by checking its target.

1.1.1

- Add a regex search bar to filter labels.
- Rename the dll and move to an Editor folder to avoid exporting when building player.
- It's recommended to remove the old package before updating.

1.1

- New, Drag'n'Drop to paste.
- New, able to copy all components on a GameObject by dragging it.
- Fix copying a component which isn't a specific type, e.g., Halo is a Behaviour.

1.0.5

- Improve the source finding function to find in an unsaved scene.
- Fix the obsolete API about the HSV color used for icons.
- Fix the reference to the copy source when a copied component references to itself.
- Fix component copy operation to be not undoable since it shouldn't be.

1.0.4

- Fix the copied asset isn't saved caused by the previous bug fixing for weird object.
- Fix copying a material which inherits from Material in case.
- Fix the reference lost when a material refers to a non-asset texture.

1.0.3

- Add a dark background to every preview to make UI identical.
- Add a public method to open window, for users to make their own hotkey.
- Fix copying a component which inherits from Transform, e.g., RectTransform.
- Fix a weird object shown in Hierarchy when copy a component related to RectTransform.

1.0.2

- New, a button to easily find copy source object, and adjust the UI for it.
- Fix material copy operation to ensure be saved.

1.0.1


- Fix the cursor flashing when the Project or Hierarchy window changes constantly.
- Fix the component editor usage to avoid crash when a copied asset is operated manually.

1.0

- First release.

Publish Notes:

- Requires: Unity 5.3.5f1 or higher.
- Category: Editor Extensions / Utilities
- Keywords: Component Material Clipboard Copy Paste Snap Snapshot Drag Drop Editor Extension Utility Inspector Custom Preset Pool Search Filter



Full-only Features:

- Unlimited copy numbers. (10 for free version)
- Keep the copies after exit editor.
- Full Drag'n'Drop operations. (Transform, Camera, Light for free version)
- Quick search menu.
- Auto filter by tracking selection.
- Custom item label.
- Open multiple windows.

Clipboard

[Specific Classes](#) » [Editor Extensions](#)[Released Packages](#) » |
[Clipboard](#)

Utility to copy `UnityEngine.Component` or `UnityEngine.Material` and paste it back. [More...](#)

Inherits `EditorWindow`, and `IHasCustomMenu`.

Public Member Functions

void **AddItemsToMenu** (`GenericMenu` menu)
Add the window context menu items. [More...](#)

Static Public Member Functions

static void **OpenWindow** ()
Show the clipboard window. [More...](#)

static bool **IsCopyable** (`Object` source)
Determine if the specified source is able to copy to clipboard. [More...](#)

static void **Copy** (`Object` source, bool open=false)
Copy the specified source to clipboard. [More...](#)

static void **Clear** (`Type` type=null)
Clear clipboard by specified type, or pass null to clear all. [More...](#)

Public Attributes

bool **track**
Flag to track selection to change search filter automatically. [More...](#)

string **search** = ""
The search filter pattern in the search bar. [More...](#)

Detailed Description

Utility to copy `UnityEngine.Component` or `UnityEngine.Material` and paste it back.

Useful for tweaking lots of objects in the editor, even in play mode. Click the menu "Window/Clipboard" to open the window. Just play and tweak, drag and drop, copy and paste whenever. It acts as sort of preset system, edit lots of copies as presets, and paste to apply values quickly. Easy to find and manage copies with a search filter, custom item label, and foldable inspector.

Copy:

1. Drag'n'Drop from "Inspector" to copy the inspected sources.
2. Drag'n'Drop a `UnityEngine.GameObject` to copy the components on it.
3. Show menu to specify the component type if "Ctrl" pressed when dropping gameObjects.

4. Or click the context menu "Copy to Clipboard".

Paste:

1. Drag'n'Drop to "Inspector" to paste back to the inspected targets.
2. When dragging a component, it pastes values to the first one on the gameObject, or pastes as new if none.
3. Show menu to specify a target of multiple components if "Ctrl" pressed when dropping.
4. Or click the "Copy" button above any item, and paste by the target's context menu.

Filter items with the search bar:

1. Click the "Magnifier" icon to show a context menu made from the current items to select filters easily.
2. Or input any text to filter the item's name, just like the Project window's search bar.
3. Prefix "t:" filters by the type, the search will include all specified types.
4. Prefix "l:" filters by the tooltip as labels, an item has to match all specified labels.
5. Toggle the "Link" icon at the top-right of window to filter automatically by tracking selection.

Edit the item label:

1. Click the "Pen" button beside the label to show or hide the edit field.
2. To save the change, just press "Ctrl-Enter" keys or unfocus the field after editing.
3. The first line shows as the label title, and the full text is the tooltip.
4. Leave the field empty to show the default text, i.e., the copy source path.

Find the copy source object:

1. Click the "Aim" button to ping it or double-click to select it.
2. The saved trace path is also shown as the default label tooltip.
3. It'll beep if not found, e.g., the trace may be lost if the source is moved or renamed.

The reasons not to save the trace by references below:

1. A scene object reference will change when load a scene.
2. We can't save the scene reference in the project assets.
3. We shouldn't save the edit data in user's game scene.

For component references to scene object. This creates copies and store in editor scene temporarily to ensure content correct. It means the copy will be destroyed when quitting the editor. And also, the scene references will become missing when opening another scene. The situation above is applicable to a material with scene texture, too.

For material or component without reference to any scene object. The copies will be saved with a label "Ignore" in an asset folder to make them still until manually "Clear". This tracks all copies by specific name or folder to ensure valid after script reloaded.

SVN users may clear all manually to avoid committing, or ignore the storing folder below:

1. The default is "Temp/Clipboard" under the root folder "Assets/WanzyeeStudio".
2. If the root is moved, it becomes "Temp/Clipboard" under the first found "WanzyeeStudio".
3. If there's no "WanzyeeStudio" folder, it'll be "Assets/Temp/Clipboard".

Instructions, to copy and paste generic component is dangerous, even if reflect all the fields. Since we'll never know what the developer do when the component awake. As the [thread](#) I commented, we'd be very careful with which aren't made by ourselves. Finally, this was created, works in the editor with Unity built-in classes and API.

Member Function Documentation

```
static void OpenWindow ( )
```

static

Show the clipboard window.

```
static bool IsCopyable ( Object source )
```

static

Determine if the specified source is able to copy to clipboard.

Returns

true if is copyable; otherwise, false.

Parameters

source Source object.

```
static void Copy ( Object source,
                  bool  open = false
                  )
```

static

Copy the specified source to clipboard.

Optional to open window after copying.

Parameters

source Source object.

open If set to true open.

```
static void Clear ( Type type = null )
```

static

Clear clipboard by specified type, or pass null to clear all.

void AddItemsToMenu (GenericMenu menu)

Add the window context menu items.

Menu "About" to open the online manual, and "New window" to open another **Clipboard** window.

Parameters

menu Menu.

Member Data Documentation

bool track

Flag to track selection to change search filter automatically.

string search = ""

The search filter pattern in the search bar.

MaterialPropertyCopier

[Specific Classes](#) » [Editor Extensions](#)[Released Packages](#) » | [Clipboard](#)

Copy or paste properties from one `UnityEngine.Material` to another. [More...](#)

Static Public Member Functions

static void **Copy** (Material source)

Copy properties of specified material as source to paste later. [More...](#)

static bool **Paste** (Material target)

Paste properties of the source copied before to the specified target. [More...](#)

Detailed Description

Copy or paste properties from one `UnityEngine.Material` to another.

Operate by `UnityEngine.Material` context menu "Copy Properties" and "Paste Properties". This works like the similar menu of `UnityEngine.Component`, and will change the shader. To keep valid after script reloaded by a temporary material as medium storage. Copy properties by built-in `Material.CopyPropertiesFromMaterial()` method.

Member Function Documentation

static void **Copy** (Material source)

static

Copy properties of specified material as source to paste later.

Parameters

source Source.

static bool **Paste** (Material target)

static

Paste properties of the source copied before to the specified target.

Returns

false, if the source doesn't exist yet, otherwise true.

Parameters

target Target.

Draw an auxiliary icon follows the cursor globally. [More...](#)

Inherits EditorWindow.

Properties

static DragAndDropVisualMode	mode [get, set]	The visual mode of cursor to show, to set this will override the icon. More...
static Texture	icon [get, set]	The texture of cursor to show, to set this will override the mode. More...
static Vector2	offset [get, set]	The pixel offset between the auxiliary icon and the system cursor. More...
static Vector2	size [get, set]	The pixel size of the auxiliary icon, set Vector2.zero to use the default texture size. More...

Detailed Description

Draw an auxiliary icon follows the cursor globally.

Used to provide a cross windows hint for reasons below:

1. DragAndDrop.visualMode only works when using UnityEditor.DragAndDrop system.
2. EditorGUIUtility.AddCursorRect() only applies inside the current window.

Property Documentation

DragAndDropVisualMode mode

staticgetset

The visual mode of cursor to show, to set this will override the icon.

The mode.

Texture icon

static get set

The texture of cursor to show, to set this will override the mode.

The icon.

Vector2 offset

static get set

The pixel offset between the auxiliary icon and the system cursor.

The offset.

Vector2 size

static get set

The pixel size of the auxiliary icon, set Vector2.zero to use the default texture size.

The size.

Extend editor GUI style, and include some premade icons or styles. [More...](#)

Static Public Member Functions

static Texture2D	LoadTexture (int width, Color32[] pixels)	Load a UnityEngine.Texture2D with color pixels for editor usage. More...
static Texture2D	LoadTexture (string[] pixels, Dictionary< char, Color32 > colors, Color32 other)	Trick to load a UnityEngine.Texture2D by parsing pixel string array. More...
static Texture2D	LoadIcon (string[] pixels, byte pro=196, byte free=60)	Trick to load icon UnityEngine.Texture2D by parsing pixel string array. More...
static Texture2D	LoadCursor (string[] pixels)	Trick to load cursor UnityEngine.Texture2D by parsing pixel string array. More...

Static Public Attributes

static readonly Texture2D	splitterPixel	The splitter pixel texture with the same color as on the Inspector, 1 x 1. More...
static readonly GUIStyle	statusBar	The status bar style. More...
static readonly Texture2D	editIcon	The icon represents to edit, a pencil, 12 x 12. More...
static readonly Texture2D	copyIcon	The icon represents to copy, overlapping notes, 12 x 12. More...
static readonly Texture2D	removeIcon	The icon represents to remove, a moving out arrow, 12 x 12. More...
static readonly Texture2D	deleteIcon	The icon represents to delete, a trash can, 12 x 12. More...
static readonly Texture2D	aimIcon	The icon represents to aim, a front sight, 12 x 12. More...
static readonly Texture2D	hierarchyIcon	The icon represents a hierarchy, indent level lines, 12 x 12. More...
static readonly Texture2D	clipboardIcon	The icon represents a clipboard, 12 x 12. More...
static readonly Texture2D	questionIcon	The icon represents a question mark, 12 x 12. More...
static readonly Texture2D	linkIcon	The icon represents to link, a connected chain, 9 x 9. More...
static readonly Texture2D	unlinkIcon	

	The icon represents to unlink, a broken chain, 9 x 9. More...
static readonly Texture2D	stopCursor The aux cursor represents a stop mark, 20 x 20. More...
static readonly Texture2D	copyCursor The aux cursor with a plus symbol, 19 x 15. More...
static readonly Texture2D	linkCursor The aux cursor with an arrow, 19 x 15. More...
static readonly Texture2D	moveCursor The aux cursor represents a dotted frame, 13 x 9. More...

Detailed Description

Extend editor GUI style, and include some premade icons or styles.

Member Function Documentation

static Texture2D LoadTexture (int width, Color32[] pixels)	static
<p>Load a <code>UnityEngine.Texture2D</code> with color <code>pixels</code> for editor usage.</p> <p>Return the texture with the same pixels created by this if exists, otherwise create new one.</p> <p>Returns The texture.</p> <p>Parameters width Width. pixels Pixels.</p>	

```
static Texture2D LoadTexture ( string[] pixels,
                             Dictionary< char, Color32 > colors,
                             Color32 other
                             )
```

static

Trick to load a UnityEngine.Texture2D by parsing pixel string array.

Array length as texture height, element string length as width. Set each char pixel by colors map if existing, otherwise the other color. Return the texture with the same pixels created by this if exists, otherwise create new one.

Returns

The texture.

Parameters

pixels Pixel bits.

colors Colors map.

other Other.

```
static Texture2D LoadIcon ( string[] pixels,
                           byte pro = 196,
                           byte free = 60
                           )
```

static

Trick to load icon UnityEngine.Texture2D by parsing pixel string array.

Array length as icon height, element string length as width. Any space char as transparent, others color light if pro skin, otherwise dark. Return the texture with the same pixels created by this if exists, otherwise create new one.

Returns

The icon UnityEngine.Texture2D.

Parameters

pixels Pixel bits.

pro Grayscale for pro skin.

free Grayscale for free skin.

static Texture2D LoadCursor (string[] pixels)

static

Trick to load cursor `UnityEngine.Texture2D` by parsing pixel string array.

Array length as cursor height, element string length as width. Any '1' char as white, '0' as black, otherwise transparent. Return the texture with the same pixels created by this if exists, otherwise create new one.

Returns

The cursor `UnityEngine.Texture2D`.

Parameters

pixels Pixel bits.

Member Data Documentation

readonly Texture2D splitterPixel

static

The splitter pixel texture with the same color as on the Inspector, 1 x 1.

readonly GUIStyle statusBar

static

The status bar style.

Text colored light if pro skin, otherwise dark, with darken background anyway.

readonly Texture2D editIcon

static

The icon represents to edit, a pencil, 12 x 12.

readonly Texture2D copyIcon

static

The icon represents to copy, overlapping notes, 12 x 12.

readonly Texture2D removeIcon

static

The icon represents to remove, a moving out arrow, 12 x 12.

readonly Texture2D deletelcon

static

The icon represents to delete, a trash can, 12 x 12.

readonly Texture2D aimlcon

static

The icon represents to aim, a front sight, 12 x 12.

readonly Texture2D hierarchylcon

static

The icon represents a hierarchy, indent level lines, 12 x 12.

readonly Texture2D clipboardlcon

static

The icon represents a clipboard, 12 x 12.

readonly Texture2D questionlcon

static

The icon represents a question mark, 12 x 12.

readonly Texture2D linklcon

static

The icon represents to link, a connected chain, 9 x 9.

readonly Texture2D unlinklcon

static

The icon represents to unlink, a broken chain, 9 x 9.

readonly Texture2D stopCursor

static

The aux cursor represents a stop mark, 20 x 20.

readonly Texture2D copyCursor

static

The aux cursor with a plus symbol, 19 x 15.

readonly Texture2D linkCursor

static

The aux cursor with an arrow, 19 x 15.

readonly Texture2D moveCursor

static

The aux cursor represents a dotted frame, 13 x 9.