Process and Decision documentation Sidequest Week 6

For this sidequest, GenAi was used to help understand and decipher some of the code and add sound effects for the gameplay, including the background music.





Changes Made:

1. AssetLoader.js : Added asynchronous sound loading for all sound files in sfx :
   - `leafCollect.wav` → "leaf" sound
   - `receiveDamage.wav` → "hurt" sound
   - `hitEnemy.wav` → "hit" sound
   - jump.wav → "jump" sound
   - `music.wav` → background music
   - Reused existing sounds for "die" and "win" events
2. SoundManager.js : Enhanced to accept pre-loaded p5.Sound objects or paths, and added playLoop() method for background music.
3. main.js : Loaded all sounds into the SoundManager after asset loading.
4. Game.js :
   - Added "player:jumped" event listener to play jump sound
   - Added "level:started" event to begin looping background music
   - Wired all existing sound events (collect, damage, death, win, boar





GenAI Transcript

add sounds to the game

- ✓ Read multiple JavaScript files and searched text
- ✓ Edited AssetLoader.js +17 -0
- ✓ Read lines 10 to 50 of AssetLoader.js
- ✓ Edited AssetLoader.js +7 -0
- ✓ Read lines 85 to 105 from file

Continue to iterate?

Copilot has been working on this problem for a while. It can continue to iterate, or you can send a new message to refine your prompt. Configure max requests.

- ✓ Selected "Continue"

- ✓ Edited AssetLoader.js +6 -0
- ✓ Read main.js, lines 115 to 130
- ✓ Edited SoundManager.js +6 -2
- ✓ Read main.js, lines 130 to 140
- ✓ Edited main.js +9 -0
- ✓ Searched for text in multiple files
- ✓ Edited Game.js +1 -0
- ✓ Searched for text `emit` in Level.js
- ✓ Edited SoundManager.js +7 -0
- ✓ Read Game.js, lines 50 to 60
- ✓ Edited Game.js +1 -1
- ✓ Read Level.js and Game.js files
- ✓ Edited Game.js +4 -0
- ✓ Edited Game.js +1 -0
- ✓ `python3 -m http.server 8000`

- ✓ `node -c src/AssetLoader.js`

ⓘ Enable shell integration to improve command detection

I've successfully added sounds to the game! Here's what I implemented:

Changes Made:

1. AssetLoader.js : Added asynchronous sound loading for all sound files in sfx :
   - `leafCollect.wav` → "leaf" sound
   - `receiveDamage.wav` → "hurt" sound
   - `hitEnemy.wav` → "hit" sound
   - jump.wav → "jump" sound
   - `music.wav` → background music
   - Reused existing sounds for "die" and "win" events
2. SoundManager.js : Enhanced to accept pre-loaded p5.Sound objects or paths, and added playLoop() method for background music.
3. main.js : Loaded all sounds into the SoundManager after asset loading.
4. Game.js :
   - Added "player:jumped" event listener to play jump sound
   - Added "level:started" event to begin looping background music
   - Wired all existing sound events (collect, damage, death, win, boar hit)

Sound Events:

- **Jump**: Plays when player jumps
- **Leaf Collect**: Plays when collecting leaves
- **Player Damage**: Plays when taking damage
- **Player Death**: Plays when dying (reuses damage sound)
- **Level Win**: Plays when completing level (reuses collect sound)
- **Boar Damage**: Plays when damaging enemies
- **Background Music**: Loops continuously from level start

The game now has full audio feedback! You can test it by opening index.html in a browser (the HTTP server is already running on port 8000). Note that browsers may require a user interaction (click/key press) to unlock audio playback.