IDMVis:
Temporal Event Sequence Visualization for Type 1 Diabetes Treatment Decision Support


Yixuan (Janice) Zhang


Kartik Chanana


Cody Dunne


Northeastern University

Contributions

Contributions

- **IDMVis** – a temporal event sequence visualization tool to support diabetes treatment decision
- **Hierarchical Task Abstraction**

Contributions

- **IDMVis** – a temporal event sequence visualization tool to support diabetes treatment decision
- **Hierarchical Task Abstraction**

Hierarchical Task Analysis

Contributions

- **IDMVis** – a temporal event sequence visualization tool to support diabetes treatment decision
- **Hierarchical Task Abstraction**

Contributions

- **IDMVis** – a temporal event sequence visualization tool to support diabetes treatment decision
- **Hierarchical Task Abstraction**

Imagine a 10-year-old kid, who has been diagnosed with type 1 diabetes...

Imagine a 10-year-old kid, who has been diagnosed with type 1 diabetes...



Continuous Glucose Monitor (CGM)

Imagine a 10-year-old kid, who has been diagnosed with type 1 diabetes...



Imagine a 10-year-old kid, who has been diagnosed with type 1 diabetes...



Imagine a 10-year-old kid, who has been diagnosed with type 1 diabetes...



Diabetes Logbook

Sickness Food Exercise



Continuous Glucose Monitor (CGM)

Glucose Meter



Insulin Injection

During a clinical visit …



During a clinical visit ...





During a clinical visit ...



During a clinical visit ...

> **How** to help diabetes clinicians make treatment decisions?
>
> What are the **tasks**?

Hierarchical Task Analysis

Task analysis:

Task 1 | Task 2 | Task 3 | Task 4

Task analysis:

^

Hierarchical



Develop a treatment plan and educate patients

0.
Develop a treatment plan and educate patients

Increasing Task Specificity

0.
Develop a treatment plan and educate patients

1.
Collect and display the patient's data

Increasing Task Specificity

0.
Develop a treatment plan and educate patients

1.
Collect and display the patient's data

2.
Overview the patient's data

Increasing Task Specificity

0.
Develop a treatment plan and educate patients

1.
Collect and display the patient's data

2.
Overview the patient's data

3.
Reason about patient blood glucose levels

Increasing Task Specificity

0.
Develop a treatment plan and educate patients

1.
Collect and display the patient's data

2.
Overview the patient's data

3.
Reason about patient blood glucose levels

4.
Educate patients and caregivers

Increasing Task Specificity

0.
Develop a treatment plan and educate patients

1.
Collect and display the patient's data

2.
Overview the patient's data

3.
Reason about patient blood glucose levels

4.
Educate patients and caregivers

5.
Make a treatment plan

Increasing Task Specificity

0.
Develop a treatment plan and educate patients

1.
Collect and display the patient's data

2.
Overview the patient's data

3.
Reason about patient blood glucose levels

4.
Educate patients and caregivers

5.
Make a treatment plan

3.1
Examine post-event glucose level

Increasing Task Specificity

0.
Develop a treatment plan and educate patients

1.
Collect and display the patient's data

2.
Overview the patient's data

3.
Reason about patient blood glucose levels

4.
Educate patients and caregivers

5.
Make a treatment plan

3.1
Examine post-event glucose level

3.2
Examine the interplay between events

Increasing Task Specificity

0.
Develop a treatment plan and educate patients

1.
Collect and display the patient's data

2.
Overview the patient's data

3.
Reason about patient blood glucose levels

4.
Educate patients and caregivers

5.
Make a treatment plan

3.1
Examine post-event glucose level

3.2
Examine the interplay between events

3.1
Examine post-event glucose level

3.1
Examine post-event glucose level

Examine related data to understand observation

Design Requirements

Design Requirements

- DR1. Composite Visualization of **Integrated** Data

Design Requirements

- DR1. Composite Visualization of **Integrated** Data
- DR2. Visualization of **Folded Temporal** Data

Design Requirements

- DR1. Composite Visualization of **Integrated** Data
- DR2. Visualization of **Folded Temporal** Data
- DR3. **Align and Scale** Temporal Data

Design Requirements

- DR1. Composite Visualization of **Integrated** Data
- DR2. Visualization of **Folded Temporal** Data
- DR3. **Align and Scale** Temporal Data
- DR4. **Summary** Statistics

Design of IDMVis

14-Day Overview

Detail View

Summary Statistics Panel

14-Day Overview



Use small multiples to partition data folded by days

14-Day Overview



Glucose Meter

Events from **logbooks** with blood glucose readings

Glucose Meter

Events from **logbooks** with blood glucose readings



Continuous Glucose Monitor (**CGM**)



Glucose Meter

Events from **logbooks** with blood glucose readings



Continuous Glucose Monitor (**CGM**)



below range (<70 mg/dL)

normal range (70-180 mg/dL)

above range (>180 mg/dL)


<< >>
From 05/27/2017
To 06/09/2017
1st Align Event
2nd Align Event
2017-05-27
2017-05-28
2017-05-29
2017-05-30
2017-05-31
0:00 2:00 4:00 6:00 8:00 10:00 12:00 14:00 16:00 18:00 20:00 22:00 24
Events from logbooks with blood glucose readings
CGM normal range (70-180 mg/dL)
CGM above range (>180 mg/dL)
CGM below range (<70 mg/dL)



Single-event alignment ⟹ A pattern of high blood glucose after lunch shown by purple circles ●●●



Single-event alignment ⟹ A pattern of high blood glucose after lunch shown by purple circles ●●●

3.1
Examine post-event glucose level



3.1
Examine post-event glucose level

3.
Reason about patient blood glucose levels

3.1
Examine post-event glucose level

...



Dual-event alignment

Stretch time scaling



Events from logbooks with blood glucose readings

CGM normal range (70-180 mg/dL)

CGM above range (>180 mg/dL)

CGM below range (<70 mg/dL)

Dual-event alignment

Left-justified time scaling



Events from logbooks with blood glucose readings

CGM normal range (70-180 mg/dL)

CGM above range (>180 mg/dL)

CGM below range (<70 mg/dL)

Dual-event alignment

Right-justified time scaling



Events from logbooks with blood glucose readings

CGM normal range (70-180 mg/dL)

CGM above range (>180 mg/dL)

CGM below range (<70 mg/dL)


2017-09-13
2017-09-14
2017-09-15
2017-09-16
2017-09-17
2017-09-18
0:00
2:00
4:00
6:00
8:00
10:00
12:00
14:00
16:00
18:00
20:00
22:00
mg/dL
400
350
300
250
200
150
100
50
0
2017-06-09
Breakfast
Sugar to treat
Nothing
Lunch
Exercise snack
Sugar to treat
Sugar to treat
Sugar to treat
Dinner
0
2
4
6
8
10
12
14
16
18
20
22
24

Detail View

Qualitative Study

Participants



Certified diabetes educators (CDEs)

Dietitians

Participants



Certified diabetes educators (CDEs)

Dietitians

Average years of work experience:

17.2 years

Methodology

<< >> From 08/23/2017 To 09/05/2017

Date	Breakfast			Lunch			Dinner		
	Insulin	Carbs	Glucose	Insulin	Carbs	Glucose	Insulin	Carbs	Glucose
2017-08-23	0.6	16.0	162.0	1.5	43.0	149.0	2.3	90.0	111.0
2017-08-24	1.4	29.0	144.0	1.3	49.0	-	2.0	73.0	115.0
2017-08-25	1.2	31.0	-	2.1	31.0	265.0	1.9	77.0	-
2017-08-26	1.7	34.0	145.0	-	-	-	0.3	11.0	-
2017-08-27	1.9	36.0	166.0	1.5	67.0	85.0	1.0	41.0	-
2017-08-28	1.0	31.0	78.0	1.1	40.0	130.0	0.1	5.0	-
2017-08-29	1.1	29.0	140.0	1.6	47.0	140.0	1.0	46.0	77.0
2017-08-30	1.2	21.0	145.0	1.3	54.0	85.0	2.3	72.0	161.0
2017-08-31	0.6	19.0	88.0	1.7	46.0	162.0	-	69.0	184.0
2017-09-01	-	-	-	1.3	36.0	147.0	1.6	63.0	115.0
2017-09-02	1.8	38.0	138.0	1.3	52.0	85.0	1.9	75.0	-
2017-09-03	-	-	-	1.7	60.0	80.0	1.9	65.0	153.0
2017-09-04	1.1	19.0	151.0	2.4	28.0	325.0	-	56.0	-
2017-09-05	0.6	10.0	135.0	2.1	54.0	169.0	1.4	50.0	-

Day-by-meal table

Exploration using IDMVis

Semi-structured interviews

Results

Results

Superimposed detail view helps identify issues of data quality (e.g., missing or conflicting data)



> *So sugar-to-treat [blood glucose] should have gone up from here, not down. It went down. Kept going down.* ***Sugar to treat should be here****, before this curve comes back up. That's my concern.* **It's missing something here.**

Results

Sentinel event alignment allows exploration of event sequence relationships

Sentinel event alignment allows exploration of event sequence relationships

- Use **single-event** alignment to look for event consistency

Results

Sentinel event alignment allows exploration of event sequence relationships

- Use **single-event** alignment to look for event consistency
- Use **dual-event** alignment to examine variability of patterns

Results



> *I like being able to see how you could* ***separate and see between the length, the time between meals****... You can't tell them to eat three times a day at the same time. So it's just sort of helpful to see the* ***variability****... It would help you plan for it in the fact that you might* ***reduce his basal based on the fact that he's an erratic eater****.*

Conclusion

Conclusion

- IDMVis – a temporal event sequence visualization
  - Novel techniques for temporal folding
  - Aligning by dual sentinel events & scaling the intermediate timeline

Conclusion

- IDMVis – a temporal event sequence visualization
  - Novel techniques for temporal folding
  - Aligning by dual sentinel events & scaling the intermediate timeline

- Hierarchical task abstraction

For more information, please visit bit.ly/IDMVis






Yixuan (Janice) Zhang


Kartik Chanana


Cody Dunne

Northeastern University