Generative Knowledge Graph Construction: A Review

GENKGC
GENERATIVE KNOWLEDGE GRAPH CONSTRUCTION

Hongbin Ye, Ningyu Zhang

Zhejiang University

Public Repository: https://github.com/zjunlp/Generative_KG_Construction_Papers

ZHEJIANG UNIVERSITY

Neural network-based entity recognition, relationship extraction and other **information extraction** techniques need to strictly follow the predefined **Schema knowledge** specification

Text2Knowledge

Language Pretrain
BERT、GPT…..



isSpouseOf

Jack is married to the microbiologist known as **Dr. Germ** in the USA.

Entity Pair

求是創新

Introduction

Poorly adapted to different tasks



Knowledge Graph Construction



Entity Discovery

Named Entity Recognition

Error propagation

Entity Linking

Error propagation

Relation Extraction

Event Extraction

Introduction





MASS

BART

Generative Model Infrastructure Development





T5

GPT

Preliminary on Knowledge Graph Construction

Input sentence: “Steve Jobs and Steve Wozniak co-founded Apple in 1977.”



‘Steve Job’，‘Steve Wozniak’ ⇒ PERSON, ‘Apple’ ⇒ ORG

〈Steve Job, Apple〉 => founder

Event type => Business Start-Org   Event trigger => ‘co-founded’

Event Arguments:

(Steve Jobs, Steve Wozniak) => AGENT and Apple => ORG

Steve Job => Steven Jobs (Q19837)

Apple => Apple (Q312)

〈Steve Job, create, ?〉 => Apple, NeXT Inc. and Pixar

Discrimination and Generation Methodologies



Maximize the data likelihood:

$$p_{cls}(t|x) = \prod_{(s,r,o)\in t_j} p\left((s,r,o) \mid x_j\right)$$

$$p_{tag}(y \mid x) = \frac{\exp(h_i, y_i)}{\sum_{\mathbf{y}'\in R} \exp\left(\exp(h_i, y_i')\right)}$$

$$p_{gen}(y \mid x) = \prod_{i=1}^{\mathrm{len}(y)} p_{gen}\left(y_i \mid y_{<i}, x\right)$$

Taxonomy of Generative Knowledge



Sankey diagram of knowledge graph construction tasks with different generative paradigms

Taxonomy of Generative Knowledge

Input Text: News of the list's existence unnerved officials in Khartoum, Sudan' s capital.

Copy-based Sequence capital, Sudan, Khartoum, contains, Sudan, Khartoum.

Structure-linearized Sequence <triplet> Sudan <subj> Khartoum <obj> capital <subj> Khartoum <obj> contains

Label-augmented Sequence News of the list's existence unnerved officials in [Khartoum | Location | capital = Sudan | contains = Sudan], [Sudan |Location]' s capital.

Indice-based Sequence 10,10,12,12,200,10,10,12,12,205

head entity indice *tail entity indice* *relation indice*

Blank-based Sequence <entity1> <relation1> <entity2>, <entity3> <relation2> <entity4>.

<Khartoum> <capital> <Sudan>, <Khartoum> <contains> <Sudan>.

Taxonomy of Generative Knowledge

浙江大学 ZHEJIANG UNIVERSITY

- Generative KGC Taxonomy
  - Generation Target
    - Copy-based Sequence: CopyRE (Zeng et al., 2018), CopyRRL (Zeng et al., 2019), CopyMTL (Zeng et al., 2020), TEMPGEN (Huang et al., 2021), Seq2rel (Giorgi et al., 2022)
    - Structure-based Sequence: Seq2Seq4ATE (Ma et al., 2019), Nested-seq (Straková et al., 2019), CGT (Zhang et al., 2021b; Ye et al., 2021), PolicyIE (Ahmad et al., 2021), Text2Event (Lu et al., 2021), HySPA (Ren et al., 2021), REBEL (Cabot and Navigli, 2021), SQUIRE (Bai et al., 2022), GenKGC (Xie et al., 2022), EPGEL (Lai et al., 2022), HuSe-Gen (Saha et al., 2022), UIE (Lu et al., 2022), DEEPSTRUCT (Wang et al., 2022), De-Bias (Zhang et al., 2022b), KGT5 (Saxena et al., 2022), KG-S2S (Chen et al., 2022a)
    - Label-based Sequence: ANL (Athiwaratkun et al., 2020a), GENRE (Cao et al., 2021), TANL (Paolini et al., 2021)
    - Indice-based Sequence: PNDec (Nayak and Ng, 2020), SEQ2SEQ-PTR (Rongali et al., 2020), GRIT (Du et al., 2021a), UGF for NER (Yan et al., 2021b), UGF for ABSA (Yan et al., 2021a)
    - Blank-based Sequence: COMET (Bosselut et al., 2019), BART-Gen (Li et al., 2021b), GTT (Du et al., 2021b), DEGREE (Hsu et al., 2022), ClarET (Zhou et al., 2022), GTEE (Liu et al., 2022), X-GEAR (Huang et al., 2022), PAIE (Ma et al., 2022)
  - Generation Tasks
    - Named Entity Recognition: Nested-seq (Straková et al., 2019), ANL (Athiwaratkun et al., 2020a), TANL (Paolini et al., 2021), HySPA (Ren et al., 2021), UGF for NER (Yan et al., 2021b), DEEPSTRUCT (Wang et al., 2022), De-Bias (Zhang et al., 2022b), UIE (Lu et al., 2022)
    - Relation Extraction: CopyRE (Zeng et al., 2018), CopyRRL (Zeng et al., 2019), PNDec (Nayak and Ng, 2020), CopyMTL (Zeng et al., 2020), CGT (Zhang et al., 2021b; Ye et al., 2021), TANL (Paolini et al., 2021), HySPA (Ren et al., 2021), TEMPGEN (Huang et al., 2021), REBEL (Cabot and Navigli, 2021), DEEPSTRUCT (Wang et al., 2022), UIE (Lu et al., 2022), Seq2rel (Giorgi et al., 2022)
    - Event Extraction: CGT (Zhang et al., 2021b; Ye et al., 2021), TANL (Paolini et al., 2021), BART-Gen (Li et al., 2021b), GTT (Du et al., 2021b), GRIT (Du et al., 2021a), Text2Event (Lu et al., 2021), DEGREE (Hsu et al., 2022), ClarET (Zhou et al., 2022), GTEE (Liu et al., 2022), X-GEAR (Huang et al., 2022), DEEPSTRUCT (Wang et al., 2022), PAIE (Ma et al., 2022), UIE (Lu et al., 2022)
    - Entity Linking: GENRE (Cao et al., 2021), EPGEL (Lai et al., 2022)
    - Knowledge Graph Completion: COMET (Bosselut et al., 2019), SQUIRE (Bai et al., 2022), GenKGC (Xie et al., 2022),, HuSe-Gen (Saha et al., 2022), ClarET (Zhou et al., 2022), KGT5 (Saxena et al., 2022), KG-S2S (Chen et al., 2022a)

Copy-based Sequence

Directly copy entity



CopyRE



CopyRRL



CopyMTL



Seq2rel

Restricted target vocabulary

Structure-linearized Sequence



Triplet linearization

REBEL

TEXT2EVENT



Prefix tree constraint decoding

CGT

KGT5



Unified structure generation



Query Verbalization

Label-based Sequence



TANL

Augmented natural language

Indice-based Sequence



PNDec

Pointer mechanism



GRIT

Pointer selection

Blank-based Sequence





Template filling as generation

GTT

DEGREE

Prompt semantic guidance



X-GEAR

Language-agnostic template

Theoretical Insight

NLG are normally modeled by parameterized probabilistic models：

$$p_{gen}(y \mid x) = \prod_{i=1}^{\mathrm{len}(y)} p_{gen}(y_i \mid y_{<i}, x)$$

$$y = \arg\max_{y \in \mathcal{T}} \log P_\theta(D(y) \mid x)$$

Generating architecture

Non-autoregressive parallel decoding architecture

It is necessary to develop sophisticated, efficient decoding strategies for generative KGC

Generate Objectives

Representation space modeling

Balance parametric optimization as well as semantic utilization

Generation Mechanism

Learning with constraints

Vanilla decoding solutions such as beam search or greedy

Knowledge-guided (or schema-guided) decoding

Empirical Analysis

Taxonomy	Generative Strategy	Representative Model	Evaluation Scope			
			SU↑	SS↓	AS↓	TS↓
Copy-based (§ 3.1)	Directly copy entity	CopyRE (Zeng et al., 2018)	L	L	M	L
	Restricted target vocabulary	Seq2rel (Giorgi et al., 2022)	L	L	H	L
Structure-based (§ 3.2)	Per-token tag encoding	Nested-seq (Straková et al., 2019)	L	L	H	L
	Faithful contrastive learning	CGT (Zhang et al., 2021b)	M	M	H	L
	Prefix tree constraint decoding	TEXT2EVENT (Lu et al., 2021)	M	M	H	L
	Triplet linearization	REBEL (Cabot and Navigli, 2021)	M	H	M	L
	Entity-aware hierarchical decoding	GenKGC (Xie et al., 2022)	M	L	M	L
	Unified structure generation	UIE (Lu et al., 2022)	M	H	H	L
	Reformulating triple prediction	DEEPSTRUCT (Wang et al., 2022)	M	H	H	L
	Query Verbalization	KGT5 (Saxena et al., 2022)	M	H	M	L
Label-based (§ 3.3)	Augmented natural language	TANL (Paolini et al., 2021)	M	H	H	L
Indice-based (§ 3.4)	Pointer mechanism	PNDec (Nayak and Ng, 2020)	L	L	M	L
	Pointer selection	GRIT (Du et al., 2021a)	M	L	M	L
Blank-based (§ 3.5)	Template filling as generation	GTT (Du et al., 2021b)	H	H	H	H
	Prompt semantic guidance	DEGREE (Hsu et al., 2022)	H	H	H	H
	Language-agnostic template	X-GEAR (Huang et al., 2022)	H	M	H	H

Comparison of generation methods from different evaluation scopes. "SU" indicates semantic utilization, "SS" indicates search space, "AS" indicates application scope, and "TS" indicates template cost. We divide the degree into three grades: L (low), M (middle), and H (high), and the ↑ indicates that the higher grade performance is better while the ↓ is the opposite.

求是创新

Future Directions

- Generation Architecture
  - Most of the recent generative KGC frameworks face serious homogenization with Transformer.



Neural-Symbolic Transformer



Spiking Neural Network



Diffusion models

Generation Quality

- Considering the target reliability of generation methods, more sophisticated strategies can be leveraged to control the quality of generative KGC.

Generation Strategies	References
Control code construction	CTRL(Keskar et al., 2019) Gsum(Dou et al., 2021)
Decoding strategy such as introducing external feedback and generative discriminator	L2W(Holtzman et al., 2018) Gedi(Krause et al., 2021)
Loss function design	Cocon(Chan et al., 2021)
Prompt design	Prefix-turing(Qian et al., 2020)
Retrieval augmentation	REALM(Kelvin et al., 2022)
Write-then-Edit strategy	PPLM(Dathathri et al., 2020)
Diffusion process	Diffuseq(Gong et al., 2022)

Training Efficiency

- In practical applications, it is essential to reduce data annotation and training costs.
  - ♦ Freeze most of the generation model parameters
  - ♦ Leverage prompt learning
  - ♦ Knowledge decoupling intervention training models





Decoupling Knowledge from Memorization:Retrieval-augmented Prompt Learning

Future Directions

➢ Universal Deployment

- Align structure and expand to joint multi-task training
- Cross-language to compensate for the lack of linguistic corpus resources
- Cross-modal enhancement of interactions between perceptual elements
- Integrating symbolic knowledge to guide KGC with cognitive knowledge



- Inference Speed
  - Utilizes the transformer-based non-autoregressive decoder
  - Formulates end-to-end knowledge base population as a direct set generation problem
  - Unordered multi-tree decoding strategy to avoid aggregation of information at prediction
  - Semi-autoregressive decoding
  - Adaptive computation



Future Work

[🔔 News! 🔔] We have released a new survey paper:"Generative Knowledge Graph Construction: A Review" based on this repository, with a perspective of existing Generative Knowledge Graph Construction! We are looking forward to any comments or discussions on this topic :)

🕵️ Introduction

Generative Knowledge Graph Construction (KGC) refers to those methods that leverage the sequence-to-sequence framework for building knowledge graphs, which is flexible and can be adapted to widespread tasks. In this study, we summarize the recent compelling progress in generative knowledge graph construction. We present the advantages and weaknesses of each paradigm in terms of different generation targets and provide theoretical insight and empirical analysis. Based on the review, we suggest promising research directions for the future. Our contributions are threefold: (1) We present a detailed, complete taxonomy for the generative KGC methods; (2) We provide a theoretical and empirical analysis of the generative KGC methods; (3) We propose several research directions that can be developed in the future. For more resources about knowledge graph construction, please check our paper tookit DeepKE and PromptKG.

Public Repository: https://github.com/zjunlp/Generative_KG_Construction_Papers

浙江大學
ZHEJIANG UNIVERSITY

Thank You!

zhangningyu@zju.edu.cn

A C C E P T M Y E N D L E S S G R A T I T U D E