


## Supplemental Information 2

### Description


Interval mapping (IM) and multiple-quantitative-trait-locus mapping (MQM) scans for heading date (HD) and plant height (PH), Fusarium head blight (FHB) visual ratings (VR), Fusarium damaged kernels (FDK), and deoxynivalenol (DON) content quantitative trait loci (QTL). Presented are the results of scans performed without heading date and plant height marker covariates. In the title of each graph is displayed which type of scan (IM vs MQM) and the trait which the scan belongs to. The number following MQM titles indicates which round of MQM the scan belongs to (e.g., MQM 2 is the second round of multiple QTL mapping). The y-axis displays the likelihood of odds (LOD) score of every position across the genome. The dotted line denotes the 1000 permutation significance threshold at alpha equals 0.05. If the significance threshold is not displayed within the graph, this indicates that all peaks detected in the QTL scan were below the significance threshold. This is usually apparent in the last MQM scan performed. The x-axis displays each linkage group, designated by their corresponding chromosome names (e.g., 1A, 1B, 1D, etc.). The rug of hash marks denotes the cM position of each marker in the recombination map. All information regarding location, LOD and effect may be seen at the end of the document.

## Visual Ratings Across All Environments


**IM for VR\_ME**




**MQM 1 for VR\_ME**




### MQM 2 for VR\_ME




### MQM 3 for VR\_ME



### MQM 4 for VR\_ME




### MQM 5 for VR\_ME




## Visual Ratings in Kinston, NC - 2019


**IM for VR\_KIN19**



**MQM 1 for VR\_KIN19**




### MQM 2 for VR\_KIN19




## Visual Ratings in Kinston, NC - 2020

**IM for VR\_KIN20**




**MQM 1 for VR\_KIN20**






Visual Ratings in Raleigh, NC - 2019

IM for VR\_RAL19




MQM 1 for VR\_RAL19






Visual Ratings in Raleigh, NC - 2020

IM for VR\_RAL20




MQM 1 for VR\_RAL20






Visual Ratings in Warsaw, VA - 2020

IM for VR\_WAR20




MQM 1 for VR\_WAR20






## Fusarium Damaged Kernels Across All Environments


IM for FDK\_ME



MQM 1 for FDK\_ME




### MQM 2 for FDK\_ME




Fusarium Damaged Kernels in Kinston, NC - 2019


IM for FDK\_KIN19




MQM 1 for FDK\_KIN19



**MQM 2 for FDK\_KIN19**




**MQM 3 for FDK\_KIN19**




## Fusarium Damaged Kernels in Kinston, NC - 2020


IM for FDK\_KIN20



MQM 1 for FDK\_KIN20




### MQM 2 for FDK\_KIN20




Fusarium Damaged Kernels in Raleigh, NC - 2019


IM for FDK\_RAL19




MQM 1 for FDK\_RAL19



**MQM 2 for FDK\_RAL19**




**MQM 3 for FDK\_RAL19**




Fusarium Damaged Kernels in Raleigh, NC - 2020


IM for FDK\_RAL20



MQM 1 for FDK\_RAL20




### MQM 2 for FDK\_RAL20




Fusarium Damaged Kernels in Warsaw, VA - 2019


IM for FDK\_WAR19




MQM 1 for FDK\_WAR19



**MQM 2 for FDK\_WAR19**




**MQM 3 for FDK\_WAR19**




Fusarium Damaged Kernels in Warsaw, VA - 2020


IM for FDK\_WAR20



MQM 1 for FDK\_WAR20




### MQM 2 for FDK\_WAR20




## Deoxynivalenol Content Across All Environments


**IM for DON\_ME**




**MQM 1 for DON\_ME**




### MQM 2 for DON\_ME




### MQM 3 for DON\_ME




### MQM 4 for DON\_ME



### MQM 5 for DON\_ME




## Deoxynivalenol Content in Kinston, NC - 2019






## Deoxynivalenol Content in Kinston, NC - 2020


**IM for DON\_KIN20**



**MQM 1 for DON\_KIN20**




### MQM 2 for DON\_KIN20




## Deoxynivalenol Content in Raleigh, NC - 2019


IM for DON\_RAL19



MQM 1 for DON\_RAL19




### MQM 2 for DON\_RAL19




## Deoxynivalenol Content in Raleigh, NC - 2020

IM for DON\_RAL20




MQM 1 for DON\_RAL20






## Deoxynivalenol Content in Warsaw, VA - 2019


IM for DON\_WAR19




MQM 1 for DON\_WAR19



**MQM 2 for DON\_WAR19**




**MQM 3 for DON\_WAR19**




## Deoxynivalenol Content in Warsaw, VA - 2020

IM for DON\_WAR20



MQM 1 for DON\_WAR20





## QTL Scan Information

The following table displays the output results of each scan from each environment by trait combination. Traits assessed are heading date (HD) and plant height (PH), Fusarium head blight (FHB) visual ratings (VR), Fusarium damaged kernels (FDK), and deoxynivalenol (DON). Environments assessed are Kinston, NC 2018-2019 (KIN19) and 2019-2020 (KIN20); Raleigh, NC 2018-2019 (RAL19) and 2019-2020 (RAL20); and Warsaw, VA 2018-2019 (WAR19) and 2019-2020 (WAR20). Multi-environment scans are denoted as “ME”. The column “QTL” column denotes the name of the QTL, the trait to which it belongs (e.g., Hd=HD, Pht=PH, Fvr=VR, Fdk=FDK, Don=DON) and what chromosome on which the QTL is located.

QTL	Environment	Left Position (cM)	Peak Position (cM)	Right Position (cM)	LOD	PV	Effect
QDon.nc-3A	KIN19	123.8	140.0	146.1	5.32	10.99	-0.24
QDon.nc-4A	KIN19	100.1	103.6	127.2	4.76	9.75	-0.23
QDon.nc-5A	KIN19	73.5	170.0	180.7	5.62	11.65	-0.26
QDon.nc-1A	KIN20	25.1	88.1	99.6	4.62	8.26	-0.15
QDon.nc-3A	KIN20	133.7	136.2	143.5	8.84	16.83	-0.22
QDon.nc-4B	KIN20	6.8	16.0	34.3	4.89	8.79	-0.16
QDon.nc-7D	KIN20	109.6	118.0	118.0	4.58	8.19	0.15
QDon.nc-1A	ME	61.8	83.0	99.6	6.37	5.83	-0.12
QDon.nc-2B	ME	62.2	83.8	110.3	7.16	6.63	-0.12
QDon.nc-3A	ME	128.2	136.2	146.1	8.82	8.36	-0.14
QDon.nc-4A	ME	100.1	110.0	127.2	5.73	5.20	-0.11
QDon.nc-5A.1	ME	55.0	74.0	177.9	8.35	7.87	-0.13
QDon.nc-5A.2	ME	126.6	172.0	180.7	6.77	6.24	-0.12
QDon.nc-5B	ME	137.4	146.0	164.1	3.48	3.06	-0.09
QDon.nc-7A.1	ME	1.6	44.4	62.1	4.73	4.23	-0.10
QDon.nc-7A.2	ME	23.4	137.8	159.8	4.99	4.48	-0.10
QDon.nc-7D	ME	108.6	117.2	118.0	4.52	4.03	0.09
QDon.nc-1A	RAL19	78.5	88.1	99.6	3.42	7.60	-0.18
QDon.nc-4A	RAL19	83.2	112.0	127.2	3.02	6.67	-0.17
QDon.nc-5A	RAL19	58.5	73.5	78.7	3.51	7.81	-0.18
QDon.nc-1A	RAL20	78.5	83.0	99.6	3.84	8.44	-0.21
QDon.nc-4A	RAL20	100.1	103.6	127.2	3.18	6.92	-0.19
QDon.nc-7A	RAL20	9.0	41.1	62.1	3.58	7.85	-0.20
QDon.nc-2B	WAR19	80.2	100.7	110.3	8.74	15.93	-0.22
QDon.nc-3A	WAR19	128.2	135.8	155.4	4.09	6.97	-0.15
QDon.nc-4A	WAR19	100.1	120.0	139.8	6.26	11.01	-0.20
QDon.nc-5A	WAR19	66.9	174.0	186.4	4.80	8.26	-0.17
QDon.nc-1A	WAR20	66.4	99.6	99.6	5.36	9.34	-0.15
QDon.nc-4A	WAR20	83.2	103.6	139.8	7.89	14.26	-0.19
QDon.nc-5A	WAR20	43.0	66.9	78.7	5.12	8.90	-0.15
QDon.nc-6A	WAR20	9.0	32.4	47.1	2.59	4.34	-0.11
QFdk.nc-3A	KIN19	123.8	140.0	155.4	4.73	10.62	-0.19
QFdk.nc-5A	KIN19	158.0	172.0	200.1	3.33	7.33	-0.16
QFdk.nc-6A	KIN19	0.0	22.4	47.1	3.67	8.12	-0.16
QFdk.nc-1A	KIN20	25.1	52.0	75.9	3.58	6.97	-0.13
QFdk.nc-2A	KIN20	0.0	0.8	18.7	2.27	4.34	-0.10
QFdk.nc-3A	KIN20	52.1	76.3	143.5	2.89	5.56	-0.11
QFdk.nc-3B	KIN20	28.0	50.0	72.9	2.33	4.45	-0.10
QFdk.nc-4A	KIN20	105.8	133.3	148.6	4.39	8.64	-0.14
QFdk.nc-1A	ME	61.8	99.6	99.6	9.06	9.16	-0.13
QFdk.nc-2A	ME	0.0	0.8	12.1	6.12	5.93	-0.10
QFdk.nc-3A	ME	75.5	136.2	155.4	7.57	7.49	-0.12
QFdk.nc-3B	ME	28.0	52.0	75.6	4.31	4.07	-0.08
QFdk.nc-4A	ME	100.1	118.0	145.3	5.73	5.52	-0.10
QFdk.nc-5A	ME	43.0	64.0	115.0	6.68	6.53	-0.11
QFdk.nc-6A	ME	9.0	22.4	47.1	3.99	3.74	-0.08
QFdk.nc-7A	ME	34.7	47.4	62.1	7.08	6.95	-0.11
QFdk.nc-7D	ME	101.0	118.0	118.0	6.34	6.16	0.10
QFdk.nc-2A	RAL19	0.0	7.0	12.1	4.52	10.11	-0.13
QFdk.nc-6A	RAL19	4.7	25.1	47.1	3.54	7.80	-0.12
QFdk.nc-7A	RAL19	36.6	50.0	143.8	3.39	7.46	-0.12
QFdk.nc-3A	RAL20	19.6	54.0	81.2	3.09	6.82	-0.16

QTL	Environment	Left Position (cM)	Peak Position (cM)	Right Position (cM)	LOD	PV	Effect
QFdk.nc-5A	RAL20	43.0	57.9	78.7	5.76	13.20	-0.21
QFdk.nc-7D	RAL20	101.0	118.0	118.0	2.79	6.13	0.14
QFdk.nc-1A	WAR19	61.8	98.0	99.6	4.87	8.90	-6.31
QFdk.nc-2B	WAR19	95.6	107.8	113.5	5.00	9.15	-6.35
QFdk.nc-3A	WAR19	128.2	140.0	165.4	3.86	6.95	-5.66
QFdk.nc-4A	WAR19	83.2	102.7	148.6	4.36	7.91	-5.66
QFdk.nc-5A	WAR19	78.7	166.4	180.7	3.12	5.56	-4.75
QFdk.nc-1A	WAR20	86.6	96.3	99.6	4.20	7.68	-0.16
QFdk.nc-4A	WAR20	115.5	133.3	141.7	5.94	11.15	-0.19
QFdk.nc-5A	WAR20	37.9	53.1	77.7	4.56	8.39	-0.17
QFdk.nc-6A	WAR20	18.5	32.0	47.1	3.79	6.91	-0.15
QHd.nc-5A.1	KIN20	121.9	140.0	143.2	12.79	23.27	-1.38
QHd.nc-5A.2	KIN20	203.4	208.0	217.7	4.63	7.47	-0.80
QHd.nc-7B	KIN20	11.4	32.0	53.7	6.28	10.38	-0.93
QHd.nc-4A	ME	52.0	82.0	114.4	4.46	5.04	-0.49
QHd.nc-5A.1	ME	130.5	138.0	143.2	13.57	17.50	-0.80
QHd.nc-5A.2	ME	200.1	208.0	217.7	10.12	12.41	-0.68
QHd.nc-6D	ME	61.2	82.0	107.6	1.93	2.10	0.28
QHd.nc-7B	ME	11.4	30.0	53.7	9.37	11.37	-0.65
QHd.nc-4A	RAL19	52.0	80.0	127.2	3.34	4.72	-0.56
QHd.nc-5A.1	RAL19	121.9	137.7	143.2	11.17	17.70	-1.00
QHd.nc-5A.2	RAL19	188.0	203.0	224.2	4.94	7.14	-0.64
QHd.nc-6D	RAL19	61.2	84.0	107.6	1.27	1.75	0.32
QHd.nc-7B	RAL19	24.9	30.8	53.7	5.22	7.59	-0.65
QHd.nc-5A.1	RAL20	126.6	140.0	209.7	5.68	10.87	-0.67
QHd.nc-5A.2	RAL20	200.1	206.9	213.4	4.40	8.27	-0.58
QHd.nc-7B	RAL20	11.4	28.0	53.7	5.67	10.86	-0.66
QHd.nc-5A	WAR20	188.0	198.0	203.0	11.66	20.13	-0.67
QHd.nc-6D	WAR20	61.2	84.0	107.6	3.12	4.76	0.34
QHd.nc-7A	WAR20	85.0	98.1	193.9	3.05	4.64	0.32
QHd.nc-7B	WAR20	11.4	30.8	53.7	5.17	8.12	-0.44
QPht.nc-1B	KIN20	72.5	84.1	148.4	5.30	8.54	-1.96
QPht.nc-4A	KIN20	44.8	66.0	100.1	3.27	5.13	-1.61
QPht.nc-5A	KIN20	180.7	193.2	203.4	5.05	8.11	-1.93
QPht.nc-6A	KIN20	21.7	34.0	47.1	12.46	22.32	3.10
QPht.nc-7D	KIN20	83.3	118.0	118.0	3.65	5.75	-1.59
QPht.nc-4A	ME	52.0	74.0	100.1	3.94	8.00	-1.82
QPht.nc-6A	ME	21.7	34.0	47.1	10.02	22.23	2.68
QPht.nc-4A	RAL20	52.0	79.0	100.1	3.94	8.46	-1.63
QPht.nc-6A	RAL20	0.0	27.6	47.1	8.44	19.33	2.48
QFvr.nc-2B	KIN19	38.4	67.9	104.4	3.58	6.45	-0.11
QFvr.nc-3B	KIN19	28.0	46.1	88.6	4.07	7.37	-0.11
QFvr.nc-5A	KIN19	43.0	57.9	57.9	3.30	5.92	-0.10
QFvr.nc-6A	KIN19	18.5	24.0	47.1	4.76	8.72	-0.12
QFvr.nc-7D	KIN19	101.0	117.2	118.0	3.58	6.45	0.10
QFvr.nc-2A	ME	0.0	0.8	12.1	3.88	4.99	-0.07
QFvr.nc-2B	ME	35.0	67.9	86.1	5.34	7.01	-0.09
QFvr.nc-3B	ME	43.7	58.0	93.0	5.27	6.91	-0.08
QFvr.nc-4A	ME	105.8	133.3	148.6	3.48	4.45	-0.07
QFvr.nc-5A	ME	50.9	57.9	57.9	5.22	6.84	-0.09
QFvr.nc-6A	ME	18.5	32.4	47.1	6.44	8.59	-0.09
QFvr.nc-7D	ME	101.0	118.0	118.0	5.90	7.81	0.09
QFvr.nc-2A	RAL19	0.0	7.0	23.3	4.18	7.27	-0.08
QFvr.nc-2B	RAL19	47.7	66.0	102.8	5.16	9.12	-0.10
QFvr.nc-4A	RAL19	105.8	114.4	134.7	2.96	5.07	-0.07
QFvr.nc-5A	RAL19	43.0	57.9	57.9	4.13	7.19	-0.08
QFvr.nc-6A	RAL19	9.0	32.4	47.1	3.76	6.51	-0.08
QFvr.nc-2B	RAL20	34.3	42.0	87.6	4.09	8.43	-0.12
QFvr.nc-3B	RAL20	43.7	74.9	79.6	3.32	6.76	-0.10
QFvr.nc-5A	RAL20	43.0	57.9	66.9	7.03	15.12	-0.15
QFvr.nc-3B	WAR20	49.8	70.0	77.0	4.23	9.68	-0.44
QFvr.nc-4A	WAR20	115.5	134.0	145.3	5.35	12.44	-0.50