

AI Agent Studio

Lab Exercise(s) – Explore Agentic Apps

Version [1.0]

Copyright © 2026, Oracle and/or its affiliates

Public

Table of contents

Lab Objectives	2
Exercise – Explore Agentic Apps	3

Lab Objectives

In this lab, participants will explore a custom agentic application built in Oracle Fusion AI Agent Studio that orchestrates multiple workflow agents to deliver summaries, actions, communications, and contextual insights within a unified application experience. Participants will review application configuration, workflow agent orchestration, templates, actions, debugging capabilities, and the underlying workflow agents that power the application lifecycle.

By the end of this exercise, participants will be able to:

- Explore the structure and core components of an agentic application in Oracle Fusion AI Agent Studio.
- Understand how multiple workflow agents are configured and orchestrated within a single application.
- Review application sections including subtitles, query, summary, displays, actions, communications, and application controls.
- Understand how **OraMessageHint** is used for communication between applications and workflow agents.
- Review and configure application settings including workflow agent sequencing, layouts, communications, templates, and actions.
- Understand how communications and templates are associated with workflow agent outputs.
- Review multi-step action configurations and understand how actions are executed within the application.
- Use browser console debugging and tracing capabilities to analyze application startup flows and workflow agent orchestration behavior.
- Review underlying workflow agents, settings, node configurations, and supported message hints.
- Understand the purpose of key message hints.


Exercise – Explore Agentic Apps

In this exercise, we will explore a custom agentic app and review its building components.

Login to the lab environment using the credentials provided. **Make sure to use your assigned user – You can use the HCM user assigned to you.**


1. Navigate to **Tools** → **AI Agent Studio**

You will land on the **AI Agent Studio** tab. This tab displays all the Prebuilt Templates.




2. Go to the **Apps** tab and search for **COE Compliance and Security**.

Click **Pencil** button to open **App** in **Edit** mode.



3. Below is how App will appear in edit mode after all components are loaded.




Review all the sections of application:

- 1) Single line short introduction – **OraMessageHint**: Subtitle
- 2) Text box to ask query – **OraMessageHint**: Query
- 3) Short summary of all the used workflow agents combined – **OraMessageHint**: Summary
- 4) Information display for each workflow agent in their respective region – **OraMessageHint**: InitDisplay
- 5) Actions marked as priority with a button to take the action – **OraMessageHint**: InitActions
- 6) Communications generated by workflow agents and application – **OraMessageHint**: InitCommunications
- 7) Panel to allow editing and publishing the application

Important: **OraMessageHint** is the hint variable that application uses to communicate with underlying workflow agent(s). It helps workflow agent to understand what type of data is being requested by the application.

- Click on **Edit** in the panel at bottom of application that will show application settings.



Review all the setting options:

- Title to show on top of the application
- Specific workflow agent can be associated here to answer queries in the application
- Specific workflow agent can be associated here to generate text for summary section
- Workflow agents can be associated here and moved around for display sequencing
- Page layout based on which the workflow agents will occupy space after rendering
- Specific workflow agent can be associated here to generate text for short line below the title
- Communications can be added here with output as – PowerPoint, PDF, Email, Text
- Templates can be created here which can then be associated with specific communication. Four types of templates are supported – PowerPoint, PDF, Email, Text
- Actions can be created here that can be associated within the workflow agent to capture clicks
- Important:** Click on the pop-up button in panel box to navigate between App/Actions/Templates setting

5. Now let's review the panel box at the bottom of application setting.




Below is description of each button on the panel box in same sequence from left-to-right:

- 1) Opens guidance agent on agentic apps
 - 2) **Important:** Pop-up that helps navigate between Application, Action and Template settings
 - 3) Undo button to roll-back last change
 - 4) Redo button to reapply last roll-back
 - 5) Play button to load the application in view mode
 - 6) Publish button to make this application available to users
 - 7) Hide/Unhide button for this panel box
6. Now let's see how **Communications** are setup. Click on the existing communication to see its settings.

DO NOT make any edits to the existing setting to avoid unfavorable results.


Multiple agents (that are part of this application) can be selected to feed information to this communication using the **OraMessageHint: FillParameters**. Template must be selected to finish the communication configuration.




7. Let's see how **Templates** are configured which are used to generate communication.

Click on Panel pop-up, select an existing **PDF template** to review its settings. Per template type, settings will vary.


DO NOT make any edits to the existing setting to avoid unfavorable results.




Notice that we are allowing underlying agent to generate the title and fill the section here by enabling applicable checkboxes. Preview displayed on the right side may not match when you review as LLM is trying to show some content based on minimal available prompt in it's configuration.




8. Now let's see how **Actions** are configured. Click on Panel pop-up, select an existing action to review its settings.
DO NOT make any edits to the existing setting to avoid unfavorable results.




9. Actions can be built with multiple steps which are executed in the same sequence.



10. With this, we have finished reviewing the building blocks of agentic application. Now we will see how to debug the application. To do this, open the console page on browser and run command **turnOnDebugging()**



11. Refresh the page to reload the application. You will see that Console panel will show multiple steps while the application loads. Five actions (Summary, InitSubtitle, InitDisplay, InitActions, InitCommunications) are invoked during the application startup based on prompts defined in underlying workflow agents to handle those actions. You can expand and review any action here to see the structure and content during application and workflow agent interaction.



12. On the debug console, filter by keyword **Summary** that shows how summary section is built in the application. In this case, summary is being fed by all four workflow agents. So “**Partial Summary**” is built from respective agent and then it is stitched together in the main “**Summary**” invocation by “Oracle AI Apps Orchestrator”.



13. With this, we have finished reviewing how the application is configured and displayed to end user.

Now let us review the underlying workflow agents that feed data to this application.


To build the application for this lab, below four workflow agents were used:

- 1) COE Audit Learn
- 2) COE Audit I9
- 3) COE Audit Passport
- 4) COE Audit Security

Let's review the first agent from this list. You can take time to review other agents similarly.


DO NOT make any edits to any workflow agents.

14. Open the workflow agent “**COE Audit Learn**” and go to its **Settings**.



15. Notice the **Expose to Agentic Apps** toggle. Unless this is **turned on**, this agent will not show up in the list to select while building the agentic application.

16. Now find the **Switch** node and edit it.



17. This displays all the 10 message hints that are handled by this agent during the lifecycle of the application.

Route Message Hint

Switch

Case Expression
`{{context.$triggers.REST.$input.OraMessageHint}}`

Type {{ to start seeing context-sensitive expressions.

Case values

+ Add

Summary	
InitSubtitle	
InitDisplay	
InitActions	
InitCommunications	
Query	
InvokeAction	
AdditionalContent	
FillParameters	
SendCommunication	

18. Below is summary of each of these message hints that are used by application and workflow agent to understand the type of task being performed and when it must be performed.

Message Hint	Trigger	Description
Summary	During application load	Feed to overall summary on top
InitSubtitle		Feed to short intro on top
InitDisplay		Generate the display widget
InitActions		Generate priority actions
InitCommunications		Generate communications
Query	Query is asked in the application	Respond to query using context
InvokeAction	Action is taken in the application	Take appropriate action using context
AdditionalContent	Agent sub-panels are expanded in the application	Fill the sub-panel area
FillParameters	Application requests to fill the template content	Fill the communication template
SendCommunication	Communication is responded to in the application	Handle response to communication

19. Feel free to review LLMs under each message hint flow to understand how data is sent back and forth from application to the workflow agent.

This completes all tasks assigned to you for this lab exercise.

Call +1.800.ORACLE1 or visit oracle.com. Outside North America, find your local office at: oracle.com/contact.

 blogs.oracle.com

 facebook.com/oracle

 twitter.com/oracle

Copyright © 2026, Oracle and/or its affiliates. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.