

AI Agent Studio

Lab Exercise(s) – Agentic Apps Actions

Version [1.0]

Copyright © 2026, Oracle and/or its affiliates

Public

Table of contents

Lab Objectives	2
Exercise – Agentic Apps Actions	3

Lab Objectives

In this lab, participants will explore how Priority Actions are configured and surfaced within workflow agents and applications in Oracle Fusion AI Agent Studio. Participants will review workflow agent configurations, update LLM prompt settings, enable widget actions, publish updated agents, and validate how priority actions appear within the application experience.

By the end of this exercise, participants will be able to:

- Understand how Priority Actions are configured within workflow agents.
- Review and modify the **InitActions** branch and associated LLM node configurations.
- Configure App Experience settings to enable actions for widgets.
- Validate and test Priority Actions within an AI Agent Studio application.

Exercise – Agentic Apps Actions

In this exercise, we will explore how priority actions are configured in the application.


For this lab, we have added priority actions in below two workflow agents that you cloned and imported them with your initials in an earlier lab.

1. [Your name initials] Talent and Comp Review
2. [Your name initials] Deal Risk Agent


E.g., If your name is “Sheldon Cooper”, 1st agent will be “SHCO Talent and Comp Review”.

Login to the lab environment using the credentials provided. **Make sure to use your assigned user – You can use the HCM user assigned to you.**


1. In **AI Agent Studio**, go to the **Apps** tab, find the application you created in an earlier lab and open it.



2. Your application loads but you don't see any priority actions though they are configured in underlying agent(s).



- We will fix both the underlying agents now so that priority actions start showing up in the application.
Perform Steps 4 through 8 for both the agents and then move on to Step 9.
- Go to the **Agent Teams** tab and find agent with your initials. Click **Pencil** button to open it in **Edit** mode.
- Locate the **InitActions** branch in the Switch flow. Edit the LLM node under this branch.



- On LLM **Details** tab, review the prompt to know how action is built. Do the following:
 - ora.Invoke** makes row actionable. Note action name, "**ScheduleCheckin**". We will create it in the application.
 - Flip the **priority** value from **false** to **true**.

```
{
  "title": "Suggestion: request check-in for John Doe",
  "shortDescription": "This employee has a high risk of loss. Schedule a check-in to proactively engage and discuss retention.",
  "actionText": "Request Check-in",
  "followUpCommand": "ora.Invoke(ScheduleCheckin, ScheduleCheckin(<PersonNumber>))",
  "priority": true
}
```

****Title guidance****
 - Include the employee name in the title.
 - Use `PersonDisplayName` for the name value.

****Short description guidance for Create Check-in****
 - When eligible, clearly state that the recommendation is based on high risk of loss.
 - Example: "This employee has a high risk of loss. Schedule a check-in to proactively engage and discuss retention."

****Priority logic****
 - Always set `"priority": true` for Create Check-in actions.
 - Otherwise, mark non-check-in actions based on relevance and `actionCondition`.

****Risk determination rule for check-in recommendations****
 - Treat an employee as eligible for Create Check-in only when `RiskOfLoss` is HIGH or the equivalent high-risk condition is explicitly present in the data.
 - If the FLIGHT RISK DERIVATION RULE does not include an explicit risk value, do not assume eligibility unless the data clearly supports a high-risk interpretation.

****Output constraints****
 - Return only actions supported by the provided data.
 - Do not create duplicate actions for the same employee.
 - Do not recommend actions for employees not present in the Input Data.
 - Do not fabricate employee attributes, action metadata, or eligibility.

- Now go to the **App Experience** tab of same LLM node and **Turn ON** the **Enable Actions for the widgets** option. Once done click on **Update** to save the changes on LLM node.

Init Actions
LLM

Details LLM Output **App Experience**

Enable Actions for the widgets
☒

Enabling this will allow the agent to generate recommended actions.

Enable Communications for the widgets
☐


Enabling this will allow the agent to generate recommended communication items.

Select the widgets you want to use


Write instructions in clear, everyday language explaining when and how to use the widgets.

Cancel **Update**


- Publish** this workflow agent so that changes are picked by the application.



9. **Important:** Ensure you performed Steps 4 through 8 for both the agents with priority actions used for this lab.
10. Refresh your application and now you should see two priority actions as cards showing up on top right corner of the application. Name of the source agent that generated them is displayed on each action card.



11. Let's associate the clickable buttons generated in priority actions with an application action. When user clicks the button, underlying agent will be invoked with appropriate context configured during initialization of action.
12. Click **Edit** button in the application. Then from the panel at bottom, click selector pop-up and add a **New Action**.



13. Below are agents with action names declared in their respective **InitActions** in Step 6. We will add them both now.

Agent Name	Action Name
Talent and Comp Review	ScheduleCheckin
Deal Risk Agent	nextStep

14. Add **Talent and Comp Review** action with the details below:

Attribute	Value
Code	ScheduleCheckin
Display Name	Schedule Check-in
Description	Schedules a check-in with the employee
Steps	Send Agent Command

The screenshot displays the Oracle Agentic Apps interface. On the left, a workflow titled "Schedule Check-in" is shown. It starts with a "Start" button, followed by a "Send Agent Command" step, and then a dashed box labeled "Add Step". At the bottom, there are icons for undo, redo, and a "Publish" button. On the right, the "Edit Action" panel is open, showing the configuration for the "Send Agent Command" step. The "Code" field is set to "ScheduleCheckin", the "Display Name" is "Schedule Check-in", and the "Description" is "Schedules a check-in with the employee".

15. Click on **Send Agent Command** and ensure to check **Send Payload as Context**.

The screenshot shows the Oracle Agentic Apps interface with the "Send Agent Command" step selected in the workflow. A red arrow points to the "Send Agent Command" step. On the right, the "Send Agent Command" configuration panel is open, and the "Send Payload as Context" checkbox is checked and highlighted with a red box.

16. Add **Deal Risk Agent** action with the details below:

Attribute	Value
Code	nextStep
Display Name	Next Step
Description	Next Step from Smart Actions
Steps	Send Agent Command → Keep Action Available in UI

17. Click on **Send Agent Command** and ensure to check **Send Payload as Context**.

18. Now let's see what happens when button is clicked on priority action in the application.
19. Click **Play** button on the application settings panel to display the application content.
20. Click button under **Talent and Comp Review**. It will trigger the agent and will display results after completion.

Revenue & Team Command Center
Welcome back - your AI decision hub highlights where to focus now to protect and grow revenue, ensure your team is ready to deliver, and stay ahead of operational risks.

Ask Oracle

NA Consulting Salary and Performance Summary with Critical Deal Risk

NA Consulting's team spans roles from Associate Consultant to Program Director, with salaries from \$65K to \$160K and mostly strong performance ratings. The key risk is the stalled \$240K KPN Oracle Fusion Cloud HCM deal, stuck in Qualification for over 800 days with only a 10% chance to win, threatening significant revenue loss. Immediate action is needed to revive this opportunity and secure forecast accuracy. Additionally, employee Carl Lavelle has an urgent compliance issue due to an expired document.

Deal Risk

Top Risk Opportunities
The following are the top 5 risk opportunities prioritized by deal risk categories: stalled deals with high revenue, competitive deals with high revenue, and low win probability deals with significant revenue. Each opportunity includes recommended actions and key metrics for focused follow-up.

Name	Recommended Action	Deal Risk	Revenue (USD)	Win Prob (%)	Action
Grant Thornton payroll reconciliation production support	Prepare Presentation, Deliver Proposal	Stalled	650775	41	Create Task
Unilever Prestige supply planning and inventory optimization	Reaching Agreement on Terms and Conditions	Stalled	41294.25	55	Log a Call
Vodafone on-prem to cloud migration program	Reaching Agreement on Terms and Conditions	Competitive	187682.63	60	Create Task
Bukhatri Group ERP, SCM, and HCM go-live support	Reaching Agreement on Terms and Conditions	Competitive	243166.3	62	Log an Interaction

Passport Audit

Employee Document Expiry Review
The highest-risk case is Carl Lavelle, who is on a critical assignment with an expired document. Immediate compliance action is recommended to update or renew her documentation to avoid operational or legal risks. Hope Hightower's documents are valid with no urgent action needed.

- Carl Lavelle**
Job Family: DOD | Document: Expired
Critical assignment with expired document since 2024-04-19. Immediate compliance action required. **CRITICAL**
- Hope Hightower**
Job Family: CORPORATE | Document: Valid
Document expiry date 2026-06-11, no immediate action required. **OK**

Priority Actions (2)

- SHCO Talent and Comp Review**
Suggestion: request check-in for Emily Rodriguez
This employee has a high risk of loss. Schedule a check-in to proactively engage and discuss retention.
Request Check-in
- SHCO Deal Risk Agent**
KPN Oracle Fusion Cloud HCM rollout
KPN Oracle Fusion Cloud HCM rollout (Q1 - Qualification, WinProb: 3) shows risk due to stalled stage and low win probability.
Log a Call

Communications
No communications available

Revenue & Team Command Center
Welcome back - your AI decision hub highlights where to focus now to protect and grow revenue, ensure your team is ready to deliver, and stay ahead of operational risks.


Ask Oracle

This employee has a high risk of loss. Schedule a check-in to proactively engage and discuss retention.
A check-in request was successfully created.

Talent and Compensation

Team Talent Overview
The team shows a strong distribution of performance ratings, with several employees exceeding expectations. There are notable retention risks primarily among those with lower Compas Ratios and mid-level tenures, especially employees exceeding expectations but compensated below market. Overall, compensation positioning is balanced, with most high performers positioned near or above salary midpoint, reducing high risk for senior roles.

21. How did the underlying agent handle this click?
22. Go to the **Agent Teams** tab and find agent with your initials. Click **Pencil** button to open it in **Edit** mode.
23. Locate the Switch branch with value as **InvokeAction**. Edit the **Code** node here.



24. **Code** node refers to the **OraAction** parameter which is passed as context by the application to agent for each action. It can be used to identify what action is being invoked by the application with additional parameters. In this agent, **PersonNumber** is recovered from the payload passed by the application during invocation. **DO NOT** make any edits on this node to avoid unfavorable results.

Build Check-in Payload

Code

Name
Build Check-in Payload

Code
CHECKIN_DOCUMENT_PAYLOAD

Return Type
Object

Source Code

```

/* For testing purposes, we used two different types of payloads:

1. "followUpCommand": "ora.Invoke(ScheduleCheckin, ScheduleCheckin(8153753))"
2. "followUpCommand": "ora.Invoke(\ScheduleCheckin\, \PersonNumber=8153751\)"

In this code, we only need to retrieve the value for PersonNumber. If your workflow handles more than one action, you will also need the action name.

Also: This JS code supports workflows invoked both via REST trigger and through the agentic app.

For testing, you can run this in debug mode using the following input:

{
  "OraMessageHint": "InvokeAction",
  "OraAppContext": {},
  "OraAction": {
    "PersonNumber": "8153751"
  }
}
*/

let input = $context.$app.$OraAction || $context.$triggers?.REST?.$input?.OraAction;
let personNumber = null;

if (typeof input === "string") {
  // Case 1: "PersonNumber=8153751"
  if (input.includes("=")) {
    personNumber = input.split("=")[1];
  }
}

```

25. Review the second **Business Object Function** node in the same Branch that creates check-in in fusion application using the **PersonNumber** from previous node.

Create Check-in Document

Business Object Function

Name
Create Check-in Document

Code
CREATE_CHECKIN_DOCUMENT

Error Handler
Set Check-in Success Message

Family
HCM

Product
Workforce Directory Management

Business object
Create Check-in Document


Function
create_checkinDocument

Fix any JSON issues

Parameters

PersonNumber	string	
Value	<pre>{{ \$context.\$nodes.CHECKIN_DOCUMENT_PAYLOAD.\$output.result.PersonNumber }}</pre>	

26. Review the last **LLM** node which sends back information to application to be shown to the user.



27. For this agent, we are generating plain static text to be shown to the user.

DO NOT make any edits on this node to avoid unfavorable results.

The screenshot shows the configuration for the 'Set Check-in Success Message' LLM node. The 'Name' field is 'Set Check-in Success Message' and the 'Code' field is 'SET_CHECKIN_SUCCESS_MESSAGE'. The 'Prompt' field contains the text: 'Return plain text only: A check-in request was successfully created.'

28. Feel free to review prompts in both workflow agents with action and interact with the application using actions.

This completes all tasks assigned to you for this lab exercise.

Call **+1.800.ORACLE1** or visit **oracle.com**. Outside North America, find your local office at: **oracle.com/contact**.

blogs.oracle.com

facebook.com/oracle

twitter.com/oracle

Copyright © 2026, Oracle and/or its affiliates. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

11 Lab Exercise(s) – Agentic Apps Actions/ Version [1.0]

Copyright © 2026, Oracle and/or its affiliates / Public