



CompTIA

DeepDumps

Premium exam material

Get certification quickly with the **Deep Dumps** Premium exam material.
Everything you need to prepare, learn & pass your certification exam easily.

<https://www.DeepDumps.com>

About DeepDumps

At DeepDumps, we finally had enough of the overpriced, paywall-ridden exam prep industry. Our team of experienced IT professionals spent years navigating the certification landscape, only to realize that most prep materials came with a price tag bigger than the exam itself. We saw aspiring professionals spending more on study guides than on rent, and frankly, it was ridiculous. So, we decided to change the game. DeepDumps was born with one goal: to provide high-quality exam preparation without draining your wallet.

With DeepDumps, you get expert-vetted study materials, real-world insights, and a fair shot at success—without the financial headache..

Doubt Support

We have developed a very scalable solution using which we are able to solve 400+ doubts every single day with an average rating of 4.8 out of 5.

<https://DeepDumps.com>

[Mail us on - support@deepdumps.com](mailto:support@deepdumps.com)



Lifetime Free Updates

We provide lifetime free updates to our customers. To make life easier for our valued customers and fulfill their needs



Free Exam PDF

You are sure to pass the exam completely free of charge



Money Back Guarantee

We Provide 100% money back guarantee to our customer in case of any failure

John



Thank you so much for your help. I scored 972 in my exam today. More than 30 questions were there from your PDFs!

Dana



Thanks a lot for this updated AZ-900 Q&A. I just finished my exam and got 374. I followed both of your AZ-900 videos and the 6 PDF, the PDFs are very accurate, all answers are correct. Could you please create a similar video/PDF for DP900, your content-/PDF's is really awesome. The tem'd a really good job. Thank You 🙏

Ahamod Shibly



Customer support is really fast and friendly, I just finished with me exam I passed it along with the 6 PDF's you

Passed my exam today with 845 marks



Passed my exam today with 845 marks! Out of 52 questions, 51 were from your DeepDumps PDFs including Contoso case study. I will recommend you to my friends. Thank you DeepDumps team!

These questions are real and 100 % valid.



Thank you so much for your efforts, also your 4 PDFs are awesome, I passed the DP900 exam on 1 Sept. With 968 marks. Thanks a lot, buddy!

Esmaria



Simple, easy to understand explanations. To anyone who is writing the exam of AZ900,

ServiceNow

(CIS-DF)

Certified Implementation Specialist-Data Foundations (CMDB and
CSDM)

Total: **105 Questions**

Link: <https://deepdumps.com/papers/servicenow/cis-df>

Question: 1**Deep Dumps**

Choose 2 option. A Configuration Manager wants to explore ServiceNow CMDB 360 saved queries to see if the reports can assist with managing of CMDB data. What insights are gained from CMDB 360 queries?

- A. Duplicate configuration items from different data sources
- B. Orphan CIs created from different data sources
- C. Gaps in attribute data from different data sources
- D. Different attribute values from different data sources
- E. Unique CIs created from different data sources

Answer: C,D**Explanation:****C. Gaps in attribute data from different data sources****D. Different attribute values from different data sources****Option-Wise Analysis****A. Duplicate configuration items from different data sources (Incorrect)**

The identification of duplicates is primarily handled by the Identification and Reconciliation Engine (IRE) using specific Identification Rules. While CMDB 360 uses data processed by the IRE, its specific purpose as a "360" tool is to audit the values within those records, not to act as the primary detector for duplicate CI existence.

B. Orphan CIs created from different data sources (Incorrect)

Orphan CIs are CIs that lack required relationships to other items. This falls under CMDB Health (specifically the Compliance or Correctness pillars). You manage these through the CMDB Health Dashboard and health inclusion rules, rather than the multi-source query engine.

C. Gaps in attribute data from different data sources (Correct)

CMDB 360 includes a specific query type called the "Find Gap" query. This allows a Configuration Manager to see which data sources are failing to provide information for certain CIs. For your project, this is vital for identifying if a source like Qualys is missing from a specific segment of your network.

D. Different attribute values from different data sources (Correct)

This is the core "insight" of CMDB 360. The "Compare Attribute Values" query surfaces conflicts where two or more sources disagree on a value (e.g., one says a server has 8GB of RAM, another says 16GB). This helps you decide which source is more trustworthy and tune your Reconciliation Rules accordingly.

E. Unique CIs created from different data sources (Incorrect)

Unique CIs represent successful identification where a source has found a new asset. While this is part of the overall data flow, it is not considered an "insight" or a problem-solving report that CMDB 360 is designed to generate.

Reference:

<https://www.servicenow.com/docs/r/washingtondc/servicenow-platform/configuration-management-database-cmdb/querying-cmdb.html>

Question: 2**Deep Dumps**

Choose 2 option. A ServiceNow Administrator wants to implement Service Graph Connectors to provide integrations to many third-party solutions that the company wants integrated into the CMDB. Which categories of connectors are available to the Administrator?

- A. Workflow Automation
- B. Observability
- C. DevOps
- D. Cloud

Answer: B,D**Explanation:**

B. Observability

D. Cloud

Why these are the correct categories:

D. Cloud (Cloud Providers): This is one of the most common categories. It includes major integrations like the **Service Graph Connector for AWS, Azure, and GCP**. These connectors help you pull in virtual machines, storage buckets, and serverless functions directly into the CMDB.

B. Observability (Infrastructure & Monitoring): This category focuses on tools that monitor the health and performance of your stack. Examples include the **Service Graph Connector for Datadog, Dynatrace, and OpenTelemetry**. These provide real-time visibility into how infrastructure is supporting digital services.

Why the others are incorrect:

A. Workflow Automation: While ServiceNow is a workflow automation platform, "Workflow Automation" is not a standard category for the *ingestion* of CMDB data via Service Graph Connectors.

C. DevOps: Although **Service Graph** itself extends into the DevOps lifecycle (planning and coding), the specific *Connectors* listed in the store for populating the CMDB are categorized under "Software Development" or specific vendor names rather than a generic "DevOps" category in most administrative consoles.

Question: 3

Deep Dumps

Choose 2 option. A global enterprise integrates data from multiple discovery sources such as ServiceNow Discovery, SCCM, AWS, and manual uploads to populate its CMDB. However, each discovery source categorizes the same CIs differently, leading to duplicate records and inconsistencies across the system. As a result, the CMDB team is struggling with data accuracy and standardization. What actions does the CMDB team take to resolve the issue?

- A. A. Implement and use identification and reconciliation rules to avoid duplicates and standardize CI classification.
- B. B. Allow each discovery source to define its own CI class, even if it results in inconsistencies.
- C. C. Use CI Class Manager to establish standardized CI classes and attributes across all discovery sources.
- D. D. Create a custom script to manually adjust incoming data before storing it in the CMDB.

Answer: AC

Explanation:

A. Implement and use identification and reconciliation rules to avoid duplicates and standardize CI classification ✓ Correct

Identification and reconciliation rules are the core mechanisms in ServiceNow CMDB for maintaining data integrity. Identification rules ensure that each CI from different sources is recognized as the same item, preventing duplicates. Reconciliation rules determine which source is authoritative when there are conflicting data values, ensuring consistent CI classification. By properly configuring these rules, the CMDB team can eliminate duplicate records, standardize CI classifications, and improve overall data accuracy.

B. Allow each discovery source to define its own CI class, even if it results in inconsistencies ✗ Incorrect

Allowing each discovery source to define its own CI classes would worsen the problem. This approach leads to more duplicates, inconsistent classifications, and poor data quality. It does not provide any standardization or governance, making the CMDB unreliable.

C. Use CI Class Manager to establish standardized CI classes and attributes across all discovery sources ✓ Correct

CI Class Manager in ServiceNow helps the CMDB team define a standardized model for CI classes and their attributes. It allows mapping incoming data from multiple discovery sources to these standardized classes, reducing inconsistencies and improving reporting accuracy. Combining CI Class Manager with identification and reconciliation rules ensures a consistent and reliable CMDB.

D. Create a custom script to manually adjust incoming data before storing it in the CMDB ✗ Incorrect

Manually scripting adjustments for incoming data is error-prone, difficult to maintain, and not scalable. ServiceNow provides built-in mechanisms like reconciliation rules and CI Class Manager to handle these tasks automatically and reliably, making custom scripts unnecessary for standard scenarios.

Question: 4

Deep Dumps

A CMDB CI Class Owner responsible for the Windows Servers needs to manage the Windows Server class. Which CI Class Manager feature will help the CI Class Owner streamline this task?

- A. CI Favorites
- B. Pinned Classes
- C. Search CI Classes

Answer: B

Explanation:

B. Pinned Classes

Option-Wise Analysis

A. CI Favorites (Incorrect) While ServiceNow has a global "Favorites" feature (the star icon in the navigation bar), "CI Favorites" is not a specific feature within the **CI Class Manager** interface designed for class owners to streamline the management of the class definitions themselves.

B. Pinned Classes (Correct) This is a specific feature within the **CI Class Manager**. It allows a user to "Pin" the classes they manage or visit most frequently (such as the Windows Server class). Once pinned, these classes appear in a dedicated list, allowing the Class Owner to bypass the entire CMDB hierarchy and jump directly to the configuration settings, health metrics, and identification rules for that specific class.

C. Search CI Classes (Incorrect) Searching is a functional way to find a class, but it is not a "streamlining" feature in the same way as Pinning. Searching requires the user to manually type the name every time they enter the tool, whereas **Pinned Classes** provides a persistent, one-click shortcut for the Class Owner.

Question: 5

Deep Dumps

A CMDB Administrator is working in the CI Class Manager on the Basic Info tab. How can the class be set as a Principal Class?

- A. Select 'Yes' from the Principal Class choice list
- B. Check the Principal Class check box
- C. Click the Principal Class UI Action button

Answer: B

Explanation:

B. Check the Principal Class check box

Option-Wise Analysis:

A. Select 'Yes' from the Principal Class choice list (Incorrect)

While many settings in ServiceNow use choice lists (dropdowns), the Principal Class designation is a simple toggle. There is no dropdown menu for this specific setting on the Basic Info tab.

B. Check the Principal Class check box (Correct)

In the CI Class Manager, once you have selected a class from the hierarchy and navigated to the **Basic Info** section, you will see a checkbox labeled **Principal Class**. Ticking this box and saving the record designates the class as "Principal," which immediately begins filtering the Configuration Item (CI) lookup fields on task-based records like Incidents and Changes.

C. Click the Principal Class UI Action button (Incorrect)

UI Actions are typically buttons found at the top or bottom of a form (like "Submit" or "Update"). The Principal Class setting is a field value on the form itself, not a separate action button.

Question: 6

Deep Dumps

A CMDB Administrator is using the Duplicate CI Remediator to address a de-duplication task. On the first tab of the wizard, the Main CI is selected. Which attributes are used to identify the Main CI?

- A. Least Related Items
- B. Most Related Items
- C. Newest Created

D. Oldest Created

Answer: B

Explanation:

A. Least Related Items ❌ Incorrect

Selecting a CI with the least related items would not make sense as the Main CI. The Main CI should ideally be the one with the **most relationships**, so that merging duplicates preserves the maximum amount of data and associations. Choosing the least connected CI risks losing important relationships.

B. Most Related Items ✅ Correct

The Duplicate CI Remediator uses the **“Most Related Items”** criterion to identify the Main CI. This ensures that the CI selected as main has the largest number of associated relationships, configurations, and dependencies. Keeping the most connected CI as the main helps preserve the integrity of the CMDB when merging duplicates and prevents loss of critical relationship data.

C. Newest Created ❌ Incorrect

Choosing the newest CI is not recommended for the Main CI because newer CIs may have fewer relationships and less historical data. The goal of the Main CI is to retain as much information as possible from all duplicates, which favors the most connected CI rather than the newest one.

D. Oldest Created ❌ Incorrect

While the oldest CI may have historical value, it does not necessarily have the most relationships. Duplicate CI Remediator prioritizes **relationship richness** over creation date to maintain CMDB integrity, making “oldest created” an unreliable method for Main CI selection.

Question: 7

Deep Dumps

A CMDB Administrator needs to configure a new application identification rule that considers the potential for the same application installed more than once on the same server. Which is the best choice of a criterion attribute?

- A. Configuration File Name
- B. Version
- C. Class
- D. Configuration File Path
- E. Port

Answer: D

Explanation:

A. Configuration File Name ❌ Incorrect

The configuration file name alone is often the same for multiple installations of the same application. If the same application is installed more than once on a server, the file names are usually identical, making this attribute insufficient for uniquely identifying each installation.

B. Version ❌ Incorrect

The version attribute helps differentiate between different releases of an application, but it does not uniquely identify multiple installations of the same version on the same server. Two identical installations can share the same version, leading to duplicate or incorrectly matched CIs.

C. Class ❌ Incorrect

The CI class simply defines the type of CI, such as Application or Software Instance. It does not provide any uniqueness and cannot distinguish between multiple installations of the same application on a single server.

D. Configuration File Path ✅ Correct

The configuration file path uniquely identifies where an application is installed on the server. When the same application is installed multiple times, each installation typically resides in a different directory path. Using the configuration file path as a criterion attribute allows the identification rule to clearly distinguish between separate installations, preventing duplicates and ensuring accurate CI identification.

E. Port ❌ Incorrect

Port numbers may help identify running services, but applications can share ports, change ports, or run without fixed ports. Additionally, ports alone do not reliably distinguish multiple installations of the same application on the same server.

Question: 8

Deep Dumps

A CMDB Administrator has installed a Service Graph Connector (SGC), and then made customizations to the mappings. Which is a consequence of this action?

- A. The customized mappings are not supported by ServiceNow, and the customer is responsible for supporting their own customized SGC.
- B. Fields populated by a customization will have a special tag associated with them in the CMDB.
- C. The customization will prevent the SGC from executing without an approval record attached to the affected mapping record.

Answer: A

Explanation:

A. The customized mappings are not supported by ServiceNow, and the customer is responsible for supporting their own customized SGC. ✓ Correct

When a Service Graph Connector mapping is customized, it moves outside the standard, out-of-the-box configuration delivered by ServiceNow. As a result, ServiceNow Support does not provide support for issues caused by those customizations. The responsibility for maintaining, troubleshooting, and supporting the customized mappings lies entirely with the customer. This is an important governance consideration when deciding whether to customize SGC mappings.

B. Fields populated by a customization will have a special tag associated with them in the CMDB. ✗ Incorrect

ServiceNow does not apply any special tagging or labeling to CMDB fields that are populated through customized Service Graph Connector mappings. Customized and standard fields appear the same in the CMDB, making this option incorrect.

C. The customization will prevent the SGC from executing without an approval record attached to the affected mapping record. ✗ Incorrect

Customizing SGC mappings does not introduce any approval requirement. The connector will continue to execute normally without needing approval records. Approval workflows are not enforced as a result of mapping customizations.

Question: 9

Deep Dumps

A CMDB Administrator is leveraging CI data as part of an Integrated Risk Management implementation and the Entity Scoping process. The Administrator wants to leverage the CSDM Data Foundations Dashboard playbooks under the Run tab. Which CSDM relationships are leveraged using the CSDM playbooks?

- A. Business Applications that have relationships to Application Services
- B. Business Applications that have their relationships to Information Objects
- C. Locations that have established parent records
- D. Logical CIs that have relationships with Information Objects

Answer: A

Explanation:

A. Business Applications that have relationships to Application Services ✓ Correct

CSDM Data Foundations Dashboard playbooks focus on validating and improving **core CSDM-aligned relationships** that are essential for downstream processes such as Integrated Risk Management and Entity Scoping. One of the most critical relationships is between **Business Applications and Application Services**. These relationships allow ServiceNow to correctly scope risk, assess impact, and associate technical services with business context, which is exactly what IRM depends on.

B. Business Applications that have their relationships to Information Objects ✗ Incorrect

While Information Objects are part of the broader CSDM model, the Data Foundations Dashboard playbooks do not focus on validating or enforcing Business Application-to-Information Object relationships. These relationships are not central to entity scoping for IRM.

C. Locations that have established parent records ✗ Incorrect

Location hierarchy and parent-child relationships are not a focus of the CSDM Data Foundations Dashboard playbooks. These playbooks concentrate on service and application modeling rather than location structure.

D. Logical CIs that have relationships with Information Objects ❌ **Incorrect**

Logical CI and Information Object relationships are outside the scope of the Data Foundations playbooks. The playbooks prioritize foundational CSDM relationships that directly support service mapping, impact analysis, and risk scoping.

Question: 10

Deep Dumps

The Server [cmdb_ci_server] class uses a dynamic reconciliation rule of lowest value for the Disk Space (GB) field, while the Windows Server [cmdb_ci_win_server] class uses a dynamic reconciliation rule of most reported for the Disk Space (GB) field. Given the following data sources

Data Source	Disk Space (GB)
Tivoli	75
ServiceNow	75
LANDesk	50
Altiris	80

that populate Windows Server data into the CMDB 360/Multisource CMDB:

Which value would be added to the CMDB for the Disk Space (GB) field of a Windows Server [cmdb_ci_win_server] record?

- A. 80
- B. 75
- C. 50

Answer: B

Explanation:

A. 80 ❌ **Incorrect**

Although 80 GB is the highest value reported, the Windows Server class does not use a “highest value” reconciliation rule. Since this value is reported by only one source, it does not meet the criteria of being the most frequently reported value.

B. 75 ✅ **Correct**

The Windows Server class uses the most reported dynamic reconciliation rule. In this case, 75 GB is reported by two different data sources — Tivoli and ServiceNow — making it the most frequently reported value. As a result, 75 GB is selected and written to the CMDB for the Disk Space field on the Windows Server record.

C. 50 ❌ **Incorrect**

The value 50 GB is reported by only one source. While it is the lowest value, the “lowest value” reconciliation rule applies only to the parent Server class, not the Windows Server class. Since the Windows Server class uses “most reported,” this value is not selected.

Question: 11

Deep Dumps

A Configuration Manager needs to enable a CMDB Data Manager policy to remove records from a CI Class while retaining the ability to restore them within a specified period. Which policy type should the Configuration Manager create?

- A. Archive
- B. Retire
- C. Certification
- D. Delete

Answer: A

Explanation:

A. Archive Correct

An **Archive** policy in CMDB Data Manager removes CI records from active use while storing them in an archive table. This approach preserves the data and allows the records to be **restored within a defined retention period** if needed. Archiving helps keep the CMDB clean and performant without permanently deleting data, making it ideal when restoration may be required.

B. Retire Incorrect

A Retire policy changes the lifecycle state of a CI to retired but does not remove the record from the CMDB. The CI remains in the database and continues to exist for reporting or historical purposes, so it does not meet the requirement to remove records.

C. Certification Incorrect

Certification policies are used to validate and attest to the accuracy of CMDB data. They do not remove or archive records and therefore do not support record restoration requirements.

D. Delete Incorrect

A Delete policy permanently removes CI records from the CMDB. Once deleted, the records cannot be restored, which directly contradicts the requirement to retain the ability to restore them within a specified period.

Question: 12

Deep Dumps

A CMDB Administrator wants to start utilizing the CMDB Health Dashboard and its Key Performance Indicators. What does the Administrator do to start using the dashboard?

- A. Nothing, the dashboard is activated by default
- B. Activate the dashboard scheduled jobs
- C. Download the dashboard from the ServiceNow store
- D. Activate the dashboard system property

Answer: B

Explanation:

A. Nothing, the dashboard is activated by default Incorrect

The CMDB Health Dashboard is available out of the box, but it does not start collecting KPI data automatically. Without enabling the required background processing, the dashboard will not show meaningful health metrics, making this option incorrect.

B. Activate the dashboard scheduled jobs Correct

To begin using the CMDB Health Dashboard, the administrator must activate the **scheduled jobs** that calculate and populate the health KPIs such as Completeness, Correctness, and Compliance. Once these jobs are enabled and run, the dashboard begins displaying meaningful CMDB health data.

C. Download the dashboard from the ServiceNow store Incorrect

The CMDB Health Dashboard is included as part of the CMDB application and does not need to be downloaded separately from the ServiceNow Store.

D. Activate the dashboard system property Incorrect

There is no single system property that activates the CMDB Health Dashboard. The key requirement is enabling the scheduled jobs that generate the KPI data, not toggling a property.

Question: 13

Deep Dumps

The CMDB Administrator group seeks to filter specific CI classes that display on the CMDB Health Dashboard. This ensures that only relevant data is displayed, excluding items that are not ready for management. Which feature can the group utilize to achieve this goal?

- A. Data Refresh Rules
- B. Identification Rules
- C. Reconciliation Rules

Answer: D**Explanation:****A. Data Refresh Rules ❌ Incorrect**

Data Refresh Rules control how and when CMDB data is refreshed or updated from sources. They do not determine which CI classes appear on the CMDB Health Dashboard, so they cannot be used to filter dashboard visibility.

B. Identification Rules ❌ Incorrect

Identification Rules define how CIs are uniquely identified to prevent duplicates. While essential for CMDB accuracy, they do not control inclusion or exclusion of CI classes on the CMDB Health Dashboard.

C. Reconciliation Rules ❌ Incorrect

Reconciliation Rules determine which data source wins when there are conflicting attribute values. They have no impact on whether a CI class is included or excluded from CMDB Health reporting.

D. Health Inclusion Rules ✅ Correct

Health Inclusion Rules are specifically designed to control which CI classes and records are included in CMDB Health calculations and dashboards. By configuring these rules, the CMDB Administrator group can exclude CI classes that are not ready for management and ensure the dashboard displays only relevant, actionable data.

Question: 14**Deep Dumps**

A CMDB Administrator needs the fastest time to value solution for effectively ingesting, managing, and maintaining CIs and relationships. Which management tool will accomplish this to import Windows computer data from SCCM?

- A. IntegrationHub ETL connection to SCCM using Robust Transform Engine (RTE)
- B. Import set using JDBC data source connection to SCCM using transform maps
- C. SCCM Usage Metering Spoke
- D. SCCM Service Graph Connector

Answer: D**Explanation:****A. IntegrationHub ETL connection to SCCM using Robust Transform Engine (RTE) ❌ Incorrect**

While IntegrationHub ETL with RTE is powerful and flexible, it requires configuration of data sources, transforms, mappings, and ongoing maintenance. This approach increases setup time and complexity, making it unsuitable when the goal is the fastest time to value.

B. Import set using JDBC data source connection to SCCM using transform maps ❌ Incorrect

Using JDBC import sets and transform maps is a traditional and highly manual approach. It requires custom mappings, scripting, and continuous maintenance to handle CI relationships and updates, resulting in slower time to value compared to modern CMDB integration methods.

C. SCCM Usage Metering Spoke ❌ Incorrect

The SCCM Usage Metering Spoke is designed for collecting software usage and metering data, not for ingesting CMDB CIs and relationships. It does not provide full CI lifecycle management or relationship modeling in the CMDB.

D. SCCM Service Graph Connector ✅ Correct

The SCCM Service Graph Connector provides an out-of-the-box, CMDB-aligned integration specifically designed for ingesting Windows computer data from SCCM. It automatically applies Common Service Data Model (CSDM) standards, identification and reconciliation rules, and relationship mapping. This delivers the **fastest time to value** with minimal configuration and ongoing maintenance, making it the best choice for effectively managing CIs and relationships from SCCM.

Question: 15**Deep Dumps**

Choose 2 option. An organization is updating the CMDB to include new asset types like IoT devices. Relevant CI classes need to be added and outdated ones need to be removed from the Principal Class filter to ensure accurate display in ITSM processes. Which roles are needed to add or remove classes?

- A. sn_cmdb_admin
- B. personalize_dictionary
- C. cmdb_query_builder
- D. sn_csdm_admin

Answer: A,B

Explanation:

A. sn_cmdb_admin

B. personalize_dictionary

Option-Wise Analysis

A. sn_cmdb_admin (Correct)

This is the core administrative role for the CMDB. It allows the Administrator to access the **CI Class Manager**, navigate the hierarchy, and view the "Basic Info" tab for any class. While it provides the framework to manage classes, it often requires a supporting role to modify specific system-level fields.

B. personalize_dictionary (Correct)

In many ServiceNow instances, the "Principal Class" checkbox is tied to the underlying dictionary definition of the class metadata. Even with sn_cmdb_admin, the field may appear "grayed out" unless the user also has the personalize_dictionary role (or itil_admin). This role allows the user to update the specific attribute that designates a class as Principal.

C. cmdb_query_builder (Incorrect)

This role is strictly for creating and managing saved queries within the **Query Builder**. It does not grant permissions to modify class definitions, metadata, or the Principal Class filter settings.

D. sn_csdm_admin (Incorrect)

While the **CSDM (Common Service Data Model)** provides the *strategy* for which classes should be Principal (e.g., Application Services), the sn_csdm_admin role is focused on the service lifecycle and the Data Foundations dashboard. It is not the technical role required to toggle the Principal Class setting in the Class Manager.

Question: 16

Deep Dumps

Choose 2 option. Which ServiceNow solutions automatically create relationships between CI Applications that are part of an Application Service?

- A. IntegrationHub ETL
- B. Service Mapping
- C. Event Management
- D. Discovery
- E. Data Manager

Answer: B,D

Explanation:

A. IntegrationHub ETL ❌ Incorrect

IntegrationHub ETL is designed to import and transform data from external systems into ServiceNow. While it can populate CI records, it does not automatically discover or create relationships between applications within an Application Service. Relationship logic must be explicitly defined and maintained.

B. Service Mapping ✅ Correct

Service Mapping automatically discovers application components and their dependencies and creates **application-to-application and application-to-infrastructure relationships** within an Application Service. It dynamically maps how applications interact, making it a core solution for building and maintaining accurate Application Service relationships in the CMDB.

C. Event Management ❌ Incorrect

Event Management consumes events and alerts and correlates them to existing CIs and services. It relies on CMDB relationships but does not create or discover relationships between CI Applications.

D. Discovery ✅ Correct

Discovery automatically identifies applications, software instances, and their relationships on infrastructure components. It contributes relationship data that is used as part of Application Services, especially when combined with Service Mapping. Discovery helps establish foundational CI relationships that support Application Service modeling.

E. Data Manager ❌ Incorrect

Data Manager focuses on CMDB data governance, lifecycle management, and cleanup. It does not discover or create CI relationships between applications.

Question: 17

Deep Dumps

A Configuration Manager responsible for a specific region wants to use the CMDB Health Dashboard to improve the data quality of the CMDB for that region. The Configuration Manager only sees the overall score and grouped by CI Class. How can the Configuration Manager get a score for regionally relevant CIs?

- A. Customize the CMDB Health Dashboard scheduled jobs to group the results by region
- B. Create CMDB groups with type, health, by region
- C. On the CMDB health settings, activate the option, Group scores by region

Answer: B

Explanation:

A. Customize the CMDB Health Dashboard scheduled jobs to group the results by region ❌ Incorrect

The CMDB Health scheduled jobs are delivered out of the box and are not designed to be customized for grouping results by attributes such as region. Modifying these jobs would be unsupported and is not the recommended approach for regional scoring.

B. Create CMDB groups with type, health, by region ✅ Correct

CMDB Groups allow administrators to define **logical groupings of CIs** based on specific criteria, such as region, location, or ownership. By creating CMDB groups scoped to a particular region and using the **Health** group type, the Configuration Manager can view CMDB Health scores specifically for those regionally relevant CIs. This is the supported and recommended way to obtain regional health insights.

C. On the CMDB health settings, activate the option, Group scores by region ❌ Incorrect

There is no CMDB Health setting that allows scores to be grouped directly by region. Regional views are achieved through CMDB Groups, not through a dashboard configuration toggle.

Question: 18

Deep Dumps

Choose 2 options. An organization is using CMDB Query Builder to find all application services with a database that has incidents and all infrastructure in those application services. Which steps does the organization take to build this query?

- A. Add a non-CMDB table to the query
- B. Use a Service Mapping Query to find all incidents related to the database
- C. Use a CMDB Query to include application services and their related infrastructure
- D. Use a Service Mapping Query to include non-CMDB tables like the Incident table

Answer: A,C

Explanation:

A. Add a non-CMDB table to the query ✅ Correct

CMDB Query Builder allows you to include **non-CMDB tables**, such as the **Incident** table, in a query. This makes it possible to correlate CMDB CIs like databases or application services with operational data such as incidents. Adding a non-CMDB table is essential to identify databases that currently have incidents associated with them.

B. Use a Service Mapping Query to find all incidents related to the database ❌ Incorrect

Service Mapping Queries are used to explore service topology and dependencies within the CMDB. They do not query transactional tables like Incident and are not used to retrieve incident data related to CIs.

C. Use a CMDB Query to include application services and their related infrastructure ✅ Correct

A CMDB Query is used to traverse CI relationships and include **application services and all related infrastructure components**, such as servers, databases, and other dependent CIs. This step is required to return the full infrastructure scope for the identified application services.

D. Use a Service Mapping Query to include non-CMDB tables like the Incident table ❌ Incorrect

Service Mapping Queries cannot include non-CMDB tables. Only CMDB Query Builder supports joining CMDB data with non-CMDB tables like Incident, making this option invalid.

Question: 19

Deep Dumps

Choose 2 option. A CMDB Administrator uses the CMDB Data Foundations Dashboard to gain insights into the CMDB. The results display low scores for several metrics. Which actions can the CMDB Administrator take to improve the CMDB Health?

- A. Focus on metric(s) with Critical and High priorities
- B. Remove non-operational and retired CIs
- C. Adjust the metrics using exclusion rules to improve the scores
- D. Use the Remediation Playbooks linked beside each metric

Answer: AD

Explanation:

A. Focus on metric(s) with Critical and High priorities ✅ Correct

The Data Foundations Dashboard assigns priorities to metrics based on their impact on CMDB quality and downstream processes. By addressing **Critical and High priority metrics first**, the administrator targets the most impactful issues affecting CMDB Health. This focused approach delivers meaningful improvements without trying to fix everything at once.

B. Remove non-operational and retired CIs ❌ Incorrect

While cleaning up retired or non-operational CIs can be beneficial, this action is **not a primary or required step** driven directly from the Data Foundations Dashboard. CMDB Health improvement focuses on fixing data quality issues identified by the metrics rather than broadly removing CIs.

C. Adjust the metrics using exclusion rules to improve the scores ❌ Incorrect

Exclusion rules should not be used simply to raise health scores. Doing so hides underlying data quality issues instead of resolving them and goes against the intent of the CMDB Health framework.

D. Use the Remediation Playbooks linked beside each metric ✅ Correct

Each metric in the Data Foundations Dashboard includes a **Remediation Playbook** that provides guided, best-practice steps to correct the underlying data issues. Using these playbooks is a supported and recommended method for improving CMDB Health in a sustainable way.

Question: 20

Deep Dumps

A CMDB Administrator needs to prevent duplicate CI creation from import sets that load data into the CMDB from vendor shipment files containing CI information. How can the Administrator do this?

- A. Use the CMDBTransformUtil API in the transform script
- B. Create comparison rules in the IRE
- C. Set the system property to utilize the IRE within transform maps
- D. Set the coalesce on two mappings within the transform map

Answer: A

Explanation:

A. Use the CMDBTransformUtil API in the transform script

Detailed Reasoning

The question asks specifically how to prevent duplicates from **Import Sets** loading **vendor shipment files**. In ServiceNow, while the **IRE (Identification and Reconciliation Engine)** is the engine that does the work, standard Transform Maps are not "IRE-aware" by default.

Why A is the Correct Method: To connect a standard Transform Map to the IRE, a developer must use a script. ServiceNow provides the **CMDBTransformUtil** script include specifically for this purpose. Within the `onBefore` script of a transform map, you call `identifyAndReconcile()`. This passes the import data into the IRE, which then uses its Identification Rules (like Serial Number or MAC Address) to find a match instead of relying on a simple "coalesce."

Why C is a Misconception: While there are system properties that affect the IRE (e.g., `glide.asset.create_ci_with_ire` for assets or `glide.cmdb.transform.enable_ire` for certain Service Graph features), there is **no single system property** that automatically forces all standard legacy Transform Maps to use the IRE. You must explicitly invoke the API via the script described in Option A.

Option-Wise Breakdown

A. Use the CMDBTransformUtil API (Correct):

This is the documented and tested method to apply IRE logic to standard Import Set transforms.

B. Create comparison rules in the IRE (Incorrect):

This is incorrect terminology. The IRE uses **Identification Rules** and **Reconciliation Rules**, but not "comparison rules."

C. Set the system property (Incorrect):

As noted, no global system property enables the IRE for all standard transform maps. This is often a "distractor" answer in exams.

D. Set the coalesce on two mappings (Incorrect):

This is the "legacy" way to prevent duplicates. For the CMDB, this is discouraged because it bypasses the IRE's ability to handle class reclassification and multi-source priority.

Question: 21

Deep Dumps

A CMDB Data Owner has requested better insights on the different data sources that make up the CMDB data set. The Platform Owner knows that the new Service Graph Connector Central plugin is just what is needed. After installing the plugin, what workspace will have the new Service Graph Connector Central tab available?

- A. CMDB Workspace
- B. Service Graph Connector Workspace
- C. Discovery Admin Workspace

Answer: B

Explanation:

A. CMDB Workspace ❌ Incorrect

The CMDB Workspace is focused on CI lifecycle management, health, and governance. While it provides visibility into CMDB data quality and structure, it does not host the Service Graph Connector Central tab, which is specifically designed for managing Service Graph integrations and data sources.

B. Service Graph Connector Workspace ✅ Correct

After installing the Service Graph Connector Central plugin, the **Service Graph Connector Central tab appears in the Service Graph Connector Workspace**. This workspace is specifically designed to provide centralized visibility and management of all Service Graph Connectors, including data sources, ingestion status, mappings, and overall CMDB data flow.

C. Discovery Admin Workspace ❌ Incorrect

The Discovery Admin Workspace is used to configure and manage Discovery-related activities. Although Discovery data may feed into Service Graph, this workspace does not include the Service Graph Connector Central tab.

Question: 22

Deep Dumps

Choose 2 option. A CMDB Manager wants to start adding CSDM design and planning (design) domain components into the CMDB. Who is involved in this exercise?

- A. Enterprise Architect
- B. Business Relationship Manager
- C. Application Service Owner
- D. Application Owner

Answer: AB

Explanation:

A. Enterprise Architect  **Correct**

The Enterprise Architect plays a key role in the **CSDM Design and Planning domain**. This role is responsible for defining enterprise architecture elements such as business capabilities, application portfolios, and high-level application structures. These design-time components are foundational to CSDM and must be modeled correctly in the CMDB before operational data is added.

B. Business Relationship Manager  **Correct**

The Business Relationship Manager represents the business perspective and helps define how business needs map to applications and capabilities. In the design domain, this role contributes to identifying business applications, aligning them with business capabilities, and ensuring the CMDB reflects accurate business context.

C. Application Service Owner  **Incorrect**

The Application Service Owner is primarily involved in the **Manage and Operate domain**, where application services are running, supported, and monitored. This role is not typically responsible for defining design-time CSDM components.

D. Application Owner  **Incorrect**

The Application Owner focuses on the lifecycle, health, and performance of applications once they are operational. While important in later CSDM stages, this role is not directly involved in the **design and planning domain** activities.

Question: 23

Deep Dumps

A Configuration Manager working in the CMDB Workspace wants to see how CIs are connected to each other. Which tool can be used?

- A. Business Service Map
- B. Unified Map
- C. Relationship Map

Answer: B

Explanation:

A. Business Service Map  **Incorrect**

The Business Service Map is generated through **Service Mapping** and focuses on visualizing application services and their dependencies. It is not the primary visualization tool used directly within the CMDB Workspace for exploring general CI-to-CI relationships.

B. Unified Map  **Correct**

The **Unified Map** is available within the CMDB Workspace and provides a **modern, interactive visualization** of how CIs are connected to each other. It consolidates relationships from multiple sources and allows Configuration Managers to easily explore, analyze, and understand CI relationships directly from the workspace. This is the recommended tool for viewing CI connectivity in CMDB Workspace.

C. Relationship Map  **Incorrect**

The Relationship Map is the **classic CMDB form-based visualization** used outside of CMDB Workspace. While it does show CI relationships, it is not the primary or recommended mapping tool within the CMDB Workspace experience.

Question: 24

Deep Dumps

A Configuration Manager needs to ingest third-party CIs into the CMDB. Which method minimizes the risk of technical debt?

- A. Vendor-provided integration
- B. Import Sets and Transform Maps
- C. Table API
- D. Service Graph Connector

Answer: D

Explanation:

A. Vendor-provided integration ❌ Incorrect

Vendor-provided integrations can work, but they often vary in quality, CMDB alignment, and long-term support. Many do not fully follow CSDM standards or ServiceNow best practices, which can introduce maintenance challenges and technical debt over time.

B. Import Sets and Transform Maps ❌ Incorrect

Import Sets and Transform Maps are flexible but highly customizable. This often leads to complex logic, custom scripts, and ongoing maintenance. Over time, these customizations significantly increase technical debt, especially when CMDB structures or identification rules change.

C. Table API ❌ Incorrect

Directly writing data to CMDB tables using the Table API bypasses the Identification and Reconciliation Engine (IRE) and CSDM governance unless carefully scripted. This approach increases the risk of duplicates, inconsistencies, and unsupported configurations, resulting in high technical debt.

D. Service Graph Connector ✅ Correct

Service Graph Connectors provide **out-of-the-box, CMDB-aligned integrations** that follow CSDM standards and automatically leverage identification and reconciliation rules. They require minimal customization, are fully supported by ServiceNow, and reduce ongoing maintenance effort. This makes Service Graph Connectors the **lowest-risk and lowest-technical-debt** option for ingesting third-party CI data into the CMDB.

Question: 25

Deep Dumps

Which shows the most complete list of policy types that are provided by the CMDB Data Manager?

- A. Delete, Attestation, Retire, and Certification
- B. Attestation, Retire, and Certification
- C. Retire, Archive, Attestation, Certification, and Delete
- D. Archive and Delete

Answer: C

Explanation:

A. Delete, Attestation, Retire, and Certification ❌ Incorrect

This option is missing key CMDB Data Manager policy types such as **Archive**. Because it does not list all available policy types, it is not the most complete answer.

B. Attestation, Retire, and Certification ❌ Incorrect

This list is incomplete and excludes important policy types like **Archive** and **Delete**, making it an incorrect choice.

C. Retire, Archive, Attestation, Certification, and Delete ✅ Correct

CMDB Data Manager provides a full set of policy types to manage CI lifecycle and data governance. These include **Retire** for lifecycle state management, **Archive** for removing records while allowing restoration, **Attestation** for data validation, **Certification** for periodic data review, and **Delete** for permanent removal. This option represents the **most complete and accurate list** of CMDB Data Manager policy types.

D. Archive and Delete ❌ Incorrect

Although Archive and Delete are valid policy types, this option does not include all available CMDB Data Manager policies and is therefore incomplete.

Question: 26**Deep Dumps**

Choose 2 option. CMDB Administrator wants to leverage the CMDB Data Foundations Dashboard. What are benefits of using this application?

- A. Uses automation to remediate potential risks
- B. Has a framework to create custom metrics for the CMDB
- C. Checks that important data is valid and properly configured
- D. Provides playbooks to assist in the remediation of potential risks

Answer: C,D

Explanation:

A. Uses automation to remediate potential risks ❌ Incorrect

The CMDB Data Foundations Dashboard does not automatically remediate risks. It identifies issues and guides remediation, but the corrective actions must be performed manually or through separate processes.

B. Has a framework to create custom metrics for the CMDB ❌ Incorrect

The dashboard provides **out-of-the-box metrics** aligned to CSDM and best practices. It does not offer a framework for creating fully custom CMDB health metrics.

C. Checks that important data is valid and properly configured ✅ Correct

One of the primary benefits of the CMDB Data Foundations Dashboard is validating that **foundational CMDB data is complete, correct, and aligned to CSDM standards**. It highlights misconfigurations and missing relationships that can negatively impact ITSM, ITOM, and IRM processes.

D. Provides playbooks to assist in the remediation of potential risks ✅ Correct

Each metric in the dashboard includes **Remediation Playbooks** that provide guided, best-practice steps to resolve identified data quality issues. These playbooks help administrators systematically improve CMDB health in a supported and sustainable way.

Question: 27**Deep Dumps**

A CMDB CI Class Owner has been asked to change the icon for the UNIX Server class. Which CI Class Manager tab can the owner use to change the icon for the class?

- A. Suggested Relationships
- B. Basic Info
- C. CI List
- D. Attributes

Answer: B

Explanation:

A. Suggested Relationships ❌ Incorrect

The Suggested Relationships tab is used to define or recommend relationships between CI classes. It does not control visual properties such as icons.

B. Basic Info ✅ Correct

The **Basic Info** tab in CI Class Manager is where core class properties are configured, including the **icon** used to represent the class in the CMDB and user interfaces. Changing the icon here updates how the UNIX Server class is visually displayed across ServiceNow.

C. CI List ❌ Incorrect

The CI List tab displays CI records that belong to the class. It does not provide configuration options for class-level properties like icons.

D. Attributes ❌ Incorrect

The Attributes tab is used to manage fields and attributes for the CI class. It does not control the icon or other visual identifiers.

Question: 28**Deep Dumps**

A CMDB team has noticed that some hardware CIs are missing the serial number information, making it difficult to maintain data accuracy. The team needs a structured approach to identify and address these gaps. Which accomplishes this task?

- A. CMDB Data Foundation Playbook
- B. Service Graph Connectors
- C. CI Class Manager

Answer: A

Explanation:

A. CMDB Data Foundation Playbook  **Correct**

CMDB Data Foundation Playbooks are designed to **identify data quality gaps** such as missing mandatory attributes (for example, serial numbers) and provide **guided remediation steps**. This delivers a structured, repeatable approach to improving CMDB data accuracy.

B. Service Graph Connectors  **Incorrect**

Service Graph Connectors focus on **ingesting data from external sources** and mapping it into the CMDB. They do not provide analysis or remediation guidance for existing data quality gaps.

C. CI Class Manager  **Incorrect**

CI Class Manager is used to **configure CI classes**, attributes, and relationships. It does not identify missing attribute values or provide remediation workflows.

Question: 29**Deep Dumps**

A CMDB Administrator wants to leverage dynamic reconciliation rules. Which feature must be enabled?

- A. CMDB 360/Multisource CMDB
- B. CMDB Data Manager
- C. CMDB Workspace
- D. Reconciliation Rules

Answer: A

Explanation:

A. CMDB 360/Multisource CMDB  **Correct**

Dynamic reconciliation rules are a capability of **CMDB 360 / Multisource CMDB**, which allows reconciliation logic to vary by CI class and data source. This feature must be enabled to use dynamic reconciliation behavior.

B. CMDB Data Manager  **Incorrect**

CMDB Data Manager focuses on lifecycle policies such as archive, retire, and delete, not reconciliation logic.

C. CMDB Workspace  **Incorrect**

CMDB Workspace provides visualization and management tools but does not enable reconciliation functionality.

D. Reconciliation Rules  **Incorrect**

Reconciliation rules define behavior, but dynamic reconciliation specifically requires the Multisource CMDB feature to be active.

Question: 30**Deep Dumps**

Where does a user with the appropriate role(s) review and manage the generated tasks after configuring CMDB Data Manager policies?

- A. CMDB Health Dashboard > Audit tab
- B. CMDB Workspace > Management tab
- C. CMDB Workspace > My Work tab

Answer: C

Explanation:

A. CMDB Health Dashboard > Audit tab ❌ Incorrect

The Audit tab is used to review compliance and historical health-related information. It does not display or manage tasks generated by CMDB Data Manager policies.

B. CMDB Workspace > Management tab ❌ Incorrect

The Management tab is used for configuration and administration activities, not for reviewing or working on generated policy tasks.

C. CMDB Workspace > My Work tab ✅ Correct

Tasks generated by CMDB Data Manager policies (such as archive, retire, or delete actions) are assigned to users and can be reviewed, tracked, and managed in the **My Work** tab within the CMDB Workspace.

D. CMDB Health Dashboard > Duplicate CIs tab ❌ Incorrect

The Duplicate CIs tab focuses on identifying and remediating duplicate configuration items, not managing Data Manager policy tasks.

Question: 31

Deep Dumps

Choose 2 option. Which are CMDB Data Manager end of life policy types?

- A. Lost
- B. Decommission
- C. Archive
- D. Disposed
- E. Retire

Answer: C,E

Explanation:

A. Lost ❌ Incorrect

Lost is an **asset lifecycle status** used in Asset Management to indicate that an asset can no longer be located. It does not control CMDB CI lifecycle behavior and is not managed by CMDB Data Manager policies.

B. Decommission ❌ Incorrect

Decommission describes an operational state of a CI or asset, typically indicating it is no longer in service. However, it is **not a CMDB Data Manager policy type** and does not provide automated end-of-life handling such as retention or restoration.

C. Archive ✅ Correct

Archive is an official **CMDB Data Manager end-of-life policy**. It removes CIs from active CMDB use while storing them for a defined retention period. Archived CIs can be **restored if needed**, making this policy useful for compliance and audit requirements.

D. Disposed ❌ Incorrect

Disposed is an **asset disposal state** used when hardware or assets are physically destroyed or recycled. It does not apply to CMDB Data Manager policies and does not manage CI lifecycle rules.

E. Retire ✅ Correct

Retire is a **CMDB Data Manager end-of-life policy** used when a CI is no longer operational or relevant but must remain in the CMDB for historical, reporting, or audit purposes. Retired CIs are excluded from operational processes while preserving data integrity.

Question: 32

Deep Dumps

A CMDB Configuration Manager intends to implement CMDB Data Manager delete and archive policies for all server records in the New York datacenter. In which lifecycle state would servers be affected by these new policies?

- A. End of Life - Retired
- B. In any lifecycle state
- C. Missing - Stolen
- D. Inventory - Available

Answer: A

Explanation:

A. End of Life - Retired

Option-Wise Analysis

A. End of Life - Retired (Correct)

ServiceNow officially positions the **CMDB Data Manager** as a tool that enforces CSDM (Common Service Data Model) standards. According to official documentation and exam guides, **Archive** and **Delete** policies have a built-in safety prerequisite: **CI's must be in the 'Retired' state (or 'End of Life' stage) before they can be archived or deleted.** This prevents the accidental purging of operational or available inventory assets. Even if your policy filters for "New York Datacenter," the processor will only target the CIs within that location that have already transitioned to **Retired**.

B. In any lifecycle state (Incorrect)

While you can *set* filter conditions like Location or Class, the CMDB Data Manager framework inherently respects lifecycle guardrails. Out-of-the-box, the system prevents "jumping" from an Operational state directly to Deletion. If a server in the New York datacenter is "In Use," the Archive/Delete policies will ignore it until it has been moved through a **Retire** policy first.

C. Missing - Stolen (Incorrect)

"Missing" or "Stolen" are specific sub-states, but they do not satisfy the standard "End of Life" requirement for the automated Archive/Delete cleanup policies in the Data Manager.

D. Inventory - Available (Incorrect)

Records in "Inventory" are considered active assets. Deleting these would cause a major loss of financial and operational visibility. The Data Manager is specifically designed to exclude these from destructive policies.

Thank you

Thank you for being so interested in the premium exam material.
I'm glad to hear that you found it informative and helpful.

But Wait

I wanted to let you know that there is more content available in the full version.
The full paper contains additional sections and information that you may find helpful, and I encourage you to download it to get a more comprehensive and detailed view of all the subject matter.

[Download Full Version Now](#)



Future is Secured

100% Pass Guarantee



24/7 Customer Support

Mail us - support@deepdumps.com



Verified Updates

Lifetime Updates!

Total: **105 Questions**

Link: <https://deepdumps.com/papers/servicenow/cis-df>