

OpenAPI definition v0 OAS3

/v3/api-docs

Servers

http://localhost:8080 - Generated server url

user-controller

GET

/user/{id}

Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int32)
(path)

id

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "login": "string",
```

Code	Description	Links
	<pre>"email": "string" }</pre>	

PUT

/user/{id}

^

Parameters

Try it out

Name	Description
id <small>* required</small> integer(\$int32) (path)	<div>id</div>

Request body required

application/json ▾

Example Value | Schema

```
{
  "id": 0,
  "login": "string",
  "email": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/* ▾</div><div>Controls Accept header.</div></div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "login": "string", "email": "string" }</pre></div>	No links

DELETE

/user/{id}

^

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

integer(\$int32)
(path)

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type



Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "login": "string",
  "email": "string"
}
```

GET

/user



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

Code

Description

Links

/



Controls Accept header.

Example Value | Schema

```
[
  {
    "id": 0,
    "login": "string",
    "email": "string"
  }
]
```

POST

/user

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{
  "id": 0,
  "login": "string",
  "email": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value

Schema

```
string
```

themed-path-controller

GET

/themedPath/{id}

Parameters

Try it out

Name	Description
id * required	
integer(\$int32)	id

Name	Description
<i>(path)</i>	

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "theme": "string", "lectures": [{ "id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.765Z", "endTime": "2023-06-21T08:12:47.765Z", "themedPath": "string" }] }</pre></div>	No links

PUT

/themedPath/{id}

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>integer(\$int32)</div><div>(path)</div></div>	<div>id</div>

Request body required

application/json

Example Value | Schema

```
{
  "id": 0,
  "theme": "string",
  "lectures": [
```

```
{
  "id": 0,
  "topic": "string",
  "startTime": "2023-06-21T08:12:47.768Z",
  "endTime": "2023-06-21T08:12:47.768Z",
  "themedPath": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "theme": "string",
  "lectures": [
    {
      "id": 0,
      "topic": "string",
      "startTime": "2023-06-21T08:12:47.770Z",
      "endTime": "2023-06-21T08:12:47.770Z",
      "themedPath": "string"
    }
  ]
}
```

DELETE /themedPath/{id}



Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int32)
(path)

id

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "theme": "string", "lectures": [{ "id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.772Z", "endTime": "2023-06-21T08:12:47.772Z", "themedPath": "string" }]}</pre></div>	No links

GET /themedPath

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[{ "id": 0, "theme": "string", "lectures": [{ "id": 0,</pre></div>	No links

Code	Description	Links
	<pre>"topic": "string", "startTime": "2023-06-21T08:12:47.774Z", "endTime": "2023-06-21T08:12:47.774Z", "themedPath": "string" }] }</pre>	

POST

/themedPath

^

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "id": 0,
  "theme": "string",
  "lectures": [
    {
      "id": 0,
      "topic": "string",
      "startTime": "2023-06-21T08:12:47.776Z",
      "endTime": "2023-06-21T08:12:47.776Z",
      "themedPath": "string"
    }
  ]
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/* ▾</div>Controls Accept header.</div> <div>Example Value Schema</div> <div>string</div>	No links

Code	Description	Links
------	-------------	-------

reservation-controller

GET /reservation/{id}

Parameters

Try it out

Name	Description
id * required	
integer(\$int32)	id
(path)	

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "user": {
    "id": 0,
    "login": "string",
    "email": "string"
  },
  "lecture": {
    "id": 0,
    "topic": "string",
    "startTime": "2023-06-21T08:12:47.779Z",
    "endTime": "2023-06-21T08:12:47.779Z",
    "themedPath": {
      "id": 0,
      "theme": "string",
      "lectures": [
        "string"
      ]
    }
  }
}
```

PUT

/reservation/{id}



Parameters

Try it out

Name

Description

id * required

integer(\$int32)
(path)

id

Request body required

application/json

Example Value | Schema

```
{
  "id": 0,
  "user": {
    "id": 0,
    "login": "string",
    "email": "string"
  },
  "lecture": {
    "id": 0,
    "topic": "string",
    "startTime": "2023-06-21T08:12:47.782Z",
    "endTime": "2023-06-21T08:12:47.782Z",
    "themedPath": {
      "id": 0,
      "theme": "string",
      "lectures": [
        "string"
      ]
    }
  }
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
```

Code	Description	Links
	<pre>"user": { "id": 0, "login": "string", "email": "string" }, "lecture": { "id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.783Z", "endTime": "2023-06-21T08:12:47.783Z", "themedPath": { "id": 0, "theme": "string", "lectures": ["string"] } } }</pre>	

DELETE

/reservation/{id}

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>integer(\$int32)</div><div>(path)</div></div>	<div>id</div>

Responses

Code	Description	Links
200	<div>OK</div> <div><div>Media type</div><div><div>*/*</div><div></div></div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div></div><div><pre>{ "id": 0, "user": { "id": 0, "login": "string", "email": "string" }, "lecture": {</pre></div></div> <td>No links</td>	No links

Code	Description	Links
	<pre>"id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.786Z", "endTime": "2023-06-21T08:12:47.786Z", "themedPath": { "id": 0, "theme": "string", "lectures": ["string"] } }</pre>	

GET	/reservation	^
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	OK	No links
Media type		
/		
Controls Accept header.		
Example Value Schema		
<pre>[{ "id": 0, "user": { "id": 0, "login": "string", "email": "string" }, "lecture": { "id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.788Z", "endTime": "2023-06-21T08:12:47.788Z", "themedPath": { "id": 0, "theme": "string", "lectures": ["string"] } } }]</pre>		

Code	Description	Links
	<pre>}]</pre>	

POST /reservation

^

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{  
  "userId": 0,  
  "lectureId": 0  
}
```

Responses

Code	Description	Links
200	OK	No links
<div>Media type</div> <div>*/* ▾</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>string</div>		

POST /reservation/createUsingLoginAndEmail

^

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "userLogin": "string",
  "userEmail": "string",
  "lectureId": 0
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/



Controls Accept header.

Example Value | Schema

string

GET

/reservation/statistics/themedPaths



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/



Code	Description	Links
	<p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "percentage": 0 }]</pre>	

GET /reservation/statistics/lectures ^

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div>*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "percentage": 0 }]</pre>	No links

GET /reservation/listUsersOfLecture ^

Parameters Try it out

Name	Description
lectureId * required integer(\$int32)	<div>lectureId</div>

Name	Description
<i>(query)</i>	

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[{ "id": 0, "login": "string", "email": "string" }]</pre></div>	No links

GET /reservation/listLecturesOfUser ^

Parameters		Try it out
Name	Description	
userLogin * required string <i>(query)</i>	<div>userLogin</div>	

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div>	No links

Code	Description	Links
	<div><div>*/*</div><div>Controls Accept header.</div></div> <div>Example Value Schema</div> <div><pre>[{ "id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.802Z", "endTime": "2023-06-21T08:12:47.802Z", "themedPath": { "id": 0, "theme": "string", "lectures": ["string"] } }]</pre></div>	

lecture-controller

GET	/lecture/{id}	
Parameters		Try it out
Name	Description	
id * required	<div><div>integer(\$int32)</div><div>id</div><div>(path)</div></div>	
Responses		
Code	Description	Links
200	OK	No links
	<div>Media type</div> <div><div>*/*</div><div>Controls Accept header.</div></div> <div>Example Value Schema</div>	

Code	Description	Links
	<pre>{ "id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.804Z", "endTime": "2023-06-21T08:12:47.804Z", "themedPath": { "id": 0, "theme": "string", "lectures": ["string"] } }</pre>	

PUT /lecture/{id}		^
Parameters		Try it out
Name	Description	
id * required		
integer(\$int32)	id	
(path)		
Request body required		application/json ▾
Example Value Schema		
<pre>{ "id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.807Z", "endTime": "2023-06-21T08:12:47.807Z", "themedPath": { "id": 0, "theme": "string", "lectures": ["string"] } }</pre>		
Responses		
Code	Description	Links
200	OK	No links

Code	Description	Links
	<div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.807Z", "endTime": "2023-06-21T08:12:47.808Z", "themedPath": { "id": 0, "theme": "string", "lectures": ["string"] } }</pre></div>	

DELETE

/lecture/{id}

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>integer(\$int32)</div><div>(path)</div></div>	<div>id</div>

Responses

Code	Description	Links
200	<div><div>OK</div><div>Media type<div>*/*</div></div><div>Controls Accept header.</div><div>Example Value Schema<div><pre>{ "id": 0, "topic": "string", "startTime": "2023-06-21T08:12:47.811Z", "endTime": "2023-06-21T08:12:47.811Z",}</pre></div></div></div>	No links

Code	Description	Links
	<pre>"themedPath": { "id": 0, "theme": "string", "lectures": ["string"] }</pre>	

GET /lecture ^

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

[
 {
 "id": 0,
 "topic": "string",
 "startTime": "2023-06-21T08:12:47.813Z",
 "endTime": "2023-06-21T08:12:47.813Z",
 "themedPath": {
 "id": 0,
 "theme": "string",
 "lectures": [
 "string"
]
 }
 }
]

POST /lecture ^

Parameters Try it out

No parameters

Request body required

application/json 

Example Value | Schema

```
{
  "lecture": {
    "id": 0,
    "topic": "string",
    "startTime": "2023-06-21T08:12:47.815Z",
    "endTime": "2023-06-21T08:12:47.815Z",
    "themedPath": {
      "id": 0,
      "theme": "string",
      "lectures": [
        "string"
      ]
    }
  },
  "themedPathId": 0
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/



Controls Accept header.

Example Value | Schema

string

Schemas



```
User ▾ {  
  id > [...]  
  login > [...]  
  email > [...]  
}
```

```
Lecture ▾ {  
  id > [...]  
  topic > [...]  
  startTime > [...]  
  endTime > [...]  
  themedPath ThemedPath > {...}  
}
```

```
ThemedPath ▾ {  
  id > [...]  
  theme > [...]  
  lectures > [...]  
}
```

```
Reservation ▾ {  
  id > [...]  
  user User > {...}  
  lecture Lecture > {...}  
}
```

```
ReservationCreationElement ▾ {  
  userId > [...]  
  lectureId > [...]  
}
```

```
ReservationCreationLoginEmailElement ▾ {  
  userLogin > [...]  
  userEmail > [...]  
  lectureId > [...]  
}
```

```
LectureCreationElement ▾ {  
  lecture  
  themedPathId  
  Lecture > {...}  
  > [...]  
}
```

```
IdPercentStat ▾ {  
  id  
  percentage  
  > [...]  
  > [...]  
}
```