

Radiated Emission Measurement


File :9

Data :#1

Date: 2024/9/14

Time: 14:01:18

80.0 dBuV/m



Site TOBY ETS Chamber #1

Limit: EN55011 ClassA 3M Radiation

EUT:

M/N: SW1060070A-C

Mode: 亮屏播放音乐工作Mode

Note:

Polarization: **Horizontal**

Power: DC 12V

Distance:

Temperature: 23.5

Humidity: 46 %

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		76.2442	54.24	-17.19	37.05	50.00	-12.95	peak		
2		101.6443	52.75	-16.16	36.59	50.00	-13.41	peak		
3	*	127.2176	59.27	-15.49	43.78	50.00	-6.22	peak		
4		229.2931	51.42	-12.99	38.43	50.00	-11.57	peak		
5		281.0075	58.33	-11.87	46.46	57.00	-10.54	peak		
6		434.0651	53.15	-6.10	47.05	57.00	-9.95	peak		

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement


File :9

Data :#2

Date: 2024/9/14

Time: 14:03:20

80.0 dBuV/m



Site TOBY ETS Chamber #1

Polarization: **Vertical**

Temperature: 23.5

Limit: EN55011 Class A 3M Radiation

Power: DC 12V

Humidity: 46 %

EUT:

Distance:

M/N: SW1060070A-C

Mode: 亮屏播放音乐工作Mode

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	76.2442	55.89	-17.19	38.70	50.00	-11.30	peak		
2		127.2176	54.15	-15.49	38.66	50.00	-11.34	peak		
3		178.1327	48.64	-13.95	34.69	50.00	-15.31	peak		
4		305.6800	45.71	-11.20	34.51	57.00	-22.49	peak		
5		434.0651	50.41	-6.10	44.31	57.00	-12.69	peak		
6		815.9678	34.59	2.00	36.59	57.00	-20.41	peak		

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement


File :9

Data :#3

Date: 2024/9/14

Time: 14:06:17

80.0 dBuV/m



Site TOBY ETS Chamber #1

Limit: EN55011 Class A 3M Radiation

EUT:

M/N: SW1060070A-C

Mode: 亮屏开启WIFI待机工作Mode

Note:

Polarization: **Vertical**

Power: DC 12V

Distance:

Temperature: 23.5

Humidity: 46 %

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		101.6443	48.49	-16.16	32.33	50.00	-17.67	peak		
2		127.2176	46.17	-15.49	30.68	50.00	-19.32	peak		
3		229.2931	42.16	-12.99	29.17	50.00	-20.83	peak		
4		382.5879	43.95	-7.73	36.22	57.00	-20.78	peak		
5	*	434.0651	47.76	-6.10	41.66	57.00	-15.34	peak		
6		485.6093	34.83	-5.01	29.82	57.00	-27.18	peak		

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement


File :9

Data :#4

Date: 2024/9/14

Time: 14:07:21

80.0 dBuV/m



Site TOBY ETS Chamber #1

Limit: EN55011 ClassA 3M Radiation

EUT:

M/N: SW1060070A-C

Mode: 亮屏开启WIFI待机工作Mode

Note:

Polarization: **Horizontal**

Power: DC 12V

Distance:

Temperature: 23.5

Humidity: 46 %

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	101.6443	56.35	-16.16	40.19	50.00	-9.81	peak		
2		127.2176	53.52	-15.49	38.03	50.00	-11.97	peak		
3		229.2931	51.81	-12.99	38.82	50.00	-11.18	peak		
4		281.0075	54.69	-11.87	42.82	57.00	-14.18	peak		
5		407.5145	44.05	-6.74	37.31	57.00	-19.69	peak		
6		845.0878	38.09	2.55	40.64	57.00	-16.36	peak		

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement


File :9

Data :#5

Date: 2024/9/14

Time: 14:09:24

80.0 dBuV/m



Site TOBY ETS Chamber #1

Limit: EN55011 ClassA 3M Radiation

EUT:

M/N: SW80480070A

Mode: 亮屏播放音乐工作Mode

Note:

Polarization: **Horizontal**

Power: DC 12V

Distance:

Temperature: 23.5

Humidity: 46 %

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	112.1304	59.06	-16.00	43.06	50.00	-6.94	peak		
2		144.3348	50.01	-14.74	35.27	50.00	-14.73	peak		
3		207.8501	45.06	-13.10	31.96	50.00	-18.04	peak		
4		321.0608	48.88	-10.80	38.08	57.00	-18.92	peak		
5		401.8385	49.57	-6.94	42.63	57.00	-14.37	peak		
6		851.0353	39.86	2.73	42.59	57.00	-14.41	peak		

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement


File :9

Data :#6

Date: 2024/9/14

Time: 14:10:24

80.0 dBuV/m



Site TOBY ETS Chamber #1

Limit: EN55011 ClassA 3M Radiation

EUT:

M/N: SW80480070A

Mode: 亮屏播放音乐工作Mode

Note:

Polarization: **Vertical**

Power: DC 12V

Distance:

Temperature: 23.5

Humidity: 46 %

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	112.1305	54.57	-16.00	38.57	50.00	-11.43	peak		
2		144.3348	48.02	-14.74	33.28	50.00	-16.72	peak		
3		240.8304	43.26	-12.87	30.39	57.00	-26.61	peak		
4		369.4047	48.22	-8.61	39.61	57.00	-17.39	peak		
5		401.8385	49.46	-6.94	42.52	57.00	-14.48	peak		
6		689.5644	38.92	-0.30	38.62	57.00	-18.38	peak		

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement


File :9

Data :#7

Date: 2024/9/14

Time: 14:12:00

80.0 dBuV/m



Site TOBY ETS Chamber #1

Limit: EN55011 ClassA 3M Radiation

EUT:

M/N: SW80480070A

Mode: 亮屏开启WIFI待机工作Mode

Note:

Polarization: **Vertical**

Power: DC 12V

Distance:

Temperature: 23.5

Humidity: 46 %

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		112.1305	47.50	-16.00	31.50	50.00	-18.50	peak		
2		144.3348	43.83	-14.74	29.09	50.00	-20.91	peak		
3		240.8304	39.78	-12.87	26.91	57.00	-30.09	peak		
4		369.4047	41.94	-8.61	33.33	57.00	-23.67	peak		
5		434.0651	51.54	-6.10	45.44	57.00	-11.56	peak		
6	*	724.2611	46.13	0.40	46.53	57.00	-10.47	peak		

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement


File :9

Data :#8

Date: 2024/9/14

Time: 14:12:45

80.0 dBuV/m



Site TOBY ETS Chamber #1

Limit: EN55011 ClassA 3M Radiation

EUT:

M/N: SW80480070A

Mode: 亮屏开启WIFI待机工作Mode

Note:

Polarization: **Horizontal**

Power: DC 12V

Distance:

Temperature: 23.5

Humidity: 46 %

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	112.1305	54.51	-16.00	38.51	50.00	-11.49	peak		
2		144.3348	43.88	-14.74	29.14	50.00	-20.86	peak		
3		240.8304	52.11	-12.87	39.24	57.00	-17.76	peak		
4		321.0608	46.33	-10.80	35.53	57.00	-21.47	peak		
5		434.0651	45.91	-6.10	39.81	57.00	-17.19	peak		
6		755.3873	32.36	0.52	32.88	57.00	-24.12	peak		

*:Maximum data x:Over limit !:over margin