Running head: TITLE 1

The title

First Author¹ & Ernst-August Doelle^{1,2}

- ¹ Wilhelm-Wundt-University
- ² Konstanz Business School

Author Note

- Add complete departmental affiliations for each author here. Each new line herein
- Enter author note here.

must be indented, like this line.

5

- The authors made the following contributions. First Author: Conceptualization,
- Writing Original Draft Preparation, Writing Review & Editing; Ernst-August Doelle:
- Writing Review & Editing.
- Correspondence concerning this article should be addressed to First Author, Postal address. E-mail: my@email.com

Abstract 14

One or two sentences providing a basic introduction to the field, comprehensible to a 15

scientist in any discipline. 16

Two to three sentences of more detailed background, comprehensible to scientists 17

in related disciplines.

One sentence clearly stating the **general problem** being addressed by this particular 19

study. 20

One sentence summarizing the main result (with the words "here we show" or their 21

equivalent). 22

Two or three sentences explaining what the **main result** reveals in direct comparison 23

to what was thought to be the case previously, or how the main result adds to previous

knowledge.

One or two sentences to put the results into a more **general context**. 26

Two or three sentences to provide a **broader perspective**, readily comprehensible to 27

a scientist in any discipline.

Keywords: keywords 29

Word count: X 30

31	The title

32 Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

- 35 Participants
- Material
- 37 Procedure
- 38 Data analysis

We used R (Version 4.0.3; R Core Team, 2020) and the R-packages arsenal (Version

3.5.0; Heinzen, Sinnwell, Atkinson, Gunderson, & Dougherty, 2020), dplyr (Version 1.0.2;

Wickham et al., 2020), forcats (Version 0.5.0; Wickham, 2020a), ggplot2 (Version 3.3.2;

Wickham, 2016), papaja (Version 0.1.0.9997; Aust & Barth, 2020), patchwork (Version

1.0.1; Pedersen, 2020), purr (Version 0.3.4; Henry & Wickham, 2020), readr (Version

44 1.3.1; Wickham, Hester, & Francois, 2018), readxl (Version 1.3.1; Wickham & Bryan,

⁴⁵ 2019), stringr (Version 1.4.0; Wickham, 2019), tibble (Version 3.0.3; Müller & Wickham,

⁴⁶ 2020), tidyr (Version 1.1.2; Wickham, 2020b), and tidyverse (Version 1.3.0; Wickham,

47 Averick, et al., 2019) for all our analyses.

Results

49 Discussion

50 References

```
51 Aust, F., & Barth, M. (2020). papaja: Create APA manuscripts with R Markdown.
```

- Retrieved from https://github.com/crsh/papaja
- Heinzen, E., Sinnwell, J., Atkinson, E., Gunderson, T., & Dougherty, G. (2020). Arsenal:
- An arsenal of 'r' functions for large-scale statistical summaries. Retrieved from
- https://CRAN.R-project.org/package=arsenal
- Henry, L., & Wickham, H. (2020). Purr: Functional programming tools. Retrieved from
- 57 https://CRAN.R-project.org/package=purrr
- Müller, K., & Wickham, H. (2020). Tibble: Simple data frames. Retrieved from
- https://CRAN.R-project.org/package=tibble
- Pedersen, T. L. (2020). Patchwork: The composer of plots. Retrieved from
- https://CRAN.R-project.org/package=patchwork
- 62 R Core Team. (2020). R: A language and environment for statistical computing. Vienna,
- Austria: R Foundation for Statistical Computing. Retrieved from
- https://www.R-project.org/
- Wickham, H. (2016). Ggplot2: Elegant graphics for data analysis. Springer-Verlag New
- York. Retrieved from https://ggplot2.tidyverse.org
- Wickham, H. (2019). Stringr: Simple, consistent wrappers for common string operations.
- Retrieved from https://CRAN.R-project.org/package=stringr
- Wickham, H. (2020a). Forcats: Tools for working with categorical variables (factors).
- Retrieved from https://CRAN.R-project.org/package=forcats
- Wickham, H. (2020b). Tidyr: Tidy messy data. Retrieved from
- https://CRAN.R-project.org/package=tidyr
- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., ...

Yutani, H. (2019). Welcome to the tidyverse. Journal of Open Source Software,


4 (43), 1686. https://doi.org/10.21105/joss.01686

- Wickham, H., & Bryan, J. (2019). Readxl: Read excel files. Retrieved from
 https://CRAN.R-project.org/package=readxl
- Wickham, H., François, R., Henry, L., & Müller, K. (2020). *Dplyr: A grammar of data*manipulation. Retrieved from https://CRAN.R-project.org/package=dplyr
- Wickham, H., Hester, J., & Francois, R. (2018). Readr: Read rectangular text data.

 Retrieved from https://CRAN.R-project.org/package=readr

Appendix

Correlation Flot



82

Table 1 caption

	Overall (N=44)
unemployment	
- high	22 (50.0%)
- low	22 (50.0%)
urbanization	
- low	21 (47.7%)
- high	23 (52.3%)
median_income	
- Mean (SD)	55004.545 (8860.066)
- Median (Q1, Q3)	54613.000 (47844.750, 60542.250)
- Min - Max	39552.000 - 76165.000
education	
- Mean (SD)	0.867 (0.033)
- Median (Q1, Q3)	0.871 (0.839, 0.894)
- Min - Max	0.799 - 0.915
perc_non_citizen	
- Mean (SD)	0.054 (0.030)
- Median (Q1, Q3)	0.045 (0.030, 0.080)
- Min - Max	0.010 - 0.130
gini_index	
- Mean (SD)	0.454 (0.018)
- Median (Q1, Q3)	0.455 (0.441, 0.466)
- Min - Max	0.419 - 0.499
perc_non_white	

- Mean (SD)	0.310 (0.142)
- Median (Q1, Q3)	0.290 (0.208, 0.420)
- Min - Max	0.060 - 0.620
hate_crimes	
- Mean (SD)	0.275 (0.171)
- Median (Q1, Q3)	0.226 (0.143, 0.339)
- Min - Max	0.069 - 0.833

Table 2
Association table

term	$model_1$	$model_2$	$model_3$
gini_index	-0.999 (-11.478 , 9.481)	0.999 (-11.478, 9.481) 10.811 (-2.146, 23.767) -0.279 (-19.392, 18.833	-0.279 (-19.392 , 18.833)
education	NA	$9.509 \; (\; 2.619 \; , \; 16.4 \;)$	8.427 (1.426 , 15.428)
unemploymentlow	NA	NA	-8.235 (-18.176 , 1.706)
gini_index:unemploymentlow l	NA	NA	18.526 (-3.248, 40.3)

Note. some note