

Cape Town


-33.91864°, 018.43368°
FW. de Klerk Boulevard, Cape Town, Western Cape, South Africa
Time zone: UTC+02, Africa/Johannesburg [SAST]

Report generated: 18 Feb 2026


SITE INFO

Table with 4 columns: Map data, PVOUT specific, Value, and Unit. Rows include Specific photovoltaic power output (1746.6 kWh/kWp), Direct normal irradiation (2218.6 kWh/m²), Global horizontal irradiation (1929.6 kWh/m²), Diffuse horizontal irradiation (552.4 kWh/m²), Global tilted irradiation at optimum angle (2155.3 kWh/m²), Optimum tilt of PV modules (28 / 0 °), Air temperature (16.8 °C), and Terrain elevation (9 m).


Horizon and sunpath



Map



PVOUT map



PV ELECTRICITY AND SOLAR RADIATION

Annual averages


Direct normal irradiation

2200.8

kWh/m² per year


Monthly averages

Direct normal irradiation



Average hourly profiles

Direct normal irradiation [Wh/m²]



UTC+02

Average hourly profiles

Direct normal irradiation [Wh/m²]

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0 - 1												
1 - 2												
2 - 3												
3 - 4												
4 - 5												
5 - 6												7
6 - 7	173	23								70	234	296
7 - 8	495	414	204	98				7	175	378	440	477
8 - 9	612	572	485	392	231	134	150	255	374	494	536	585
9 - 10	707	665	582	497	369	349	378	386	459	571	624	669
10 - 11	772	743	654	562	435	418	448	440	516	630	696	735
11 - 12	818	792	698	602	464	446	480	475	541	674	741	775
12 - 13	846	826	725	625	486	458	494	501	577	700	761	789
13 - 14	859	850	744	631	490	452	499	520	596	714	768	802
14 - 15	856	841	739	623	470	437	481	511	581	692	750	787
15 - 16	819	793	690	570	426	391	447	460	529	638	703	752
16 - 17	761	727	621	495	330	293	357	389	455	558	633	699
17 - 18	675	643	523	245	59	20	35	199	288	454	541	608
18 - 19	537	429	130							98	270	471
19 - 20	83	12										36
20 - 21												
21 - 22												
22 - 23												
23 - 24												
Sum	9,013	8,329	6,796	5,339	3,761	3,399	3,769	4,143	5,090	6,672	7,699	8,487

GLOSSARY

Acronym	Full name	Unit	Type of use
DIF	Diffuse horizontal irradiation	kWh/m², MJ/m²	Average yearly, monthly or daily sum of diffuse horizontal irradiation (© 2025 Solargis)
DNI	Direct normal irradiation	kWh/m², MJ/m²	Average yearly, monthly or daily sum of direct normal irradiation (© 2025 Solargis)
ELE	Terrain elevation	m, ft	Elevation of terrain surface above/below sea level, processed and integrated from SRTM-3 data and related data products (SRTM v4.1 © 2004 - 2025, CGIAR-CSI)
GHI	Global horizontal irradiation	kWh/m², MJ/m²	Average annual, monthly or daily sum of global horizontal irradiation (© 2025 Solargis)
GTI	Global tilted irradiation	kWh/m², MJ/m²	Average annual, monthly or daily sum of global tilted irradiation (© 2025 Solargis)
GTI_opta	Global tilted irradiation at optimum angle	kWh/m², MJ/m²	Average annual, monthly or daily sum of global tilted irradiation for PV modules fix-mounted at optimum angle (© 2025 Solargis)
OPTA	Optimum tilt of PV modules	°	Optimum tilt of fix-mounted PV modules facing towards Equator set for maximizing GTI input (© 2025 Solargis)
PVOUT_total	Total photovoltaic power output	kWh, MWh, GWh	Yearly and monthly average values of photovoltaic electricity (AC) delivered by the total installed capacity of a PV system (© 2025 Solargis)
PVOUT_specific	Specific photovoltaic power output	kWh/kWp	Yearly and monthly average values of photovoltaic electricity (AC) delivered by a PV system and normalized to 1 kWp of installed capacity (© 2025 Solargis)
TEMP	Air temperature	°C, °F	Average yearly, monthly and daily air temperature at 2 m above ground. Calculated from outputs of ERA5 model (© 2025 ECMWF, post-processed by Solargis)

ABOUT

This pdf report (the “Work”) is automatically generated from the Global Solar Atlas online app (https://globalsolaratlas.info/), prepared by Solargis under contract to The World Bank, based on a solar resource database that Solargis owns and maintains. It provides the estimated solar resource, air temperature data and potential solar power output for the selected location and input parameters of a photovoltaic (PV) power system.

Copyright © 2025 The World Bank
1818 H Street NW, Washington DC 20433, USA

The World Bank, comprising the International Bank for Reconstruction and Development (IBRD) and the International Development Association (IDA), is the commissioning agent and copyright holder for this Work, acting on behalf of The World Bank Group. The Work is licensed by The World Bank under a Creative Commons Attribution license (CC BY 4.0 IGO) with a mandatory and binding addition (please refer to the GSA website for full terms and conditions of use https://globalsolaratlas.info/support/terms-of-use).

The World Bank Group disclaims all warranties of any kind related to the provision of the Work.

The Work is made available solely for general information purposes. Neither the World Bank, Solargis nor any of its partners and affiliates hold the responsibility for the accuracy and/or completeness of the data and shall not be liable for any errors, or omissions. It is strongly advised that the Work be limited to use in informing policy discussions on the subject, and/or in creating services that better educate relevant persons on the viability of solar development in areas of interest. As such, neither the World Bank nor any of its partners on the Global Solar Atlas project will be liable for any damages relating to the use of the Work for financial commitments or any similar use cases. Solargis has done its utmost to make an assessment of solar climate conditions based on the best available data, software, and knowledge.

Sources: Solar database and PV software © 2025 Solargis