simsiam代码复现报告

201220138 白志欣

参考代码：https://github.com/PatrickHua/SimSiam

作业库：（存储报告和log文件，以及模型）https://github.com/zldscr0/SimSiam

simsiam简介

非对比学习

❑ 蒸馏方法——SimSiam

➢ 动机

   ✓ 在基于此前的自监督学习方法基础上，找出真正能够避免自监督学习崩溃解的因素

Chen X, He K. Exploring simple siamese representation learning. CVPR 2021.

61

- **方法**
  - ✓ 一个分支使用predictor并保留梯度回传，一个分支仅使用encoder并禁止梯度回传


```
Algorithm 1 SimSiam Pseudocode, PyTorch-like

# f: backbone + projection mlp
# h: prediction mlp

for x in loader: # load a minibatch x with n samples
    x1, x2 = aug(x), aug(x) # random augmentation
    z1, z2 = f(x1), f(x2) # projections, n-by-d
    p1, p2 = h(z1), h(z2) # predictions, n-by-d

    L = D(p1, z2)/2 + D(p2, z1)/2 # loss

    L.backward() # back-propagate
    update(f, h) # SGD update

def D(p, z): # negative cosine similarity
    z = z.detach() # stop gradient

    p = normalize(p, dim=1) # l2-normalize
    z = normalize(z, dim=1) # l2-normalize
    return -(p*z).sum(dim=1).mean()
```

Chen X, He K. Exploring simple siamese representation learning. CVPR 2021.

- **实验结果**
  - ✓ 通过实验证明了stop-grad是避免崩溃解的一个因素

	acc. (%)
w/ stop-grad	67.7±0.1
w/o stop-grad	0.1

Figure 2. **SimSiam with *vs.* without stop-gradient**. **Left plot**: training loss. Without stop-gradient it degenerates immediately. **Middle plot**: the per-channel std of the ℓ_2-normalized output, plotted as the averaged std over all channels. **Right plot**: validation accuracy of a kNN classifier [36] as a monitor of progress. **Table**: ImageNet linear evaluation ("w/ stop-grad" is mean±std over 5 trials).

Chen X, He K. Exploring simple siamese representation learning. CVPR 2021.

Dependencies

```
conda create -n simsiam python=3.8
conda activate simsiam
```

```
pip install -r requirements.txt
```

数据集

cifar10

训练

```
CUDA_VISIBLE_DEVICES=0 python main.py --data_dir /data/bzx_yjy --log_dir ../logs/
-c configs/simsiam_cifar.yaml --ckpt_dir ~/.cache/ --hide_progress --download
```

训练结果

模型保存位置：`/home/bzx_yjy/.cache/simsiam-cifar10-experiment-resnet18_cifar_variant1_1123090352.pth`

logfile存储位置：`../logs/completed_1122194635_simsiam-cifar10-experiment-resnet18_cifar_variant1`

```
Training: 100%|                                    | 800/800 [13:17:13<00:00, 59.79s/it, epoch=799, accuracy=90.1]
Model saved to /home/bzx_yjy/.cache/simsiam-cifar10-experiment-resnet18_cifar_variant1_1123090352.pth
```

accuracy曲线

loss曲线

lr曲线

评估结果

```
Evaluating:   3%|█          |  3/100 [00:13<07:19,  4.53s/it]Evaluating: 100%|
                                  | 100/100 [07:35<00:00,  4.55s/it]Accuracy = 91.24
Log file has been saved to ../logs/completed_1122194635_simsiam-cifar10-experiment-resnet18_cifar_variant1
```

模型的评估准确率为91.26%