
















# ANÁLISIS FÍSICOQUÍMICO DE AGUA

	Fecha	2022-12-29 13:08		Dirigido a	2022-12-29 13:08
	Empresa	2022-12-29 13:08		Copia a	2022-12-29 13:08
	Sistema	Torre de enfriamiento		Copia a	2022-12-29 13:08

## TORRE 1

	 Piscina Torre	 Agua de reposición	 Rango de control Piscina Torre	 Rango de control Agua de reposición
 pH		7.5		ent 6.5,8
 ALK TOTAL, ppm CaCO <sub>3</sub>		1920		min 50
 Dureza total, ppm		400		min 50
 Sílice, ppm SiO <sub>2</sub>		4		min 15
 Conductividad, us/cm				
 S.T.D, ppm				
 Fosfatos, ppm PO <sub>4</sub>				
 Hierro total, ppm				
 Cloruros, ppm Cl				
 Ciclos conc x SiO <sub>2</sub>				
 SST, ppm	4	min 50		
 Índice de Ryznar				



Piscina  
Torre



Agua de  
reposición




Rango de  
control  
Piscina Torre



Rango de control  
Agua de  
reposición

	Sulfatos, SO <sub>4</sub>		4		min 10
	Grasas y Aceites		4		max 0
	Ind. Ryznar	8.6			

Piscina Torre



## TORRE 2



Piscina  
Torre



Agua de  
reposición




Rango de  
control  
Piscina Torre



Rango de control  
Agua de  
reposición

<input type="radio"/>	pH		1		ent 6.5,8
<input type="radio"/>	ALK TOTAL, ppm CaCO <sub>3</sub>		1920		min 50
<input type="radio"/>	Dureza total, ppm		400		min 50
<input type="radio"/>	Sílice, ppm SiO <sub>2</sub>		4		min 15
<input type="radio"/>	Conductividad, us/cm				
<input type="radio"/>	S.T.D, ppm				
<input type="radio"/>	Fosfatos, ppm PO <sub>4</sub>				
<input type="radio"/>	Hierro total, ppm				
<input type="radio"/>	Cloruros, ppm Cl				
<input type="radio"/>	Ciclos conc x SiO <sub>2</sub>				
<input type="radio"/>	SST, ppm	4	min 50		
<input type="radio"/>	Índice de Ryznar				
<input type="radio"/>	Sulfatos, SO <sub>4</sub>	4	min 10		
<input type="radio"/>	Grasas y Aceites		4		max 0
<input type="radio"/>	Ind. Ryznar	13.4			

Piscina Torre





## Conclusiones






2 Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum. 2






## Recomendaciones

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

TORRE 1

	 NOVA I-458	 NOVA B-600
 Stock de p roducto (Kg)	47	56
 Dosis químico (kg/día)	0.5	0.6
 Próximo despacho		

TORRE 2

	 NOVA I-458	 NOVA B-600
 Stock de p roducto (Kg)	5	7
 Dosis químico (kg/día)	1	1
 Próximo despacho		

Firma del técnico

Firma quien recibe