
















ANÁLISIS FÍSICOQUÍMICO DE AGUA

	Fecha	2022-12-29 13:08		Dirigido a	2022-12-29 13:08
	Empresa	2022-12-29 13:08		Copia a	2022-12-29 13:08
	Sistema	Torre de enfriamiento		Copia a	2022-12-29 13:08

TORRE 1

	pH	1	7.5	ent 6.5,9	ent 6.5,8
	ALK TOTAL, ppm CaCO₃	240	1920	max 400	min 50
	Dureza total, ppm	400	400	max 350	min 50
	Sílice, ppm SiO₂	4	4	max 120	min 15
	Conductividad, us/cm	4	max 2300		
	S.T.D, ppm	4	max 1500		
	Fosfatos, ppm PO₄	4	ent 5,10		
	Hierro total, ppm	4	max 5		
	Cloruros, ppm Cl	284	max 600		
	Ciclos conc x SiO₂	4	ent 4,7		
	SST, ppm	4	4	min 50	max 200
	Índice de Ryznar	4	ent 6,7		
	Sulfatos, SO₄	4	4	max 100	min 10
	Grasas y Aceites	4	4	max 0	max 0

Piscina Torre



TORRE 2

<div></div> <p>pH</p>	1	1	ent 6.5,9	ent 6.5,8
<div></div> <p>ALK TOTAL, ppm CaCO3</p>	1920	1920	max 400	min 50
<div></div> <p>Dureza total, ppm</p>	400	400	max 350	min 50
<div></div> <p>Sílice, ppm SiO2</p>	4	4	max 120	min 15
<div></div> <p>Conductividad, us/cm</p>	4	max 2300		
<div></div> <p>S.T.D, ppm</p>	4	max 1500		
<div></div> <p>Fosfatos, ppm PO4</p>	4	ent 5,10		
<div></div> <p>Hierro total, ppm</p>	4	max 5		
<div></div> <p>Cloruros, ppm Cl</p>	284	max 600		
<div></div> <p>Ciclos conc x SiO2</p>	4	ent 4,7		
<div></div> <p>SST, ppm</p>	4	4	min 50	max 200
<div></div> <p>Índice de Ryznar</p>	4	ent 6,7		
<div></div> <p>Sulfatos, SO4</p>	4	4	min 10	max 100
<div></div> <p>Grasas y Aceites</p>	4	4	max 0	max 0
<div></div> <p>Ind. Ryznar</p>	13.4			

Piscina Torre





Conclusiones






2 Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum. 2




Recomendaciones

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

TORRE 1

	 NOVA I-458	 NOVA B-600
 Stock de p roducto (Kg)	47	56
 Dosis químico (kg/día)	0.5	0.6
 Próximo despacho		

TORRE 2

	 NOVA I-458	 NOVA B-600
 Stock de p roducto (Kg)	5	7
 Dosis químico (kg/día)	1	1
 Próximo despacho		

Firma del técnico

Firma quien recibe