NOVAQUÍMICA
COLOMBIA S.A.S.
Tratamiento de Aguas

CONSECUTIVO 481345

Código: GV-F01
Versión: 2

ANÁLISIS FISICOQUÍMICO DE AGUA

Fecha	2022-12-29 13:08	**Dirigido a**	2022-12-29 13:08
Empresa	2022-12-29 13:08	**Copia a**	2022-12-29 13:08
Sistema	novaRes	**Copia a**	2022-12-29 13:08

SUBSISTEMA UNO

	Punto de Muestreo 3	Punto de Muestreo 2	Punto de Muestreo 1	Rango de control Punto de Muestreo 3	Rango de control Punto de Muestreo 2	Rango de control Punto de Muestreo 1
pH	5	5	5	MAX 45	MAX 45	MAX 12
ALK FENOL, ppm CaCO3	35	35	35	MIN 34	MAX 56	MIN 23
ALK TOTAL, ppm CaCO3	15	15	15	MAX 78	MIN 33	MAX 25
ALK OH, ppm CaCO3	20	20	20	MAX 67	ENT 12,56	MAX 65
Dureza total, ppm	50	50	50	MAX 23	MIN 56	MAX 67
Sílice, ppm SiO2	390	390	390	ENT 12,56	MIN 66	MIN 35
Conductividad, us/cm	35	35	35	MIN 56	MIN 56	MAX 67
S.T.D, ppm	200	200	200	MAX 85	MAX 77	MIN 45
Polímero, ppm	25	25	25	MIN 54	MIN 56	MAX 34
Fosfatos, ppm PO4	25	25	25	MAX 45	MIN 23	MAX 45
Sulfitos, ppm SO3	270	270	270	MAX 34	ENT 90,45	MAX 45

	Punto de Muestreo 3	Punto de Muestreo 2	Punto de Muestreo 1	Rango de control Punto de Muestreo 3	Rango de control Punto de Muestreo 2	Rango de control Punto de Muestreo 1
Hierro total, ppm	20	20	20	ENT 67,12	MAX 34	MIN 56
Cloruros, ppm Cl	170	170	170	MAX 56	MAX 45	MAX 45
Temperatura	5	5	5	MAX 50	MAX 50	MAX 50
Ind. Ryznar	14.1	14.1	14.1			

SUBSISTEMA DOS

	Punto de Muestreo 2	Rango de control Punto de Muestreo 2
pH	5	MAX 45
ALK FENOL, ppm CaCO3	35	MAX 56
ALK TOTAL, ppm CaCO3	15	MIN 33
ALK OH, ppm CaCO3	20	MAX 67
Dureza total, ppm	50	MAX 67
Sílice, ppm SiO2	390	MIN 66
Conductividad, us/cm	35	MIN 56
S.T.D, ppm	200	MAX 77
Polímero, ppm	25	MIN 56
Fosfatos, ppm PO4	25	MAX 45
Sulfitos, ppm SO3	270	MAX 45
Hierro total, ppm	20	MIN 56
Cloruros, ppm Cl	170	MAX 45
Temperatura	5	MAX 50
Ind. Ryznar	14.1	

Punto de Muestreo 2



Conclusiones

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

Recomendaciones

Contrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscure Latin words, consectetur, from a Lorem Ipsum passage, and going through the cites of the word in classical literature, discovered the undoubtable source

STOCK DE PRODUCTOS

SUBSISTEMA UNO

	producto nuevo	carros ultimos modelo	quimico 25	alcohol 80%
Stock de p roducto (Kg)	5	5	55	5
Dosis químico (kg/día)	6	8	8	5
Próximo despacho				

SUBSISTEMA DOS

	producto 7676	producto 21
Stock de p roducto (Kg)	5	5
Dosis químico (kg/día)	8	6
Próximo despacho		