

ANÁLISIS FÍSICOQUÍMICO DE AGUA

	Fecha	2022-12-29 13:08		Dirigido a	2022-12-29 13:08
	Empresa	2022-12-29 13:08		Copia a	2022-12-29 13:08
	Sistema	Torre de enfriamiento		Copia a	2022-12-29 13:08

TORRE 1



**Piscina
Torre**



**Agua de
reposición**




**Rango de
control
Piscina Torre**



**Rango de control
Agua de
reposición**



Piscina Torre



TORRE 2



Piscina
Torre



Agua de
reposición



Rango de
control
Piscina Torre



Rango de control
Agua de
reposición



Piscina Torre





Conclusiones



2 Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum. 2




Recomendaciones

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

TORRE 1

	 NOVA I-458	 NOVA B-600
Stock de p roducto (Kg)	47	56
Dosis químico (kg/día)	0.5	0.6
Próximo despacho		

TORRE 2

	 NOVA I-458	 NOVA B-600
Stock de p roducto (Kg)	5	7
Dosis químico (kg/día)	1	1
Próximo despacho		

Firma del técnico

Firma quien recibe