

# ANÁLISIS FÍSICOQUÍMICO DE AGUA

	Fecha	2022-12-29 13:08		Dirigido a	2022-12-29 13:08
	Empresa	2022-12-29 13:08		Copia a	2022-12-29 13:08
	Sistema	Torre de enfriamiento		Copia a	2022-12-29 13:08

## TORRE 1



Piscina  
Torre



Agua de  
reposición



Rango de  
control  
Piscina Torre



Rango de  
control  
Agua de  
reposición

	pH	1				ent 6,5,9	
	ALK TOTAL, ppm CaCO <sub>3</sub>	240				max 400	
	Dureza total, ppm	400				max 350	
	Sílice, ppm SiO <sub>2</sub>	4				max 120	
	Conductividad, us/cm	4		max 2300			
	S.T.D, ppm	4		max 1500			
	Fosfatos, ppm PO <sub>4</sub>	4		ent 5,10			
	Hierro total, ppm	4		max 5			
	Cloruros, ppm Cl	284		max 600			
	Ciclos conc x SiO <sub>2</sub>	4		ent 4,7			
	SST, ppm		4				max 200



Piscina  
Torre



Agua de  
reposición




Rango de  
control  
Piscina Torre



Rango de  
control  
Agua de  
reposición

Índice de Ryznar	4		ent 6,7			
Sulfatos, SO <sub>4</sub>	4				max 100	
Grasas y Aceites	4				max 0	
Ind. Ryznar	8.6					

Piscina Torre



# TORRE 2



Piscina  
Torre



Agua de  
reposición




Rango de  
control  
Piscina Torre



Rango de  
control  
Agua de  
reposición

	pH	1				ent 6,5,9	
	ALK TOTAL, ppm CaCO3	1920				max 400	
	Dureza total, ppm	400				max 350	
	Sílice, ppm SiO2	4				max 120	
	Conductividad, us/cm	4		max 2300			
	S.T.D, ppm	4		max 1500			
	Fosfatos, ppm PO4	4		ent 5,10			
	Hierro total, ppm	4		max 5			
	Cloruros, ppm Cl	284		max 600			
	Ciclos conc x SiO2	4		ent 4,7			
	SST, ppm		4				max 200
	Índice de Ryznar	4		ent 6,7			
	Sulfatos, SO4		4				max 100
	Grasas y Aceites	4				max 0	
	Ind. Ryznar	13.4					

Piscina Torre





## Conclusiones



2 Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum. 2




## Recomendaciones

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

TORRE 1

	 NOVA I-458	 NOVA B-600
<div><div></div>Stock de p roducto (Kg)</div>	47	56
<div><div></div>Dosis químico (kg/día)</div>	0.5	0.6
<div><div></div>Próximo despacho</div>		

TORRE 2

	 NOVA I-458	 NOVA B-600
<div><div></div>Stock de p roducto (Kg)</div>	5	7
<div><div></div>Dosis químico (kg/día)</div>	1	1
<div><div></div>Próximo despacho</div>		

Firma del técnico

Firma quien recibe