

ANÁLISIS FÍSICOQUÍMICO DE AGUA

	Fecha	2022-12-29 13:08		Dirigido a	2022-12-29 13:08
	Empresa	2022-12-29 13:08		Copia a	2022-12-29 13:08
	Sistema	Chiller		Copia a	2022-12-29 13:08

TORRE 1



Piscina
Torre



Agua de
reposición



Rango de
control
Piscina Torre



Rango de
control
Agua de
reposición

	pH	4				ent 6,5,9	
	ALK TOTAL, ppm CaCO ₃	1920				max 400	
	Dureza total, ppm	400				max 350	
	Sílice, ppm SiO ₂	4				max 120	
	Conductividad, us/cm	4		max 2300			
	S.T.D, ppm	4		max 1500			
	Fosfatos, ppm PO ₄	4		ent 5,10			
	Hierro total, ppm	4		max 5			
	Cloruros, ppm Cl	284		max 600			
	Ciclos conc x SiO ₂	7		ent 4,7			
	SST, ppm		7				max 200



Piscina
Torre



Agua de
reposición




Rango de
control
Piscina Torre



Rango de
control
Agua de
reposición

Índice de Ryznar	7		ent 6,7			
Sulfatos, SO ₄	7				max 100	
Grasas y Aceites	7				max 0	
Ind. Ryznar	10.4					

Piscina Torre





Conclusiones

4 Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum. 4



Recomendaciones

3 Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum. 3

TORRE 1



NOVA I-458

<div></div> Stock de p roducto (Kg)	41
<div></div> Dosis químico (kg/día)	1
<div></div> Próximo despacho	

Firma del técnico

Firma quien recibe