

ANÁLISIS FÍSICOQUÍMICO DE AGUA

	Fecha	2022-12-29 13:08		Dirigido a	2022-12-29 13:08
	Empresa	2022-12-29 13:08		Copia a	2022-12-29 13:08
	Sistema	Torre de enfriamiento		Copia a	2022-12-29 13:08

TORRE 1

	 Piscina Torre	 Agua de reposición	 Rango de control Piscina Torre	 Rango de control Agua de reposición
 pH	1	7.5	ent 6.5,9	ent 6.5,8
 ALK TOTAL, ppm CaCO ₃	240	1920	max 400	min 50
 Dureza total, ppm	400	400	max 350	min 50
 Sílice, ppm SiO ₂	4	4	max 120	min 15
 Conductividad, us/cm	4	max 2300		
 S.T.D, ppm	4	max 1500		
 Fosfatos, ppm PO ₄	4	ent 5,10		
 Hierro total, ppm	4	max 5		
 Cloruros, ppm Cl	284	max 600		
 Ciclos conc x SiO ₂	4	ent 4,7		
 SST, ppm	4	4	min 50	max 200
 Índice de Ryznar	4	ent 6,7		



Piscina
Torre



Agua de
reposición




Rango de
control
Piscina Torre




Rango de control
Agua de
reposición

Sulfatos, SO ₄	4	4	max 100	min 10
Grasas y Aceites	4	4	max 0	max 0
Ind. Ryznar	18.8	11.3	14.4	14.4


Agua de reposición




Agua de reposición




Piscina Torre




Agua de reposición



TORRE 2

	 Piscina Torre	 Agua de reposición	 Rango de control Piscina Torre	 Rango de control Agua de reposición
 pH	1	1	ent 6.5,9	ent 6.5,8
 ALK TOTAL, ppm CaCO3	1920	1920	max 400	min 50
 Dureza total, ppm	400	400	max 350	min 50
 Sílice, ppm SiO2	4	4	max 120	min 15
 Conductividad, us/cm	4	max 2300		
 S.T.D, ppm	4	max 1500		
 Fosfatos, ppm PO4	4	ent 5,10		
 Hierro total, ppm	4	max 5		
 Cloruros, ppm Cl	284	max 600		
 Ciclos conc x SiO2	4	ent 4,7		
 SST, ppm	4	4	min 50	max 200
 Índice de Ryznar	4	ent 6,7		
 Sulfatos, SO4	4	4	min 10	max 100
 Grasas y Aceites	4	4	max 0	max 0
 Ind. Ryznar	18.8	17.8	14.4	14.4





Conclusiones



2 Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum. 2




Recomendaciones

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

TORRE 1

	 NOVA I-458	 NOVA B-600
Stock de p roducto (Kg)	47	56
Dosis químico (kg/día)	0.5	0.6
Próximo despacho		

TORRE 2

	 NOVA I-458	 NOVA B-600
Stock de p roducto (Kg)	5	7
Dosis químico (kg/día)	1	1
Próximo despacho		

Firma del técnico

Firma quien recibe