Utility

Econ 50 | Lecture 5 | January 19, 2013

Lecture

Group Work

- Quantifying Utility
- MRS, with Math
- Five New-ish Friends


Deep dive into three utility functions

Part I: Quantifying Utility

18th/19th Centuries: Utilitarianism

"...the greatest happiness of the greatest number is the foundation of morals and legislation..."


— Jeremy Bentham



18th/19th Centuries: Utilitarianism

"the utilitarian standard...
is not the agent's own
greatest happiness, but
the greatest amount of
happiness, altogether."

— John Stuart Mill



20th Century: Revealed Preference

"Desires cannot be measured directly, but only indirectly, by the outward phenomena to which they give rise...

the measure is found in the price which a person is willing to pay for the fulfilment or satisfaction of his desire."

— Paul Samuelson



21st Century: Neuroeconomics


"When study participants sipped soda without knowing which it was, [Coke and Pepsi] prompted equal reactions in the area of the brain associated with satisfaction.

When participants knew which brand they were drinking, **Coke suddenly tasted better**."


— American Psychological
Association Science Directorate,
2007




Utility Functions




Utility Functions




Utility Functions





y, weekly consumption of hamburgers





Why?

https://youtu.be/KOO5S4vxi0o









http://xkcd.com/670/

Cardinality:

Numbers are important.

Cardinality:

Numbers are important.

Ordinality:

Ranking is important.

Recall: Completeness and Transitivity

- Completeness: any two bundles can be compared.
- **Transitivity**: if A is preferred to B, and B is preferred to C, then A is preferred to C.
- Group work: "is at least as tall as" is complete and transitive.
- Why? Numerical comparison is complete and transitive.

Recall: Completeness and Transitivity

- Completeness: any two bundles can be compared.
- **Transitivity**: if A is preferred to B, and B is preferred to C, then A is preferred to C.
- Group work: "is at least as tall as" is complete and transitive.
- Why? Numerical comparison is complete and transitive.

Recall: Completeness and Transitivity

- Completeness: any two bundles can be compared.
- Transitivity: if A is preferred to B, and B is preferred to C,
 then A is preferred to C.
- Group work: "is at least as tall as" is complete and transitive.
- Why? Numerical comparison is complete and transitive.

Utility Functions That Aren't Silly


A utility function u() assigns a real number to every possible bundle.

A > B if and only if u(A) > u(B).

 $A \sim B$ if and only if u(A) = u(B).

A < B if and only if u(A) < u(B).

Indifference Curves are Level Curves of u(x,y)



Marginal Utilities are the partial derivatives of u().

Silly on their own

Meaningful in generating MRS

Marginal Utilities are the partial derivatives of u().

Silly on their own naful in generating MRS

Marginal Utilities are the partial derivatives of u().


Silly on their own Meaningful in generating MRS

Part II: MRS, with Math

Marginal Rate of Substitution


- Intuitively: rate at which a consumer is willing to give up good Y to get an additional unit of good X.
- Visually: absolute value of the slope of an indifference curve
- Mathematically: $\frac{MU_x}{MU_y}$

Marginal Rate of Substitution




Units of Good X

Marginal Rate of Substitution




Units of Good X

Partial Derivatives



Partial Derivatives



Solving for MRS

A Special Case: "Composite Good"

Part III: Five New-Ish Friends

Utility Function 1: Cobb-Douglas

Utility Function 2: Perfect Substitutes

Utility Function 3: Perfect Complements

Utility Function 4: CES

Utility Function 5: Quasilinear