

## Jobs

## Generated by Talend Data Fabric

Project Name	zach-talend	GENERATION DATE	Feb 5, 2019 12:10:46 PM
AUTHOR	Lorenzini, Zach	Talend Data Fabric VERSION	7.1.1.20181026_1147

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


### **Project Description**

Properties	Values
Name	zach-talend
Language	java
Description	

## **Description**

Properties	Values
Name	Gyro_Test_DB
Author	Lorenzini, Zach
Version	0.1
Purpose	
Status	
Description	
Creation	Dec 3, 2018 3:28:37 PM
Modification	Dec 4, 2018 9:50:25 AM

### **Preview Picture**



## **Settings**

### Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true

Catch user errors	true
Catch user warnings	true

## **Context List**

#### ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
maprdbpass	maprdbpass?	false	id_String	Efgh5678	mapr_auth
maprdbuser	maprdbuser?	false	id_String	mapr	mapr_auth

## **Component List**

Component Name	Component Type
tFileOutputDelimited_1	tFileOutputDelimited
tLogRow_1	tLogRow
tMap_1	tMap
tRESTClient_1	tRESTClient
tRESTRequest_1	tRESTRequest
tRESTResponse_1	tRESTResponse

tXMLMap_1	tXMLMap
tXMLMap_2	tXMLMap
tXMLMap_3	tXMLMap

## **Components Description**

### Component tFileOutputDelimited

•};	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tLogRow_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tXMLMap_3

Component Farameters.		
Properties	Values	
Unique Name	tFileOutputDelimited_1	
Component Name	tFileOutputDelimited	
Version	0.101 (ALPHA)	
Family	File/Output	
Startable	false	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tFileOutputDelimited	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"C:/Users/zach/workspace/iot_db.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	n.u ,
Append	true
Include Header	false
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In
Advanced separator (for numbers)	false

Thousands separator	, ,
Decimal separator	
CSV options	false
Escape char	
Text enclosure	пн
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	<b>_UNIQUE_NAME</b> <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileOutputDelimited\_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
nv	false	Integer			true	
d	false	String			true	

# Original Function Parameters: Component tLogRow

 UNIQUE NAME	tLogRow_1	INPUT(S)	tMap_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileOutputDelimited_1

Component Parameters:		
Properties	Values	
Unique Name	tLogRow_1	
Component Name	tLogRow	
Version	0.101 (ALPHA)	
Family	Logs_Errors	
Startable	false	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tLogRow	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	MITTEH
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	"]"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false

Lengths	[{SCHEMA_COLUMN=nv, LENGTH=10}, {SCHEMA_COLUMN=d, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	<b>_UNIQUE_NAME</b> _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
nv	false	Integer			true	
d	false	String			true	

# Original Function Parameters: Component tRESTClient

UNIQUE NAME	tRESTClient_1	INPUT(S)	tXMLMap_3
LABEL	UNIQUE_NAME	OUTPUT(S)	tXMLMap_2

Properties	Values
Unique Name	tRESTClient_1

Component Name	tRESTClient
Version	0.102 (ALPHA)
Family	ESB/REST
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTClient
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
URL	"https://zmapr1:8243/api/v2/table/%2Fapps%2Fiot_demo"
Relative Path	ин
HTTP Method	POST

Content Type	application/json
Accept Type	application/json
Query parameters	[{NAME="mode", VALUE="insertOrReplace"}]
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Input Schema	Built-In
Response Schema	Built-In
Error Schema	Built-In
Use Service Locator	false
Service namespace	"http://www.talend.org/rest/"
Service name	пп
Use Service Activity Monitor	false
Use Authentication	true
Authentication Type	BASIC
Username	context.maprdbuser
Password	context.maprdbpass
Bearer Token	пп
Use Authorization	false
Role	11.11
Use Business Correlation	false
Correlation Value	1111
Check Server Identity	true
Die on error	true

Log messages	false
Follow redirects	false
Allow non-same host redirects	false
Enable WebClient Operation Reporting	true
Convert Response To DOM Document	true
Drop JSON Request Root	true
Wrap JSON Response	true
Convert Types To Strings	false
HTTP Headers	[{NAME="Content-Type", VALUE="application/json"}, {NAME="Accept", VALUE="application/json"}]
Service Locator Custom Properties	
Service Activity Custom Properties	П
Disable chunked encoding	false
Connection timeout (seconds)	30
Receive timeout (seconds)	60
Use HTTP proxy	false
Host	"61.163.92.4"
Port	8080
Username	111
Password	**
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTClient\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
body	false	Document			true	
string	false	String	4048		true	

# Original Function Parameters: Component tRESTRequest

W. 1	UNIQUE NAME	tRESTRequest_1	INPUT(S)	none
	LABEL	UNIQUE_NAME	OUTPUT(S)	tXMLMap_1

omponent Farameters.			
Properties	Values		
Unique Name	tRESTRequest_1		
Component Name	tRESTRequest		
Version	0.101 (ALPHA)		
Family	ESB/REST		
Start	true		
Startable	true		

SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTRequest
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Definition	Built-In
!!!API_ID.NAME!!!	
REPOSITORY_ALLOW_AUTO_SV	WHICH
Schema	Built-In
REST Endpoint	"http://zw8:8088/"
REST API Mapping	[{SCHEMA=bc, HTTP_VERB=GET, URI_PATTERN="/bc/{v}", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}, {SCHEMA=r, HTTP_VERB=GET, URI_PATTERN="/r", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}]
Use Service Locator	false

Service Namespace	"http://www.talend.org/rest/"
Service Name	"Gyro_Test"
Use Service Activity Monitor	false
Use Authentication (ESB runtime only)	false
AUTH_TYPE	BASIC
Use Authorization	false
Use Business Correlation	false
Log messages	false
Wrap JSON Request	false
Service Locator Custom Properties	0
Service Activity Custom Properties	α
Convert JSON values to String in response	false
Expose Swagger specification	false
Include Documentation into Swagger Spec	true
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for WRONG\_CALLS:

Column	Key	Туре	Length	Precision	Nullable	Comment
uri	false	String	255		true	
method	false	String	255		true	
status	false	Integer			true	
error	false	String	1024		true	

#### Schema for bc :

Column	Key	Туре	Length	Precision	Nullable	Comment
V	false	String			true	

### Schema for r :

Column	Key	Туре	Length	Precision	Nullable	Comment
body	false	Document			true	
string	false	String	4048		true	

# Original Function Parameters: Component tRESTResponse

440	UNIQUE NAME	tRESTResponse_1	INPUT(S)	tXMLMap_2
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Properties	Values			
Unique Name	tRESTResponse_1			
Component Name	tRESTResponse			

Version	0.101 (ALPHA)		
Family	ESB/REST		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tRESTResponse		
Update components	true		
IREPORT_PATH			
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java		
Subjob color			
Title color			
Enable parallel execution	false		
Number of parallel executions	2		
PARALLELIZE_KEEP_EMPTY	false		
Return Body Type	id_Document		
Return status code	200		
CUSTOM_STATUS_CODE	200		
REPOSITORY_ALLOW_AUTO_S	WHTEH		
Schema	Built-In		

Response Headers	
Drop JSON Response Root	false
JSON Array Keys	
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse\_1 :

	•	_				
Column	Key	Туре	Length	Precision	Nullable	Comment
body	false	Document			true	

# Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tXMLMap_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tLogRow_1

Properties	Values
tStatCatcher Statistics	false

Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap\_1 ( input ):

**Mapper table Properties (out1):** 

wapper table Froperties out 1).		
Properties	Values	
Name	out1	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( out1 ):

Name	Туре	Expression	isNullable
v	String		true

Constraint Table Entries( out1 ):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table for tMap\_1 ( output ):

**Mapper table Properties (out3):** 

wapper table Froperties outs j.		
Properties	Values	
Name	out3	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( out3 ):

	<u> </u>		
Name	Туре	Expression	isNullable
nv	Integer	Integer.parseInt(out1.v)	true
d	String	TalendDate.getDate("CCYY-MM-DD hh:mm:ss")	true

Constraint Table Entries( out3 ):

	Name	Туре	Expression	isNullable	
- 1					

### Mapper table for tMap\_1 ( var ):

**Mapper table Properties (Var):** 

mapper table i roperties (vai ).		
Values		
Var		
true		
false		
false		
false		
null		

Metadata Table Entries( Var ):

Name	Туре	Expression	isNullable
------	------	------------	------------

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable

#### Component tXMLMap

_ W _	UNIQUE NAME	tXMLMap_1	INPUT(S)	tRESTRequest_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMap_1

Properties	Values
------------	--------

tStatCatcher Statistics	false
Enable parallel execution	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap\_1 ( input ):

**Mapper table Properties (bc):** 

wapper table Froperties ( bc ).		
Properties	Values	
Name	bc	
Matching-mode	ALL_ROWS	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( bc ):

motadata rabio Entrico ( bo ):			
Name	Туре	Expression	isNullable
bc/ v	String		true

Mapper table for tXMLMap\_1 ( output ):

Mapper table Properties( out1 ):

mapper table i reperties out i j.		
Properties	Values	
Name	out1	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( out1 ):

Name		Expression	isNullable
out1/ v	String	bc.v	true

Mapper table for tXMLMap\_1 ( var ):

**Mapper table Properties (Var):** 

mapper table i roperti	mapper table i roperties vai j.			
Properties	Values			
Name	Var			
Matching-mode				
isMinimized	true			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter				

Metadata Table Entries( Var ):

Name	Туре	Expression	isNullable	

#### Component tXMLMap

XML	UNIQUE NAME	tXMLMap_2	INPUT(S)	tRESTClient_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tRESTResponse_1

Properties	Values
tStatCatcher Statistics	false

Enable parallel execution	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap\_2 ( input ):

Mapper table Properties (row2):

mapper table i repetited i enz		
Properties	Values	
Name	row2	
Matching-mode	ALL_ROWS	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( row2 ):

metadata Table Entres (Town ).			
Name	Туре	Expression	isNullable
row2/ statusCode	Integer		true
row2/ body	Document		true
row2.body:/ root	String		true
row2/ string	String		true

### Mapper table for tXMLMap\_2 ( output ):

**Mapper table Properties (out2):** 

mapper table i reperties ( out 2 ):		
Properties	Values	
Name	out2	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( out2 ):

Name	Туре	Expression	isNullable
out2/ body	Document		true
out2.body:/ root	String		true
out2.body:/ root/ statusCode	String	row2.statusCode	true

Mapper table for tXMLMap\_2 ( var ):

**Mapper table Properties(Var):** 

mapper table i reperties ( var ).		
Values		
Var		
true		
false		
false		
false		

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

#### Component tXMLMap

XML	UNIQUE NAME	tXMLMap_3	INPUT(S)	tFileOutputDelimited_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tRESTClient_1

Properties	Values
tStatCatcher Statistics	false

Enable parallel execution	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap\_3 ( input ):

Mapper table Properties (row3):

mapper table i reportise ( i e ire ).		
Properties	Values	
Name	row3	
Matching-mode	ALL_ROWS	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( row3 ):

motadata rabio ziit	111111111111111111111111111111111111111		
Name	Туре	Expression	isNullable
row3/ nv	Integer		true
row3/ d	String		true

Mapper table for tXMLMap\_3 ( output ):

Mapper table Properties (out4):

mapper table Froperties ( out4 ).				
Properties	Values			
Name	out4			
Matching-mode				
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries( out4 ):

metadata Table Littles Out 1.					
Name	Туре	Expression	isNullable		
out4/ body	Document		true		
out4.body:/ root	String		true		
out4.body:/ root/ _id	String	TalendDate.getDate(	ť <b>ω</b> @YY-MM-DD-hh-ო	nm-ss-SSS")	
out4.body:/ root/ sensor	String	row3.nv	true		
out4.body:/ root/ dt	String	row3.d	true		
out4/ string	String		true		

**Mapper table Properties( Var ):** 

5( 401 ):
Values
Var
true
false
false
false

Metadata Table Entries( Var ):

Name	Туре	Expression	isNullable	