

Jobs

Generated by Talend Data Fabric

Project Name	zach-talend	GENERATION DATE	Feb 5, 2019 12:10:51 PM
AUTHOR	Lorenzini, Zach	Talend Data Fabric VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	zach-talend
Language	java
Description	

Description

Properties	Values
Name	Block_API_Users
Author	Lorenzini, Zach
Version	0.1
Purpose	
Status	
Description	
Creation	Sep 5, 2018 11:41:53 AM
Modification	Sep 5, 2018 1:12:22 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

	Name	Prompt	Need Prompt?	Туре	Value	Source	
--	------	--------	--------------	------	-------	--------	--

Component List

Component Name	Component Type
tExtractJSONFields_1	tExtractJSONFields
tLogRow_1	tLogRow
tMap_1	tMap

tRESTClient_1	tRESTClient	

Components Description

Component tExtractJSONFields

VIISON	UNIQUE NAME	tExtractJSONFields_1	INPUT(S)	tMap_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tLogRow_1

Component Parameters:

Component Parameters:	
Properties	Values
Unique Name	tExtractJSONFields_1
Component Name	tExtractJSONFields
Version	0.102 (ALPHA)
Family	Processing/Fields
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tExtractJSONFields
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Property Type	Built-In	
REPOSITORY_ALLOW_AUTO_S\	MITTEH	
Schema	Built-In	
Read By	JSONPATH	
API version	2_1_0	
JSON field	string	
Loop XPath query	"/"	
Loop Jsonpath query	"\$"	
Mapping	[{SCHEMA_COLUMN=string, QUERY="/", NODECHECK=true, ISARRAY=true}]	
Mapping	[{SCHEMA_COLUMN=string, QUERY="\$"}]	
Die on error	false	
Schema	Built-In	
!!!SCHEMA_OPT_NUM.NAME!!!	100	
!!!DESTINATION.NAME!!!	tExtractJSONFields_1	
Encoding	"UTF-8"	
!!!SPLIT_LIST.NAME!!!	true	

Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tExtractJSONFields_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
		Турс	Longth	1 100131011	Italiable	
string	false	String	4048		true	

Original Function Parameters: Component tLogRow

UNIQUE NAME	tLogRow_1	INPUT(S)	tExtractJSONFields_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false

SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_S	₩HĪ€H
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false

Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=string, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1:

Odificilia for	trogiton_i	•				
Column	Key	Туре	Length	Precision	Nullable	Comment
string	false	String	4048		true	

Original Function Parameters: Component tRESTClient

	REST	UNIQUE NAME	tRESTClient_1	INPUT(S)	none
--	------	----------------	---------------	----------	------

LABEL	UNIQUE_NAME_	OUTPUT(S)	tMap_1
-------	--------------	-----------	--------

Component Parameters:

Component Parameters:	
Properties	Values
Unique Name	tRESTClient_1
Component Name	tRESTClient
Version	0.102 (ALPHA)
Family	ESB/REST
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTClient
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
URL	"http://192.168.140.10/bloc/v2.2/users"
Relative Path	""
HTTP Method	GET
Content Type	application/json
Accept Type	application/json
Query parameters	
REPOSITORY_ALLOW_AUTO_SV	ALICH
Input Schema	Built-In
Response Schema	Built-In
Error Schema	Built-In
Use Service Locator	false
Service namespace	"http://www.talend.org/rest/"
Service name	""
Use Service Activity Monitor	false
Use Authentication	false
Authentication Type	BASIC
Username	"username"
Password	******
Bearer Token	H11
Use Authorization	false
Role	III

г


Use Business Correlation	false
Correlation Value	""
Check Server Identity	true
Die on error	true
Log messages	false
Follow redirects	false
Allow non-same host redirects	false
Enable WebClient Operation Reporting	true
Convert Response To DOM Document	false
Drop JSON Request Root	false
Wrap JSON Response	true
Convert Types To Strings	false
HTTP Headers	[{NAME="accept", VALUE="application/json"}]
Service Locator Custom Properties	O
Service Activity Custom Properties	П
Disable chunked encoding	false
Connection timeout (seconds)	30
Receive timeout (seconds)	60
Use HTTP proxy	false
Host	"61.163.92.4"
Port	8080
Username	11.11


Password	**
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTClient_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
body	false	Document			true	
string	false	String	4048		true	

Original Function Parameters: Component tMap





Component Parameters:

Component Parameters:			
Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		
Temp data directory path:			
Max buffer size (nb of rows):	200000		
Ignore trailing zeros for BigDecimal	true		
Show Information	false		
Comment			
Use an existing validation rule	false		

Mapper table for tMap_1 (input):

Mapper table Properties (row1):

mapper table i roperties (row i).			
Properties	Values		
Name	row1		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
statusCode	Integer		true
body	Document		true
string	String		true

Constraint Table Entries(row1):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (output):

Mapper table Properties (row3):

mapper table i reperties	happer table rioperties rows j.			
Properties	Values			
Name	row3			
Matching-mode				
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(row3):

Name	Туре	Expression	isNullable
string	String	row1.string	true

Constraint Table Entries(row3):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

mapper takes reperties	mapper table i repetites var j.			
Properties	Values			
Name	Var			
Matching-mode				
isMinimized	true			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable