



# Jobs

Generated by Talend Data Fabric

Project Name	zach-talend	GENERATION DATE	Feb 5, 2019 12:10:48 PM
AUTHOR	Lorenzini, Zach	Talend Data Fabric VERSION	7.1.1.20181026_1147

## Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)


## Project Description

Properties	Values
Name	zach-talend
Language	java
Description	

## Description

Properties	Values
Name	metaservletDeployer
Author	Lorenzini, Zach
Version	0.1
Purpose	
Status	
Description	
Creation	Mar 4, 2015 11:40:51 AM
Modification	Sep 28, 2017 12:39:32 PM

## Preview Picture



# Settings

## Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

## Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

## Context List

### ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
newTask	newTask?	false	id_Boolean	false	
jsonRequest	jsonRequest?	false	id_String	null	

firstRow	firstRow?	false	id_Boolean	true	
taskId	taskId?	false	id_String	null	
authUser	authUser?	false	id_String	josh.holman@walgreens.com	
authPass	authPass?	false	id_String	Welcome1	
tacUrl	tacUrl?	false	id_String	https://lla-w02rttal02	
tacPort	tacPort?	false	id_String	8443	
tacEndpoint	tacEndpoint?	false	id_String	perftacbd622/	
tmpPath	tmpPath?	false	id_String	"C:\TEMP\"	
taskName	taskName?	false	id_String		
keystore	keystore?	false	id_String		
taskFile	taskFile?	false	id_String		
taskPath	taskPath?	false	id_String		
errorStatus	errorStatus?	false	id_Boolean	false	

## Component List


Component Name	Component Type
CreateOrUpdateTask_1	CreateOrUpdateTask

GetTaskByLabel_1	GetTaskByLabel
GetTaskByLabel_4	GetTaskByLabel
RequestDeploy_1	RequestDeploy
tDie_1	tDie
tFileDelete_1	tFileDelete
tFileInputJSON_1	tFileInputJSON
tFlowTolterate_1	tFlowTolterate
tHashInput_1	tHashInput
tHashOutput_1	tHashOutput
tJava_1	tJava
tJava_14	tJava
tJava_2	tJava
tJava_9	tJava
tLibraryLoad_1	tLibraryLoad
tSetKeystore_1	tSetKeystore

## Components Description

**Component** tDie

---

	UNIQUE NAME	tDie_1	INPUT(S)	tJava_14
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

### Component Parameters:


Properties	Values
Unique Name	tDie_1
Component Name	tDie
Version	0.102 (ALPHA)
Family	Logs_Errors
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDie
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Die message	"One or more errors occurred during deployment."
Error code	4
Priority	5
Exit the JVM immediately	false
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDie\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tFileDelete

	UNIQUE NAME	tFileDelete_1	INPUT(S)	RequestDeploy_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
------------	--------




Unique Name	tFileDelete_1
Component Name	tFileDelete
Version	0.102 (ALPHA)
Family	File/Management
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileDelete
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
File Name	context.tmpPath+"/"+pid+"_metaServlet.json"
Directory	"C:/TALEND/local_workspace/delete_folder"

File or Directory to delete	"C:/TALEND/local_workspace/delete_folder or delete_file"
Fail on error	true
Delete Folder	false
Delete File Or Folder	false
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileDelete\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tFileInputJSON

	UNIQUE NAME	tFileInputJSON_1	INPUT(S)	tLibraryLoad_1
	LABEL	json_tasklist	OUTPUT(S)	tHashOutput_1 , tHashInput_1

Component Parameters:

Properties	Values
Unique Name	tFileInputJSON_1

Component Name	tFileInputJSON
Version	0.102 (ALPHA)
Family	File/Input Internet
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputJSON
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	WITH
Schema	Built-In

Read By	JSONPATH
API version	2_1_0
Use Uri	false
URL	"C:/Users/jholmamk/Downloads/task_list.json"
Filename	context.taskPath+"/"+context.taskFile
Loop XPath query	"/bills/bill/line"
Loop Json query	"\$"
Mapping	<pre>[{SCHEMA_COLUMN=project, QUERY=}, {SCHEMA_COLUMN=name, QUERY=}, {SCHEMA_COLUMN=description, QUERY=}, {SCHEMA_COLUMN=active, QUERY=}, {SCHEMA_COLUMN=contextName, QUERY=}, {SCHEMA_COLUMN=applyContextToChildren, QUERY=}, {SCHEMA_COLUMN=logLevel, QUERY=}, {SCHEMA_COLUMN=statisticsEnabled, QUERY=}, {SCHEMA_COLUMN=onUnavailableJobServer, QUERY=}, {SCHEMA_COLUMN=timeout, QUERY=}, {SCHEMA_COLUMN=pauseTriggerOnError, QUERY=}, {SCHEMA_COLUMN=repository, QUERY=}, {SCHEMA_COLUMN=groupId, QUERY=}, {SCHEMA_COLUMN=artifactId, QUERY=}, {SCHEMA_COLUMN=version, QUERY=}, {SCHEMA_COLUMN=executionServer, QUERY=}]</pre>
Mapping	<pre>[{SCHEMA_COLUMN=project, QUERY="project"}, {SCHEMA_COLUMN=name, QUERY="task.name"}, {SCHEMA_COLUMN=description, QUERY="task.description"}, {SCHEMA_COLUMN=active, QUERY="task.active"}, {SCHEMA_COLUMN=contextName, QUERY="parameters.contextName"}, {SCHEMA_COLUMN=applyContextToChildren, QUERY="parameters.applyContextToChildren"}, {SCHEMA_COLUMN=logLevel, QUERY="parameters.logLevel"}, {SCHEMA_COLUMN=statisticsEnabled, QUERY="parameters.statisticsEnabled"}, {SCHEMA_COLUMN=onUnavailableJobServer, QUERY="parameters.onUnavailableJobServer"}, {SCHEMA_COLUMN=timeout, QUERY="parameters.timeout"}, {SCHEMA_COLUMN=pauseTriggerOnError, QUERY="parameters.pauseTriggerOnError"}, {SCHEMA_COLUMN=repository, QUERY="nexus.repository"}, {SCHEMA_COLUMN=groupId, QUERY="nexus.groupId"}, {SCHEMA_COLUMN=artifactId, QUERY="nexus.artifactId"}, {SCHEMA_COLUMN=version, QUERY="nexus.version"}, {SCHEMA_COLUMN=executionServer, QUERY="executionServer"}]</pre>

Mapping	<pre>[{SCHEMA_COLUMN=project, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=name, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=description, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=active, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=contextName, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=applyContextToChildren, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=logLevel, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=statisticsEnabled, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=onUnavailableJobServer, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=timeout, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=pauseTriggerOnError, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=repository, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=groupId, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=artifactId, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=version, QUERY=, NODECHECK=false}, {SCHEMA_COLUMN=executionServer, QUERY=, NODECHECK=false}]</pre>
Die on error	true
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	"."
Validate date	false
Encoding	"UTF-8"
Label format	json_tasklist
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


#### Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

project	false	String	7		true	
name	false	String	12		true	
description	false	String	24		true	
active	false	Boolean	4		true	
contextName	false	String	7		true	
applyContextToChildren	false	Boolean	5		true	
logLevel	false	String	5		true	
statisticsEnabled	false	Boolean	4		true	
onUnavailableJobServer	false	String	12		true	
timeout	false	Integer	4		true	
pauseTriggerOnError	false	Boolean	5		true	
repository	false	String	14		true	
groupId	false	String	22		true	
artifactId	false	String	7		true	
version	false	String	3	2	true	
executionServer	false	String	13		true	

**Original Function Parameters:**  
**Component tFlowTolterate**

---

	UNIQUE NAME	tFlowTolterate_1	INPUT(S)	tHashInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJava_1

### Component Parameters:


Properties	Values
Unique Name	tFlowTolterate_1
Component Name	tFlowTolterate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFlowTolterate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
Use the default (key, value) in global variables.	true
Customize	[]
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowTolterate\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tHashInput

	UNIQUE NAME	tHashInput_1	INPUT(S)	tFileInputJSON_1
	LABEL	tasks	OUTPUT(S)	tFlowTolterate_1 , tJava_14

Component Parameters:

Properties	Values
Unique Name	tHashInput_1
Component Name	tHashInput



Version	0.102 (ALPHA)
Family	Technical
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.Hash
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Link with a tHashOutput	true
Component list	tHashOutput_1


Data from file	"C:/TALEND/Talend-Studio-20160704_1411-V6.2.1/Talend-Studio-20160704_1411-V6.2.1/worksp
Clear cache after reading	false
Label format	tasks
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tHashInput\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
project	false	String	7		true	
name	false	String	12		true	
description	false	String	24		true	
active	false	Boolean	4		true	
contextName	false	String	7		true	
applyContextToChildren	false	Boolean	5		true	
logLevel	false	String	5		true	
statisticsEnabled	false	Boolean	4		true	
onUnavailableJobServer	false	String	12		true	

timeout	false	Integer	4		true	
pauseTriggerOnError	false	Boolean	5		true	
repository	false	String	14		true	
groupId	false	String	22		true	
artifactId	false	String	7		true	
version	false	String	3	2	true	
executionServer	false	String	13		true	

Original Function Parameters:  
Component tHashOutput

	UNIQUE NAME	tHashOutput_1	INPUT(S)	tFileInputJSON_1
	LABEL	tasks	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tHashOutput_1
Component Name	tHashOutput
Version	0.101 (ALPHA)
Family	Technical
Startable	false
SUBTREE_START	false
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.Hash
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Link with a tHashOutput	false
Component list	
Data write model	MEMORY
File to persist data	"C:/TALEND/Talend-Studio-20160704_1411-V6.2.1/Talend-Studio-20160704_1411-V6.2.1/worksp
Max memory heap size(MB)	2
Keys management	KEEP_ALL
Append	false
hash key from input connector	false


Label format	tasks
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
project	false	String	7		true	
name	false	String	12		true	
description	false	String	24		true	
active	false	Boolean	4		true	
contextName	false	String	7		true	
applyContextToChildren	false	Boolean	5		true	
logLevel	false	String	5		true	
statisticsEnabled	false	Boolean	4		true	
onUnavailableJobServer	false	String	12		true	
timeout	false	Integer	4		true	

pauseTriggerOnError	false	Boolean	5		true	
repository	false	String	14		true	
groupId	false	String	22		true	
artifactId	false	String	7		true	
version	false	String	3	2	true	
executionServer	false	String	13		true	

Original Function Parameters:  
Component tJava

	UNIQUE NAME	tJava_1	INPUT(S)	tFlowTolterate_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJava_2

Component Parameters:


Properties	Values
Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	//String foo = "bar";
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

## Schema for tJava\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

### Original Function Parameters: Component tJava

	UNIQUE NAME	tJava_14	INPUT(S)	tHashInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDie_1

### Component Parameters:

Properties	Values
Unique Name	tJava_14
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java




Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	//Any cleanup/post tasks
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

**Schema for tJava\_14 :**

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

**Original Function Parameters:**  
**Component tJava**

	UNIQUE NAME	tJava_2	INPUT(S)	tJava_1
	LABEL	setVars	OUTPUT(S)	GetTaskByLabel_1

**Component Parameters:**

---


Properties	Values
Unique Name	tJava_2
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Code	context.firstRow = true; context.jsonRequest = ""; context.taskId = ""; context.newTask = false; context.taskId = null; context.taskName = (String)globalMap.get("row2.name"); System.out.println("Beginning deployment for : " + context.taskName);
Import	//import java.util.List;
Schema	Built-In
Label format	setVars
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tJava\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

### Original Function Parameters: Component tJava

	UNIQUE NAME	tJava_9	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tSetKeystore_1</a>

### Component Parameters:

Properties	Values
Unique Name	tJava_9
Component Name	tJava
Version	0.101 (ALPHA)


Family	Custom_Code
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.setProperty("file.encoding","UTF-8"); context.tacUrl = System.getenv("TAC_URL"); context.tacPort = System.getenv("TAC_PORT"); context.tacEndpoint = System.getenv("TAC_ENDPOINT"); context.authUser = System.getenv("TAC_USER"); context.authPass = System.getenv("TAC_PASS"); context.keystore = System.getenv("KEYSTORE"); context.tmpPath = System.getenv("FILE_PATH"); context.taskPath = System.getenv("TASK_PATH"); context.taskFile = System.getenv("TASK_FILE");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__

Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava\_9 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tLibraryLoad


	UNIQUE NAME	tLibraryLoad_1	INPUT(S)	tSetKeystore_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileInputJSON_1

Component Parameters:

Properties	Values
Unique Name	tLibraryLoad_1
Component Name	tLibraryLoad
Version	0.102 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLibraryLoad
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Library	"commons-codec-1.9.jar"
Dynamics Libs	[]
Import	//import java.util.List; import org.apache.commons.codec.binary.Base64;
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

**Original Function Parameters:**  
**Component tSetKeystore**


	UNIQUE NAME	tSetKeystore_1	INPUT(S)	tJava_9
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLibraryLoad_1

**Component Parameters:**

Properties	Values
Unique Name	tSetKeystore_1
Component Name	tSetKeystore
Version	0.102 (ALPHA)
Family	Internet
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
TrustStore type	JKS
TrustStore file	context.keystore
TrustStore password	*****
Need Client authentication	false
KeyStore type	JKS
KeyStore file	"C:/client.keystore"
KeyStore password	*****
Check server identity	false
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:  
Component    CreateOrUpdateTask

	UNIQUE NAME	CreateOrUpdateTask_1	INPUT(S)	<a href="#">GetTaskByLabel_1</a>




	LABEL	CreateOrUpdateTask	OUTPUT(S)	<a href="#">GetTaskByLabel_4</a>
--	-------	--------------------	-----------	----------------------------------

### Component Parameters:

Properties	Values
Version	Latest
Joblet TRIGGER_INPUT_1	COMPONENT_OK
Show Information	false
Comment	

### Component GetTaskByLabel

	UNIQUE NAME	GetTaskByLabel_1	INPUT(S)	<a href="#">tJava_2</a>
	LABEL	GetTaskByLabel	OUTPUT(S)	<a href="#">CreateOrUpdateTask_1</a>

### Component Parameters:

Properties	Values
Version	Latest
Joblet TRIGGER_INPUT_1	COMPONENT_OK
Show Information	false
Comment	


### Component GetTaskByLabel

	UNIQUE NAME	GetTaskByLabel_4	INPUT(S)	CreateOrUpdateTask_1
	LABEL	GetTaskByLabel	OUTPUT(S)	RequestDeploy_1

#### Component Parameters:

Properties	Values
Version	Latest
Joblet TRIGGER_INPUT_1	COMPONENT_OK
Show Information	false
Comment	

#### Component RequestDeploy

	UNIQUE NAME	RequestDeploy_1	INPUT(S)	GetTaskByLabel_4
	LABEL	RequestDeploy	OUTPUT(S)	tFileDelete_1

#### Component Parameters:

Properties	Values
Version	Latest
Joblet TRIGGER_INPUT_1	COMPONENT_OK
Show Information	false

Comment	
---------	--