Jobs

Generated by Talend Data Fabric

Project Name	zach-talend	GENERATION DATE	Feb 5, 2019 12:10:18 PM
AUTHOR	Lorenzini, Zach	Talend Data Fabric VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	zach-talend
Language	java
Description	

Description

Properties	Values
Name	Informatica_3_Complex
Author	Lorenzini, Zach
Version	0.1
Purpose	
Status	
Description	
Creation	Jan 24, 2019 10:47:55 AM
Modification	Jan 29, 2019 3:31:19 PM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true

Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tDBInput_1	tMSSqlInput
tDBInput_2	tMSSqlInput
tDBOutput_1	tMSSqlOutput
tMap_1	tMap

Components Description

Component   tMSSqlInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_1
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):sql1
Host	"192.168.50.2"
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"HEB"
Username	"sa"
Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"SDIPRDMST"
Query Type	Built-In
Guess Schema	""
Query	"SELECT * FROM dbo.SDIPRDMST"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"

Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=ORG_LVL_CHILD, TRIM=false}, {SCHEMA_COLUMN=PRD_LVL_CHILD, TRIM=false}, {SCHEMA_COLUMN=ISS_TECH_KEY, TRIM=false}, {SCHEMA_COLUMN=ALT_TECH_KEY, TRIM=false}, {SCHEMA_COLUMN=TRAN_TYPE, TRIM=false}, {SCHEMA_COLUMN=AUDIT_NUMBER, TRIM=false}, {SCHEMA_COLUMN=ISS_TYPE, TRIM=false}, {SCHEMA_COLUMN=ORG_LVL_NUMBER, TRIM=false}, {SCHEMA_COLUMN=PRD_LVL_NUMBER, TRIM=false}, {SCHEMA_COLUMN=PRD_LVL_PARENT, TRIM=false}, {SCHEMA_COLUMN=PRD_LVL_ID, TRIM=false}, {SCHEMA_COLUMN=PRD_LVL_PARENT_NUM, TRIM=false}, {SCHEMA_COLUMN=PRD_NAME_FULL, TRIM=false}, {SCHEMA_COLUMN=PRD_TARGETGM, TRIM=false}, {SCHEMA_COLUMN=PRD_LVL_ACTIVE, TRIM=false}, {SCHEMA_COLUMN=PRD_STYLE_IND, TRIM=false}, {SCHEMA_COLUMN=PRD_STATUS, TRIM=false}, {SCHEMA_COLUMN=GRP_AUDIT_NUMBER, TRIM=false}, {SCHEMA_COLUMN=PRD_PDH_KEY_1, TRIM=false}, {SCHEMA_COLUMN=PRD_PDH_NAME_1, TRIM=false}, {SCHEMA_COLUMN=PRD_PDD_KEY_1, TRIM=false}, {SCHEMA_COLUMN=PRD_PDD_CODE_1, TRIM=false}, {SCHEMA_COLUMN=PRD_PDH_KEY_2, TRIM=false}, {SCHEMA_COLUMN=PRD_PDH_NAME_2, TRIM=false}, {SCHEMA_COLUMN=PRD_PDD_KEY_2, TRIM=false}, {SCHEMA_COLUMN=PRD_PDD_CODE_2, TRIM=false}, {SCHEMA_COLUMN=PRD_PDH_KEY_3, TRIM=false}, {SCHEMA_COLUMN=PRD_PDH_NAME_3, TRIM=false}, {SCHEMA_COLUMN=PRD_PDD_KEY_3, TRIM=false}, {SCHEMA_COLUMN=PRD_PDD_CODE_3, TRIM=false}, {SCHEMA_COLUMN=DATE_CREATED, TRIM=false}, {SCHEMA_COLUMN=PRD_UOM_SIZE, TRIM=false}, {SCHEMA_COLUMN=PRD_SLL_UOM, TRIM=false}, {SCHEMA_COLUMN=PRD_COMP_UOM, TRIM=false}, {SCHEMA_COLUMN=PRD_COMP_NAME, TRIM=false}, {SCHEMA_COLUMN=PRD_CONV_QTY, TRIM=false}, {SCHEMA_COLUMN=PRD_CROSS_DOCK, TRIM=false}, {SCHEMA_COLUMN=PRD_LVL_NUMBER_OLD, TRIM=false}, {SCHEMA_COLUMN=PRD_LVL_PARENT_NUM_OLD, TRIM=false}, {SCHEMA_COLUMN=VENDOR_NUMBER, TRIM=false}, {SCHEMA_COLUMN=SPP_SET_PRD_CHILD, TRIM=false}, {SCHEMA_COLUMN=ALT_SLL_UOM_1, TRIM=false}, {SCHEMA_COLUMN=ALT_SLL_UOM_2, TRIM=false}, {SCHEMA_COLUMN=VAR_WEIGHT_ITEM, TRIM=false}, {SCHEMA_COLUMN=VAR_WEIGHT_TYPE, TRIM=false}, {SCHEMA_COLUMN=PRD_SKU_TYPE, TRIM=false}, {SCHEMA_COLUMN=PRD_SHRINK_RATE, TRIM=false}, {SCHEMA_COLUMN=PRD_WASTE_CODE, TRIM=false}, {SCHEMA_COLUMN=UOM_DESC, TRIM=false}, {SCHEMA_COLUMN=PRD_SIZE_UOM, TRIM=false}, {SCHEMA_COLUMN=PRD_SIZE_UOM_DESC, TRIM=false}, {SCHEMA_COLUMN=MANDATORY_PLU, TRIM=false}, {SCHEMA_COLUMN=ATR_COL_COD_TECH_KEY, TRIM=false}, {SCHEMA_COLUMN=ATR_COL_COD, TRIM=false}, {SCHEMA_COLUMN=ATR_COL_COD_DESC, TRIM=false}, {SCHEMA_COLUMN=LASTUPDATE, TRIM=false}]
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for SDIPRDMST :

Column	Key	Type	Length	Precision	Nullable	Comment
ORG_LVL_CHILD	false	BigDecimal	12		false	
PRD_LVL_CHILD	false	BigDecimal	12		false	
ISS_TECH_KEY	false	BigDecimal	12		false	
ALT_TECH_KEY	false	BigDecimal	12		false	
TRAN_TYPE	false	String	1		false	
AUDIT_NUMBER	false	BigDecimal	12		false	
ISS_TYPE	false	String	1		true	
ORG_LVL_NUMBER	false	long	12		false	
PRD_LVL_NUMBER	false	long	15		false	
PRD_LVL_PARENT	false	BigDecimal	12		true	
PRD_LVL_ID	false	BigDecimal	5		true	
PRD_LVL_PARENT_NUM	false	String	15		true	

PRD_NAME_FULL	false	String	50		true	
PRD_TARGETGM	false	BigDecimal	7	3	true	
PRD_LVL_ACTIVE	false	String	1		true	
PRD_STYLE_IND	false	String	1		true	
PRD_STATUS	false	Integer	2		true	
GRP_AUDIT_NUMBER	false	BigDecimal	12		true	
PRD_PDH_KEY_1	false	BigDecimal	12		true	
PRD_PDH_NAME_1	false	String	30		true	
PRD_PDD_KEY_1	false	BigDecimal	12		true	
PRD_PDD_CODE_1	false	String	6		true	
PRD_PDH_KEY_2	false	BigDecimal	12		true	
PRD_PDH_NAME_2	false	String	30		true	
PRD_PDD_KEY_2	false	BigDecimal	12		true	
PRD_PDD_CODE_2	false	String	6		true	
PRD_PDH_KEY_3	false	BigDecimal	12		true	
PRD_PDH_NAME_3	false	String	30		true	
PRD_PDD_KEY_3	false	BigDecimal	12		true	

PRD_PDD_CODE_3	false	String	6		true	
DATE_CREATED	false	java.util.Date	23	3	true	
PRD_UOM_SIZE	false	BigDecimal	13	7	true	
PRD_SLL_UOM	false	String	6		true	
PRD_COMP_UOM	false	String	6		true	
PRD_COMP_NAME	false	String	50		true	
PRD_CONV_QTY	false	BigDecimal	13	7	true	
PRD_CROSS_DOCK	false	String	1		true	
PRD_LVL_NUMBER_OLD	false	String	15		true	
PRD_LVL_PARENT_NUM_OLD	false	String	15		true	
VENDOR_NUMBER	false	String	10		true	
SPP_SET_PRD_CHILD	false	BigDecimal	12		true	
ALT_SLL_UOM_1	false	String	6		true	
ALT_SLL_UOM_2	false	String	6		true	
VAR_WEIGHT_ITEM	false	String	1		true	
VAR_WEIGHT_TYPE	false	String	1		true	
PRD_SKU_TYPE	false	String	6		true	

PRD_SHRINK_RATE	false	BigDecimal	4	2	true	
PRD_WASTE_CODE	false	String	6		true	
UOM_DESC	false	String	50		true	
PRD_SIZE_UOM	false	String	6		true	
PRD_SIZE_UOM_DESC	false	String	50		true	
MANDATORY_PLU	false	String	1		true	
ATR_COL_COD_TECH_KEY	false	String	25		true	
ATR_COL_COD	false	String	10		true	
ATR_COL_COD_DESC	false	String	40		true	
LASTUPDATE	false	java.util.Date	23	3	true	

Original Function Parameters:
Component   tMSSqlInput

	UNIQUE NAME	tDBInput_2	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_2
Component Name	tMSSqlInput

Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):sql1
Host	"192.168.50.2"

JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"HEB"
Username	"sa"
Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MSSQL):sql1 - ESTADO
Table Name	"ESTADO"
Query Type	Built-In
Guess Schema	""
Query	"SELECT * FROM dbo.ESTADO"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=CODIGOHEB, TRIM=false}, {SCHEMA_COLUMN=DESCRIPCIONHEB, TRIM=false}, {SCHEMA_COLUMN=ESTATUSPRODPMM, TRIM=false}]
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for ESTADO :

Column	Key	Type	Length	Precision	Nullable	Comment
CODIGOHEB	false	String	1		true	
DESCRIPCIONHEB	false	String	50		true	
ESTATUSPRODPMM	true	int	10		false	

Original Function Parameters:
Component   tMSSqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_1 , tDBInput_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMSSqlOutput
Unique Name	tDBOutput_1
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server

Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MSSQL):sql1
Use an existing connection	false
Component List	
JDBC Provider	JTDS
Host	"192.168.50.2"
Port	"1433"
Schema	"dbo"

Database	"HEB"
Database Driver	MSSQL
Username	"sa"
Password	**********
Table	"OINSU"
Action on table	TRUNCATE
Turn on Identity insert	false
Action on data	INSERT
Specify identity field	false
Identity field	INS_ARTICULO
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Commit every	10000

Additional columns	[]
Use field options	false
	[{SCHEMA_COLUMN=INS_ARTICULO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_SUCURSAL, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_PAGINA, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_EXISTENCIA, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_CANTPED, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_CANTDESP, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_COSTO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_TICOMPRA, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_ESTADO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_PRECIOVTA, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_PREANT, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_PROVSUG, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FEULTCONT, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_CAMBIOACT, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_OFERTA, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_CONTAB, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_CONTEO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FEPRECIO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FEING, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FEMOD, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_TECLA, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_MINIMO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_MOD, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_MARGEN, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_PRECONT, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_ULCOSTO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_ESAUTO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FECULTENT, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FOLULTENT, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_PRECNORM, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FECEXI, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FECULTMOV, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_PRECIOESP, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_PRESINIVA, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_TIPULTMOV, UPDATE_KEY=false,

Field options	DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FRENTES, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=XXX_ORIGEN, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=XXX_REMOTO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ADB_SOURCE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=STATUS_SUR, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=STATUS_PROD, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=LASTUPDATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=X_LASTUPDATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_EXISTENCIA_PREPACK, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_EXISTENCIA_DETALLE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_FEFINPRECIO, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_PROMOLEVEL, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_HDRNUMBER, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=FechaMod, UPDATE_KEY=false, DELETE_KEY=false,

	UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=INS_IMPUESTOS, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for OINSU :

Column	Key	Type	Length	Precision	Nullable	Comment
INS_ARTICULO	false	Long	10		true	
INS_SUCURSAL	false	Long	5		true	
INS_PAGINA	false	Integer	10		true	
INS_EXISTENCIA	false	Double	53		true	
INS_CANTPED	false	Integer	10		true	

INS_CANTDESP	false	Integer	10		true	
INS_COSTO	false	Double	53		true	
INS_TICOMPRA	false	String	2		true	
INS_ESTADO	false	String	1		true	
INS_PRECIOVTA	false	Integer	10		true	
INS_PREANT	false	Double	53		true	
INS_PROVSUG	false	Integer	10		true	
INS_FEULTCONT	false	Integer	10		true	
INS_CAMBIOACT	false	Short	5		true	
INS_OFERTA	false	Short	5		true	
INS_CONTAB	false	Short	5		true	
INS_CONTEO	false	Integer	10		true	
INS_FEPRECIO	false	Integer	10		true	
INS_FEING	false	Integer	10		true	
INS_FEMOD	false	Integer	10		true	
INS_TECLA	false	Short	5		true	
INS_MINIMO	false	Integer	10		true	

INS_MOD	false	String	1		true	
INS_MARGEN	false	Integer	10		true	
INS_PRECONT	false	Double	53		true	
INS_ULCOSTO	false	Double	53		true	
INS_ESAUTO	false	String	1		true	
INS_FECULTENT	false	Integer	10		true	
INS_FOLULTENT	false	Integer	10		true	
INS_PRECNORM	false	Double	53		true	
INS_FECEXI	false	Integer	10		true	
INS_FECULTMOV	false	Integer	10		true	
INS_PRECIOESP	false	Integer	10		true	
INS_PRESINIVA	false	Integer	10		true	
INS_TIPULTMOV	false	String	2		true	
INS_FRENTES	false	Short	5		true	
XXX_ORIGEN	false	String	20		true	
XXX_REMOTO	false	Short	5		true	
ADB_SOURCE	false	String	1		true	

STATUS_SUR	false	String	1		true	
STATUS_PROD	false	String	1		true	
LASTUPDATE	false	java.util.Date	23	3	true	
X_LASTUPDATE	false	java.util.Date	23	3	true	
INS_EXISTENCIA_PREPACK	false	Double	53		true	
INS_EXISTENCIA_DETALLE	false	Double	53		true	
INS_FEFINPRECIO	false	Integer	10		true	
INS_PROMOLEVEL	false	Integer	10		true	
INS_HDRNUMBER	false	Integer	10		true	
FechaMod	false	java.util.Date	23	3	true	
INS_IMPUESTOS	false	BigDecimal	11	5	true	

Original Function Parameters:
Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tMap_1 , tDBInput_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):
  Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
ORG_LVL_CHILD	BigDecimal		false
PRD_LVL_CHILD	BigDecimal		false
ISS_TECH_KEY	BigDecimal		false
ALT_TECH_KEY	BigDecimal		false
TRAN_TYPE	String		false
AUDIT_NUMBER	BigDecimal		false
ISS_TYPE	String		true

ORG_LVL_NUMBER	long		false
PRD_LVL_NUMBER	long		false
PRD_LVL_PARENT	BigDecimal		true
PRD_LVL_ID	BigDecimal		true
PRD_LVL_PARENT_NUM	String		true
PRD_NAME_FULL	String		true
PRD_TARGETGM	BigDecimal		true
PRD_LVL_ACTIVE	String		true
PRD_STYLE_IND	String		true
PRD_STATUS	Integer		true
GRP_AUDIT_NUMBER	BigDecimal		true
PRD_PDH_KEY_1	BigDecimal		true
PRD_PDH_NAME_1	String		true
PRD_PDD_KEY_1	BigDecimal		true
PRD_PDD_CODE_1	String		true
PRD_PDH_KEY_2	BigDecimal		true
PRD_PDH_NAME_2	String		true

PRD_PDD_KEY_2	BigDecimal		true
PRD_PDD_CODE_2	String		true
PRD_PDH_KEY_3	BigDecimal		true
PRD_PDH_NAME_3	String		true
PRD_PDD_KEY_3	BigDecimal		true
PRD_PDD_CODE_3	String		true
DATE_CREATED	java.util.Date		true
PRD_UOM_SIZE	BigDecimal		true
PRD_SLL_UOM	String		true
PRD_COMP_UOM	String		true
PRD_COMP_NAME	String		true
PRD_CONV_QTY	BigDecimal		true
PRD_CROSS_DOCK	String		true
PRD_LVL_NUMBER_OLD	String		true
PRD_LVL_PARENT_NUM_OLD	String		true
VENDOR_NUMBER	String		true
SPP_SET_PRD_CHILD	BigDecimal		true

Name	Type	Expression	isNullable
ALT_SLL_UOM_1	String		true
ALT_SLL_UOM_2	String		true
VAR_WEIGHT_ITEM	String		true
VAR_WEIGHT_TYPE	String		true
PRD_SKU_TYPE	String		true
PRD_SHRINK_RATE	BigDecimal		true
PRD_WASTE_CODE	String		true
UOM_DESC	String		true
PRD_SIZE_UOM	String		true
PRD_SIZE_UOM_DESC	String		true
MANDATORY_PLU	String		true
ATR_COL_COD_TECH_KEY	String		true
ATR_COL_COD	String		true
ATR_COL_COD_DESC	String		true
LASTUPDATE	java.util.Date		true

Constraint Table Entries(row1):

Name	Type	Expression	isNullable

Mapper table Properties(row2):

Properties	Values
Name	row2
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row2):

Name	Type	Expression	isNullable
CODIGOHEB	String		true
DESCRIPCIONHEB	String		true
ESTATUSPRODPMM	int	row1.PRD_STATUS	false

Constraint Table Entries(row2):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):
   Mapper table Properties(out1):

Properties	Values
Name	out1
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	row1.ORG_LVL_NUMBER != 0

Metadata Table Entries(out1):

Name	Type	Expression	isNullable
INS_ARTICULO	Long	row1.PRD_LVL_NUMBER	true
INS_SUCURSAL	Long	row1.ORG_LVL_NUMBER	true
INS_PAGINA	Integer		true
INS_EXISTENCIA	Double		true
INS_CANTPED	Integer		true
INS_CANTDESP	Integer		true
INS_COSTO	Double		true

INS_TICOMPRA	String		true
INS_ESTADO	String	row2.CODIGOHEB	true
INS_PRECIOVTA	Integer		true
INS_PREANT	Double		true
INS_PROVSUG	Integer		true
INS_FEULTCONT	Integer		true
INS_CAMBIOACT	Short		true
INS_OFERTA	Short		true
INS_CONTAB	Short		true
INS_CONTEO	Integer		true
INS_FEPRECIO	Integer	row1.LASTUPDATE.getDate() + (1 + row1.LASTUPDATE.getMonth()) * 100 + (1900 + row1.LASTUPDATE.getYear()) * 10000	true
INS_FEING	Integer	row1.DATE_CREATED.getDate() + (1 + row1.DATE_CREATED.getMonth()) * 100 + (1900 + row1.DATE_CREATED.getYear()) * 10000	true
INS_FEMOD	Integer	row1.LASTUPDATE.getDate() + (1 + row1.LASTUPDATE.getMonth()) * 100 + (1900 + row1.LASTUPDATE.getYear()) * 10000	true

INS_TECLA	Short		true
INS_MINIMO	Integer		true
INS_MOD	String		true
INS_MARGEN	Integer		true
INS_PRECONT	Double		true
INS_ULCOSTO	Double		true
INS_ESAUTO	String		true
INS_FECULTENT	Integer		true
INS_FOLULTENT	Integer		true
INS_PRECNORM	Double		true
INS_FECEXI	Integer		true
INS_FECULTMOV	Integer		true
INS_PRECIOESP	Integer		true
INS_PRESINIVA	Integer		true
INS_TIPULTMOV	String		true
INS_FRENTES	Short		true
XXX_ORIGEN	String		true

XXX_REMOTO	Short		true
ADB_SOURCE	String		true
STATUS_SUR	String		true
STATUS_PROD	String		true
LASTUPDATE	java.util.Date		true
X_LASTUPDATE	java.util.Date		true
INS_EXISTENCIA_PREPACK	Double		true
INS_EXISTENCIA_DETALLE	Double		true
INS_FEFINPRECIO	Integer		true
INS_PROMOLEVEL	Integer		true
INS_HDRNUMBER	Integer		true
FechaMod	java.util.Date		true
INS_IMPUESTOS	BigDecimal		true

Constraint Table Entries(out1):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable