



# Jobs

Generated by Talend Data Fabric

Project Name	zach-talend	GENERATION DATE	Feb 5, 2019 12:10:30 PM
AUTHOR	Lorenzini, Zach	Talend Data Fabric VERSION	7.1.1.20181026_1147

## Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

## Project Description

Properties	Values
Name	zach-talend
Language	java
Description	

## Description

Properties	Values
Name	Informatica_1_Basic_2_HT
Author	Lorenzini, Zach
Version	0.1
Purpose	
Status	
Description	
Creation	Dec 13, 2018 2:47:01 PM
Modification	Feb 5, 2019 9:20:14 AM

## Preview Picture



## Settings

### Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false

Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

## Context List

### ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
store_list	store_list?	false	id_String		
query_string	query_string?	false	id_String		
filter_condition	filter_condition?	false	id_String		


## Component List

---

Component Name	Component Type
tAggregateRow_1	tAggregateRow
tDBInput_1	tMSSqlInput
tDBInput_2	tMSSqlInput
tDBOutput_1	tMSSqlOutput
tFilterRow_16	tFilterRow
tHashInput_1	tHashInput
tHashOutput_1	tHashOutput
tJavaRow_1	tJavaRow
tJava_1	tJava
tJoin_1	tJoin
tMap_1	tMap

## Components Description

### Component tAggregateRow

	UNIQUE NAME	tAggregateRow_1	INPUT(S)	tFilterRow_16
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJavaRow_1

### Component Parameters:

Properties	Values
Unique Name	tAggregateRow_1
Component Name	tAggregateRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tAggregateRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In


Group by	[[OUTPUT_COLUMN=UNG_KUnidadNegocio_PS, INPUT_COLUMN=UNG_KUnidadNegocio_PS]]
Operations	[[OUTPUT_COLUMN=CountOfK, FUNCTION=count, INPUT_COLUMN=UNG_KUnidadNegocio_PS, IGNORE_NULL=false]]
Delimiter (only for list operation)	","
Use financial precision, this is the max precision for "sum" and "avg" operations, checked option heaps more memory and slower than unchecked.	true
Check type overflow (slower)	false
Check ULP (Unit in the Last Place), ensure that a value will be incremented or decremented correctly, only for float and double types. (slower)	false
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for TH\_SOS\_ServDomicilio :

Column	Key	Type	Length	Precision	Nullable	Comment
UNG_KUnidadNegocio_PS	false	String			true	
CountOfK	false	Integer			true	

**Original Function Parameters:**  
**Component tMSSqlInput**

---

	UNIQUE NAME	tDBInput_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tJoin_1</a>

### Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_1
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	



Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	tDBConnection_1
Property Type	repository: DB (MSSQL):sql1
Host	"192.168.50.2"
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"HEB"
Username	"sa"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	True
Schema	repository: DB (MSSQL):sql1 - TH_SOS_ServDomicilio
Table Name	"TH_SOS_ServDomicilio"
Query Type	Built-In
Guess Schema	""
Query	"SELECT dbo.TH_SOS_ServDomicilio.TPO_CPeriodo, dbo.TH_SOS_ServDomicilio.UNG_KUnidadNegocio_PS, dbo.TH_SOS_ServDomicilio.DEP_KDepto_PS, dbo.TH_SOS_ServDomicilio.TSM_KCtaContable, dbo.TH_SOS_ServDomicilio.TIE_KTipoEntrega, dbo.TH_SOS_ServDomicilio.TSM_Amt, dbo.TH_SOS_ServDomicilio.TSM_Pct, dbo.TH_SOS_ServDomicilio.TSM_Ajustes FROM dbo.TH_SOS_ServDomicilio"
Specify a data source alias	false


Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[[{SCHEMA_COLUMN=TPO_CPeriodo, TRIM=false}, {SCHEMA_COLUMN=UNG_KUnidadNegocio_PS, TRIM=false}, {SCHEMA_COLUMN=DEP_KDepto_PS, TRIM=false}, {SCHEMA_COLUMN=TSM_KCtaContable, TRIM=false}, {SCHEMA_COLUMN=TIE_KTipoEntrega, TRIM=false}, {SCHEMA_COLUMN=TSM_Amt, TRIM=false}, {SCHEMA_COLUMN=TSM_Pct, TRIM=false}, {SCHEMA_COLUMN=TSM_Ajustes, TRIM=false}]
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for TH\_SOS\_ServDomicilio :

Column	Key	Type	Length	Precision	Nullable	Comment
TPO_CPeriodo	true	String	7		false	
UNG_KUnidadNegocio_PS	true	String	5		false	
DEP_KDepto_PS	true	String	10		false	
TSM_KCtaContable	true	int	10		false	

TIE_KTipoEntrega	true	short	5		false	
TSM_Amt	false	Double	53		true	
TSM_Pct	false	Double	53		true	
TSM_Ajustes	false	Double	53		true	

**Original Function Parameters:**  
**Component tMSSqlInput**

	UNIQUE NAME	tDBInput_2	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tJoin_1</a>

**Component Parameters:**

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_2
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	tDBConnection_1
Property Type	repository: DB (MSSQL):sql1
Host	"192.168.50.2"
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"HEB"
Username	"sa"
Password	*****

REPOSITORY_ALLOW_AUTO_SWITCH	WITH
Schema	repository: DB (MSSQL):sql1 - Td_Tiempo
Table Name	"Td_Tiempo"
Query Type	Built-In
Guess Schema	""
Query	"SELECT dbo.Td_Tiempo.TPO_KFecha, dbo.Td_Tiempo.TPO_TFecha, dbo.Td_Tiempo.TPO_DFecha, dbo.Td_Tiempo.TPO_CSemPeriodo, dbo.Td_Tiempo.TPO_CSemFiscal, dbo.Td_Tiempo.TPO_CPeriodo, dbo.Td_Tiempo.TPO_CQuarter, dbo.Td_Tiempo.TPO_CAnioFiscal, dbo.Td_Tiempo.TPO_DFinSemana, dbo.Td_Tiempo.TPO_DDiaSemana, dbo.Td_Tiempo.TPO_DQuincena, dbo.Td_Tiempo.TPO_CMes, dbo.Td_Tiempo.TPO_CAnio, dbo.Td_Tiempo.TPO_CFestivo, dbo.Td_Tiempo.TPO_DFestivo, dbo.Td_Tiempo.TPO_DSemPeriodo, dbo.Td_Tiempo.TPO_DSemFiscal, dbo.Td_Tiempo.TPO_DPeriodo, dbo.Td_Tiempo.TPO_DQuarter, dbo.Td_Tiempo.TPO_CDiaSemana, dbo.Td_Tiempo.TPO_DSemanaNielsen, dbo.Td_Tiempo.TPO_DPeriodoNielsen, dbo.Td_Tiempo.TPO_DAnioNielsen, dbo.Td_Tiempo.TPO_DCatorcena, dbo.Td_Tiempo.TPO_CFecha, dbo.Td_Tiempo.TPO_CMesNatural, dbo.Td_Tiempo.TPO_DMesNatural, dbo.Td_Tiempo.TPO_CDiaMes, dbo.Td_Tiempo.TPO_CSemPorPeriodo, dbo.Td_Tiempo.TPO_DSemPorPeriodo, dbo.Td_Tiempo.TPO_DSemFiscalLY, dbo.Td_Tiempo.TPO_CSemanaEvento, dbo.Td_Tiempo.TPO_DSemanaEvento, dbo.Td_Tiempo.TPO_CAnioEvento, dbo.Td_Tiempo.TPO_DAnioEvento, dbo.Td_Tiempo.TPO_KFechaLY, dbo.Td_Tiempo.tpo_CPeriodo_LP, dbo.Td_Tiempo.tpo_CPeriodo_LY, dbo.Td_Tiempo.tpo_CSemfiscal_LW, dbo.Td_Tiempo.tpo_CSemfiscal_LY, dbo.Td_Tiempo.tpo_Csemfiscal_PLY, dbo.Td_Tiempo.TPO_KAnio, dbo.Td_Tiempo.TPO_KAnioFiscal, dbo.Td_Tiempo.TPO_KAnio_LY, dbo.Td_Tiempo.TPO_KAnioFiscal_LY, dbo.Td_Tiempo.TPO_CMes_LY, dbo.Td_Tiempo.TPO_CQuarter_LY, dbo.Td_Tiempo.TPO_CAnio_LY, dbo.Td_Tiempo.TPO_CAnioFiscal_LY, dbo.Td_Tiempo.TPO_KFecha_LW, dbo.Td_Tiempo.TPO_KFecha_LP, dbo.Td_Tiempo.TPO_DQuarterInt, dbo.Td_Tiempo.TPO_DQuarterShort FROM dbo.Td_Tiempo"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false

Trim column	<pre>[{SCHEMA_COLUMN=TPO_KFecha, TRIM=false}, {SCHEMA_COLUMN=TPO_TFecha, TRIM=false}, {SCHEMA_COLUMN=TPO_DFecha, TRIM=false}, {SCHEMA_COLUMN=TPO_CSemPeriodo, TRIM=false}, {SCHEMA_COLUMN=TPO_CSemFiscal, TRIM=false}, {SCHEMA_COLUMN=TPO_CPeriodo, TRIM=false}, {SCHEMA_COLUMN=TPO_CQuarter, TRIM=false}, {SCHEMA_COLUMN=TPO_CAnioFiscal, TRIM=false}, {SCHEMA_COLUMN=TPO_DFinSemana, TRIM=false}, {SCHEMA_COLUMN=TPO_DDiaSemana, TRIM=false}, {SCHEMA_COLUMN=TPO_DQuincena, TRIM=false}, {SCHEMA_COLUMN=TPO_CMes, TRIM=false}, {SCHEMA_COLUMN=TPO_CAnio, TRIM=false}, {SCHEMA_COLUMN=TPO_CFestivo, TRIM=false}, {SCHEMA_COLUMN=TPO_DFestivo, TRIM=false}, {SCHEMA_COLUMN=TPO_DSemPeriodo, TRIM=false}, {SCHEMA_COLUMN=TPO_DSemFiscal, TRIM=false}, {SCHEMA_COLUMN=TPO_DPeriodo, TRIM=false}, {SCHEMA_COLUMN=TPO_DQuarter, TRIM=false}, {SCHEMA_COLUMN=TPO_CDiaSemana, TRIM=false}, {SCHEMA_COLUMN=TPO_DSemanaNielsen, TRIM=false}, {SCHEMA_COLUMN=TPO_DPeriodoNielsen, TRIM=false}, {SCHEMA_COLUMN=TPO_DAnioNielsen, TRIM=false}, {SCHEMA_COLUMN=TPO_DCatorcena, TRIM=false}, {SCHEMA_COLUMN=TPO_CFecha, TRIM=false}, {SCHEMA_COLUMN=TPO_CMesNatural, TRIM=false}, {SCHEMA_COLUMN=TPO_DMesNatural, TRIM=false}, {SCHEMA_COLUMN=TPO_CDiaMes, TRIM=false}, {SCHEMA_COLUMN=TPO_CSemPorPeriodo, TRIM=false}, {SCHEMA_COLUMN=TPO_DSemPorPeriodo, TRIM=false}, {SCHEMA_COLUMN=TPO_DSemFiscalLY, TRIM=false}, {SCHEMA_COLUMN=TPO_CSemanaEvento, TRIM=false}, {SCHEMA_COLUMN=TPO_DSemanaEvento, TRIM=false}, {SCHEMA_COLUMN=TPO_CAnioEvento, TRIM=false}, {SCHEMA_COLUMN=TPO_DAnioEvento, TRIM=false}, {SCHEMA_COLUMN=TPO_KFechaLY, TRIM=false}, {SCHEMA_COLUMN=tpo_CPeriodo_LP, TRIM=false}, {SCHEMA_COLUMN=tpo_CPeriodo_LY, TRIM=false}, {SCHEMA_COLUMN=tpo_CSemfiscal_LW, TRIM=false}, {SCHEMA_COLUMN=tpo_CSemfiscal_LY, TRIM=false}, {SCHEMA_COLUMN=tpo_Csemfiscal_PLY, TRIM=false}, {SCHEMA_COLUMN=TPO_KAnio, TRIM=false}, {SCHEMA_COLUMN=TPO_KAnioFiscal, TRIM=false}, {SCHEMA_COLUMN=TPO_KAnio_LY, TRIM=false}, {SCHEMA_COLUMN=TPO_KAnioFiscal_LY, TRIM=false}, {SCHEMA_COLUMN=TPO_CMes_LY, TRIM=false}, {SCHEMA_COLUMN=TPO_CQuarter_LY, TRIM=false}, {SCHEMA_COLUMN=TPO_CAnio_LY, TRIM=false}, {SCHEMA_COLUMN=TPO_CAnioFiscal_LY, TRIM=false}, {SCHEMA_COLUMN=TPO_KFecha_LW, TRIM=false}, {SCHEMA_COLUMN=TPO_KFecha_LP, TRIM=false}, {SCHEMA_COLUMN=TPO_DQuarterInt, TRIM=false}, {SCHEMA_COLUMN=TPO_DQuarterShort, TRIM=false}]</pre>
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for Td\_Tiempo :

Column	Key	Type	Length	Precision	Nullable	Comment
TPO_KFecha	true	int	10		false	
TPO_TFecha	false	java.util.Date	23	3	true	
TPO_DFecha	false	String	10		false	
TPO_CSemPeriodo	false	String	10		false	
TPO_CSemFiscal	false	String	7		false	
TPO_CPeriodo	false	String	7		false	
TPO_CQuarter	false	String	6		false	
TPO_CAnioFiscal	false	String	4		false	
TPO_DFinSemana	false	String	10		true	
TPO_DDiaSemana	false	String	10		true	
TPO_DQuincena	false	String	10		true	
TPO_CMes	false	String	7		false	
TPO_CAnio	false	String	4		false	


TPO_CFestivo	false	Short	5		true	
TPO_DFestivo	false	String	50		true	
TPO_DSemPeriodo	false	String	20		true	
TPO_DSemFiscal	false	String	20		true	
TPO_DPeriodo	false	String	20		true	
TPO_DQuarter	false	String	20		true	
TPO_CDiaSemana	false	Short	5		true	
TPO_DSemanaNielsen	false	String	7		true	
TPO_DPeriodoNielsen	false	String	7		true	
TPO_DAnioNielsen	false	String	7		true	
TPO_DCatorcena	false	String	10		true	
TPO_CFecha	false	int	10		false	
TPO_CMesNatural	false	Integer	10		true	
TPO_DMesNatural	false	String	18		true	
TPO_CDiaMes	false	Integer	10		true	
TPO_CSemPorPeriodo	false	Integer	10		true	
TPO_DSemPorPeriodo	false	String	6		true	



TPO_DSemFiscalLY	false	String	20		true	
TPO_CSemanaEvento	false	String	10		true	
TPO_DSemanaEvento	false	String	50		true	
TPO_CAnioEvento	false	String	10		true	
TPO_DAnioEvento	false	String	50		true	
TPO_KFechaLY	false	Integer	10		true	
tpo_CPeriodo_LP	false	String	7		true	
tpo_CPeriodo_LY	false	String	7		true	
tpo_CSemfiscal_LW	false	String	7		true	
tpo_CSemfiscal_LY	false	String	7		true	
tpo_Csemfiscal_PLY	false	String	7		true	
TPO_KAnio	false	Integer	10		true	
TPO_KAnioFiscal	false	Integer	10		true	
TPO_KAnio_LY	false	Integer	10		true	
TPO_KAnioFiscal_LY	false	Integer	10		true	
TPO_CMes_LY	false	String	7		true	
TPO_CQuarter_LY	false	String	6		true	

TPO_CAnio_LY	false	String	4		true	
TPO_CAnioFiscal_LY	false	String	4		true	
TPO_KFecha_LW	false	int	10		false	
TPO_KFecha_LP	false	int	10		false	
TPO_DQuarterInt	false	Integer	10		true	
TPO_DQuarterShort	false	String	3		true	

Original Function Parameters:  
Component tMSSqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMSSqlOutput
Unique Name	tDBOutput_1
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MSSQL):sql2
Use an existing connection	false
Component List	tDBConnection_2
JDBC Provider	JTDS
Host	"192.168.50.3"
Port	"1433"
Schema	"dbo"
Database	"HEB"
Database Driver	MSSQL
Username	"sa"

Password	*****
Table	"TH_SOS_ServDomicilio"
Action on table	TRUNCATE
Turn on Identity insert	false
Action on data	INSERT_OR_UPDATE
Specify identity field	false
Identity field	TPO_CPeriodo
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false


Field options	<pre>[{SCHEMA_COLUMN=TPO_CPeriodo, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=UNG_KUnidadNegocio_PS, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DEP_KDepto_PS, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=TSM_KCtaContable, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=TIE_KTipoEntrega, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=TSM_Amt, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=TSM_Pct, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]</pre>
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for TH\_SOS\_ServDomicilio :

Column	Key	Type	Length	Precision	Nullable	Comment
TPO_CPeriodo	true	String	7		false	
UNG_KUnidadNegocio_PS	true	String	5		false	

DEP_KDeppto_PS	true	String	10		false	
TSM_KCtaContable	true	int	10		false	
TIE_KTipoEntrega	true	short	5		false	
TSM_Amt	false	Double	53		true	
TSM_Pct	false	Double	53		true	

Original Function Parameters:  
Component   tFilterRow

	UNIQUE NAME	tFilterRow_16	INPUT(S)	tHashOutput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tAggregateRow_1

Component Parameters:

Properties	Values
Unique Name	tFilterRow_16
Component Name	tFilterRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false


tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Schema	Built-In
Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	[{INPUT_COLUMN=TSM_KCtaContable, FUNCTION=, OPERATOR===, RVALUE=901}, {INPUT_COLUMN=TSM_Amt, FUNCTION=, OPERATOR=>, RVALUE=0}]
Use advanced mode	false
Advanced	// code sample : use input_row to define the condition. // input_row.columnName1.equals("foo")   !(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2)
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for TH\_SOS\_ServDomicilio :

Column	Key	Type	Length	Precision	Nullable	Comment
TPO_CPeriodo	true	String	7		false	
UNG_KUnidadNegocio_PS	true	String	5		false	
DEP_KDepto_PS	true	String	10		false	
TSM_KCtaContable	true	int	10		false	
TIE_KTipoEntrega	true	short	5		false	
TSM_Amt	false	Double	53		true	
TSM_Pct	false	Double	53		true	
TSM_Ajustes	false	Double	53		true	
TPO_KFecha	true	int	10		false	

Original Function Parameters:  
Component tHashInput

	UNIQUE NAME	tHashInput_1	INPUT(S)	tJava_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_1



## Component Parameters:

Properties	Values
Unique Name	tHashInput_1
Component Name	tHashInput
Version	0.102 (ALPHA)
Family	Technical
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.Hash
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false


REPOSITORY_ALLOW_AUTO_SWITCH	TH
Schema	repository: DB (MSSQL):sql1 - TH_SOS_ServDomicilio
Link with a tHashOutput	true
Component list	tHashOutput_1
Data from file	"C:/Users/zach/workspace/in.hash"
Clear cache after reading	false
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for TH\_SOS\_ServDomicilio :

Column	Key	Type	Length	Precision	Nullable	Comment
TPO_CPeriodo	true	String	7		false	
UNG_KUnidadNegocio_PS	true	String	5		false	
DEP_KDepto_PS	true	String	10		false	
TSM_KCtaContable	true	int	10		false	
TIE_KTipoEntrega	true	short	5		false	

TSM_Amt	false	Double	53		true	
TSM_Pct	false	Double	53		true	
TSM_Ajustes	false	Double	53		true	

**Original Function Parameters:**  
**Component tHashOutput**

	UNIQUE NAME	tHashOutput_1	INPUT(S)	tJoin_1 , tDBInput_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFilterRow_16

**Component Parameters:**

Properties	Values
Unique Name	tHashOutput_1
Component Name	tHashOutput
Version	0.101 (ALPHA)
Family	Technical
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.Hash
Update components	true


IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Link with a tHashOutput	false
Component list	
Data write model	MEMORY
File to persist data	"C:/Users/zach/workspace/in.hash"
Max memory heap size(MB)	2
Keys management	KEEP_ALL
Append	true
hash key from input connector	false
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for TH\_SOS\_ServDomicilio :

Column	Key	Type	Length	Precision	Nullable	Comment
TPO_CPeriodo	true	String	7		false	
UNG_KUnidadNegocio_PS	true	String	5		false	
DEP_KDepto_PS	true	String	10		false	
TSM_KCtaContable	true	int	10		false	
TIE_KTipoEntrega	true	short	5		false	
TSM_Amt	false	Double	53		true	
TSM_Pct	false	Double	53		true	
TSM_Ajustes	false	Double	53		true	
TPO_KFecha	true	int	10		false	

Original Function Parameters:  
Component tJavaRow

	UNIQUE NAME	tJavaRow_1	INPUT(S)	tAggregateRow_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJava_1

Component Parameters:

Properties	Values
------------	--------


Unique Name	tJavaRow_1
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Code	context.store_list += input_row.UNG_KUnidadNegocio_PS + ",";

Import	//import java.util.List;
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaRow\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tJava

	UNIQUE NAME	tJava_1	INPUT(S)	tJavaRow_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tHashInput_1

Component Parameters:

Properties	Values
Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	<pre>context.query_string = "SELECT [TPO_CPeriodo], [UNG_KUnidadNegocio_PS], [DEP_KDepto_PS],[TSM_KCtaContable], [TIE_KTipoEntrega], [TSM_Amt], [TSM_Pct] FROM TH_SOS_ServDomicilio WHERE UNG_KUnidadNegocio_PS IN (" + context.store_list.substring(0, context.store_list.length() - 1) + ") ORDER BY UNG_KUnidadNegocio_PS, TSM_KCtaContable"; String[] stores = context.store_list.split(","); for (int i = 0; i &lt; stores.length; i++) { context.filter_condition += "row8.UNG_KUnidadNegocio.equals(\"" + stores[i] + "\")    "; } context.filter_condition = context.filter_condition.substring(0, context.filter_condition.length() - 4); System.out.println(context.filter_condition);</pre>
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row




Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tJava\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

### Original Function Parameters: Component tJoin

	UNIQUE NAME	tJoin_1	INPUT(S)	tJoin_1 , tDBInput_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tHashOutput_1

### Component Parameters:

Properties	Values
Unique Name	tJoin_1
Component Name	tJoin
Version	0.101 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false


Help	org.talend.help.tJoin
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Include lookup columns in output	true
Column mapping	[{OUTPUT_COLUMN=TPO_KFecha, LOOKUP_COLUMN=TPO_KFecha}]
Key definition	[{INPUT_COLUMN=TPO_CPeriodo, LOOKUP_COLUMN=TPO_CPeriodo}]
Inner join ( with reject output )	true
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false


Validation Rule Type	
----------------------	--

Schema for TH\_SOS\_ServDomicilio :

Column	Key	Type	Length	Precision	Nullable	Comment
TPO_CPeriodo	true	String	7		false	
UNG_KUnidadNegocio_PS	true	String	5		false	
DEP_KDepto_PS	true	String	10		false	
TSM_KCtaContable	true	int	10		false	
TIE_KTipoEntrega	true	short	5		false	
TSM_Amt	false	Double	53		true	
TSM_Pct	false	Double	53		true	
TSM_Ajustes	false	Double	53		true	
TPO_KFecha	true	int	10		false	

Original Function Parameters:  
Component tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tHashInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_1



**Component Parameters:**

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

**Mapper table for tMap\_1 ( input ):**  
**Mapper table Properties( row8 ):**

Properties	Values
Name	row8
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row8 ):**

Name	Type	Expression	isNullable
TPO_CPeriodo	String		false
UNG_KUnidadNegocio_PS	String		false
DEP_KDepto_PS	String		false
TSM_KCtaContable	int		false
TIE_KTipoEntrega	short		false
TSM_Amt	Double		true
TSM_Pct	Double		true
TSM_Ajustes	Double		true

**Constraint Table Entries( row8 ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table for tMap\_1 ( output ):**

**Mapper table Properties( out1 ):**

Properties	Values
Name	out1
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	row8.UNG_KUnidadNegocio_PS.equals("926")

**Metadata Table Entries( out1 ):**

Name	Type	Expression	isNullable
TPO_CPeriodo	String	row8.TPO_CPeriodo	false
UNG_KUnidadNegocio_PS	String	row8.UNG_KUnidadNegocio_PS	false
DEP_KDepto_PS	String	row8.DEP_KDepto_PS	false
TSM_KCtaContable	int	row8.TSM_KCtaContable	false
TIE_KTipoEntrega	short	row8.TIE_KTipoEntrega	false
TSM_Amt	Double	row8.TSM_Amt	true
TSM_Pct	Double	row8.TSM_Pct	true

**Constraint Table Entries( out1 ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Mapper table for tMap\_1 ( var ):**

**Mapper table Properties( Var ):**

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( Var ):**

Name	Type	Expression	isNullable
------	------	------------	------------

**Constraint Table Entries( Var ):**

Name	Type	Expression	isNullable
------	------	------------	------------