

# Jobs

## Generated by Talend Data Fabric

Project Name	zach-talend	GENERATION DATE	Feb 5, 2019 12:10:43 PM
AUTHOR	Lorenzini, Zach	Talend Data Fabric VERSION	7.1.1.20181026_1147

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


### **Project Description**

Properties	Values
Name	zach-talend
Language	java
Description	

# **Description**

Properties	Values
Name	Gyro_Test
Author	Lorenzini, Zach
Version	0.1
Purpose	
Status	
Description	
Creation	Dec 3, 2018 10:10:20 AM
Modification	Dec 3, 2018 3:24:10 PM

### **Preview Picture**



# **Settings**

#### Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

#### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true

Catch user errors	true
Catch user warnings	true

#### **Context List**

#### ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source

## **Component List**

Component Name	Component Type
tLogRow_1	tLogRow
tMap_1	tMap
tRESTRequest_1	tRESTRequest
tRESTResponse_1	tRESTResponse
tXMLMap_1	tXMLMap
tXMLMap_2	tXMLMap

## **Components Description**

Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tMap_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tXMLMap_2	

Component Parameters:		
Properties	Values	
Unique Name	tLogRow_1	
Component Name	tLogRow	
Version	0.101 (ALPHA)	
Family	Logs_Errors	
Startable	false	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tLogRow	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	

PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	WHIEH
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=nv, LENGTH=10}, {SCHEMA_COLUMN=d, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow\_1:

Column	Key		Length	Precision	Nullable	Comment
nv	false	Integer			true	
d	false	java.util.Date			true	

# Original Function Parameters: Component tRESTRequest

UNIQUE NAME	tRESTRequest_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tXMLMap_1

Component Parameters:			
Properties	Values		
Unique Name	tRESTRequest_1		
Component Name	tRESTRequest		
Version	0.101 (ALPHA)		
Family	ESB/REST		
Start	true		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	false		

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTRequest
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Definition	Built-In
!!!API_ID.NAME!!!	
REPOSITORY_ALLOW_AUTO_SV	интен
Schema	Built-In
REST Endpoint	"http://zw8:8088/"
REST API Mapping	[{SCHEMA=bc, HTTP_VERB=GET, URI_PATTERN="/bc/{v}", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}]
Use Service Locator	false
Service Namespace	"http://www.talend.org/rest/"
Service Name	"Gyro_Test"
Use Service Activity Monitor	false

Use Authentication (ESB runtime only)	false
AUTH_TYPE	BASIC
Use Authorization	false
Use Business Correlation	false
Log messages	false
Wrap JSON Request	false
Service Locator Custom Properties	O Company of the comp
Service Activity Custom Properties	O C
Convert JSON values to String in response	false
Expose Swagger specification	false
Include Documentation into Swagger Spec	true
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for WRONG CALLS:

Column	Key		Length	Precision	Nullable	Comment
uri	false	String	255		true	

method	false	String	255	true	
status	false	Integer		true	
error	false	String	1024	true	

Schema for bc :

Column	Key	Туре	Length	Precision	Nullable	Comment
v	false	String			true	

# Original Function Parameters: Component tRESTResponse

 UNIQUE NAME	tRESTResponse_1	INPUT(S)	tXMLMap_2
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Unique Name	tRESTResponse_1		
Component Name	tRESTResponse		
Version	0.101 (ALPHA)		
Family	ESB/REST		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		


tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SV	MITCH
Schema	Built-In
Response Headers	0
Drop JSON Response Root	false
JSON Array Keys	
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false


Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
body	false	Document			true	

# Original Function Parameters: Component tMap





Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO

Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap\_1 ( input ):

**Mapper table Properties (out1):** 

napper table Properties out 1).			
Properties	Values		
Name	out1		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( out1 ):

Name	Туре	Expression	isNullable
v	String		true

Constraint Table Entries( out1 ):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table for tMap\_1 ( output ):

**Mapper table Properties (out3):** 

happer table i roperties outo j.				
Properties	Values			
Name	out3			
Matching-mode				
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

**Metadata Table Entries( out3 ):** 

Name	Туре	Expression	isNullable
nv	Integer	Integer.parseInt(out1.v)	true
d	java.util.Date	TalendDate.getCurrentDate()	true

**Constraint Table Entries( out3 ):** 

|--|

#### Mapper table for tMap\_1 ( var ):

**Mapper table Properties (Var):** 

Happer table i Toperties ( vai ).				
Values				
Var				
true				
false				
false				
false				
null				

Metadata Table Entries( Var ):

Name	Туре	Expression	isNullable
------	------	------------	------------

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable

#### Component tXMLMap

_ W _	UNIQUE NAME	tXMLMap_1	INPUT(S)	tRESTRequest_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMap_1

Properties	Values
------------	--------

tStatCatcher Statistics	false
Enable parallel execution	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap\_1 ( input ):

**Mapper table Properties (bc):** 

wiapper table Froperties ( bc ).		
Properties	Values	
Name	bc	
Matching-mode	ALL_ROWS	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( bc ):

motadata rabio Em	1100( 20 )1		
Name	Туре	Expression	isNullable
bc/ v	String		true

Mapper table for tXMLMap\_1 ( output ):

Mapper table Properties( out1 ):

mapper table i repetites out i j.		
Properties	Values	
Name	out1	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( out1 ):

Name		Expression	isNullable
out1/ v	String	bc.v	true

Mapper table for tXMLMap\_1 ( var ):

**Mapper table Properties (Var):** 

mapper table i repetites var j.		
Values		
Var		
true		
false		
false		
false		

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable
----	------	------------	------------

#### Component tXMLMap

XML	UNIQUE NAME	tXMLMap_2	INPUT(S)	tLogRow_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tRESTResponse_1

Properties	Values
tStatCatcher Statistics	false

Enable parallel execution	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap\_2 ( input ):

**Mapper table Properties( row1 ):** 

mapper table i reperties	2(1011)
Properties	Values
Name	row1
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row1 ):** 

Name	Туре	Expression	isNullable
row1/ nv	Double		true
row1/ d	java.util.Date		true

#### Mapper table for tXMLMap\_2 ( output ):

**Mapper table Properties (out2):** 

mapper table i roperties	5( 00.12 ).
Properties	Values
Name	out2
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( out2 ):

Name	Туре	Expression	isNullable
out2/ body	Document		true
out2.body:/ root	String		true
out2.body:/ root/ nv	String	row1.nv	true
out2.body:/ root/ d	String	row1.d	true

#### Mapper table for tXMLMap\_2 ( var ):

**Mapper table Properties (Var):** 

Mapper table Propertie	5( vai ).
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable	
----	------	------------	------------	--