TemplateSyntaxError at /purchase/

Could not parse the remainder: '=' from 'selected_status='

Request Method:	GET
Request URL:	http://127.0.0.1:8000/purchase/
Django Version:	6.0.3
Exception Type:	TemplateSyntaxError
Exception Value:	`Could not parse the remainder: '=' from 'selected_status='`
Exception Location:	c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 776, in __init__
Raised during:	purchase.views.pr_list
Python Executable:	c:\dev\a8_oa\.venv\Scripts\python.exe
Python Version:	3.14.3
Python Path:	`['c:\\dev\\a8_oa', 'C:\\Users\\LEVIN-Z\\AppData\\Local\\Python\\pythoncore-3.14-64\\python314.zip', 'C:\\Users\\LEVIN-Z\\AppData\\Local\\Python\\pythoncore-3.14-64\\DLLs', 'C:\\Users\\LEVIN-Z\\AppData\\Local\\Python\\pythoncore-3.14-64\\Lib', 'C:\\Users\\LEVIN-Z\\AppData\\Local\\Python\\pythoncore-3.14-64', 'c:\\dev\\a8_oa\\.venv', 'c:\\dev\\a8_oa\\.venv\\Lib\\site-packages']`
Server time:	Wed, 08 Apr 2026 19:58:13 +0000

Error during template rendering

In template `c:\dev\a8_oa\purchase\templates\purchase\pr_list.html`, error at line **21**

Could not parse the remainder: '=' from 'selected_status='

```
11
12 <div class="card">
13     <h2>Search / Filter</h2>
14     <form method="get">
15         <div class="action-row">
16             <input type="text" name="q" value="{{ search_q }}" placeholder="Search PR No, title, project">
17
18             <select name="status">
19                 <option value="">All Statuses</option>
20                 {% for value, label in status_choices %}
21                 <option value="{{ value }}" {% if selected_status= =value %}selected{% endif %}>
22                     {{ label }}
23                 </option>
24                 {% endfor %}
25             </select>
26
27             <select name="project">
28                 <option value="">All Projects</option>
29                 {% for project in project_options %}
30                 <option value="{{ project.project_id }}" {% if selected_project= =project.project_id|stringformat:"s" %}selected{% endif %}>
31                     {{ project.project__project_code }} - {{ project.project__project_name }}
```

Traceback Switch to copy-and-paste view

`c:\dev\a8_oa\.venv\Lib\site-packages\django\template\smartif.py`, line 181, in translate_token

```
181.             op = OPERATORS[token]
                      ^^^^^^^^^^^^^^^^
```

▶ Local vars

During handling of the above exception ('selected_status='), another exception occurred:

`c:\dev\a8_oa\.venv\Lib\site-packages\django\core\handlers\exception.py`, line 55, in inner

```
55.                 response = get_response(request)
                               ^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

`c:\dev\a8_oa\.venv\Lib\site-packages\django\core\handlers\base.py`, line 198, in _get_response

```
198.                response = wrapped_callback(request, *callback_args, **callback_kwargs)
                               ^^^
```

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 585, in parse

```
585.                    raise self.error(token, e)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 583, in parse

```
583.                    compiled_result = compile_func(self, token)
                                          ^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\loader_tags.py, line 307, in do_extends

```
307.     nodelist = parser.parse()
                    ^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 585, in parse

```
585.                    raise self.error(token, e)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 583, in parse

```
583.                    compiled_result = compile_func(self, token)
                                          ^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\loader_tags.py, line 235, in do_block

```
235.     nodelist = parser.parse(("endblock",))
                    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 585, in parse

```
585.                    raise self.error(token, e)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 583, in parse

```
583.                    compiled_result = compile_func(self, token)
                                          ^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\defaulttags.py, line 894, in do_for

```
894.     nodelist_loop = parser.parse(
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 585, in parse

```
585.                    raise self.error(token, e)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 583, in parse

```
583.                    compiled_result = compile_func(self, token)
                                          ^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\defaulttags.py, line 993, in do_if

```
993.     condition = TemplateIfParser(parser, bits).parse()
                     ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\defaulttags.py, line 926, in __init__

```
926.         super().__init__(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\smartif.py, line 172, in __init__

```
172.            mapped_tokens.append(self.translate_token(token))
                                     ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\smartif.py, line 183, in translate_token

```
183.            return self.create_var(token)
                       ^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\defaulttags.py, line 929, in create_var

```
929.        return TemplateLiteral(self.template_parser.compile_filter(value), value)
                                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 676, in compile_filter

```
676.        return FilterExpression(token, self)
                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

c:\dev\a8_oa\.venv\Lib\site-packages\django\template\base.py, line 776, in __init__

```
776.            raise TemplateSyntaxError(
                ^
```

▼ Local vars

Variable	Value
constant	None
filters	[]
match	<re.Match object; span=(0, 15), match='selected_status'>
matches	<callable_iterator object at 0x0000025C0B73BB20>
parser	<Parser tokens=[<Block token: "endblock...">, <Text token: " </tbody> ...">, <Block token: "endfor...">, <Text token: " <tr> ...">, <Block token: "empty...">, <Text token: " </t...">, <Block token: "endif...">, <Text token: " ...">, <Block token: "else...">, <Text token: "">Edit</a> ...">, <Block token: "url 'purchase:pr_edi...">, <Text token: " ...">, <Block token: "if pr.can_edit...">, <Text token: "</td> ...">, <Var token: "pr.request_date...">, <Text token: "</td> ...">, <Var token: "pr.estimated_total...">, <Text token: " ...">, <Var token: "pr.currency...">, <Text token: "</td> ...">, <Var token: "pr.approval_progress...">, <Text token: "</td> ...">, <Var token: "pr.current_approver...">, <Text token: " </td> ...">, <Var token: "pr.current_step...">, <Text token: "</td> ...">, <Var token: "pr.project...">, <Text token: "</td> ...">, <Var token: "pr.request_departmen...">, <Text token: "</td> ...">, <Var token: "pr.requester...">, <Text token: "</td> ...">, <Var token: "pr.status...">, <Text token: " </td> ...">, <Var token: "pr.title...">, <Text token: "</a></td> ...">, <Var token: "pr.pr_no...">, <Text token: "">...">, <Block token: "url 'purchase:pr_det...">, <Text token: " <tr> ...">, <Block token: "for pr in purchase_r...">, <Text token: "">Reset</a> ...">, <Block token: "url 'purchase:pr_lis...">, <Text token: " </selec...">, <Block token: "endfor...">, <Text token: " </o...">, <Var token: "project.project__pro...">, <Text token: " - ...">, <Var token: "project.project__pro...">, <Text token: "> ...">, <Block token: "endif...">, <Text token: "selected...">, <Block token: "if selected_project=...">, <Text token: "" ...">, <Var token: "project.project_id...">, <Text token: " <op...">, <Block token: "for project in proje...">, <Text token: " </selec...">, <Block token: "endfor...">, <Text token: " </o...">, <Var token: "label...">, <Text token: "> ...">, <Block token: "endif...">, <Text token: "selected...">]>
self	<FilterExpression 'selected_status='>
start	0
token	'selected_status='
upto	15
var	'selected_status'
var_obj	<Variable: 'selected_status'>

Request information

USER Levin-Z

GET No GET data

POST No POST data

FILES No FILES data

COOKIES

Variable	Value
csrftoken	'********** ********** **********

Variable	Value
ALLUSERSPROFILE	'C:\\ProgramData'
APPDATA	'C:\\Users\\LEVIN-Z\\AppData\\Roaming'
COMMONPROGRAMFILES	'C:\\Program Files\\Common Files'
COMMONPROGRAMFILES(X86)	'C:\\Program Files (x86)\\Common Files'
COMMONPROGRAMW6432	'C:\\Program Files\\Common Files'
COMPUTERNAME	'LEVIN-ZHOU-PC2'
COMSPEC	'C:\\WINDOWS\\system32\\cmd.exe'
CONTENT_LENGTH	''
CONTENT_TYPE	'text/plain'
CSRF_COOKIE	'vmTQCgpLGZ6HDKhjSQNULWRDH4mVIZXY'
DEFLOGDIR	'C:\\ProgramData\\McAfee\\Endpoint Security\\Logs'
DJANGO_SETTINGS_MODULE	'config.settings'
DRIVERDATA	'C:\\Windows\\System32\\Drivers\\DriverData'
EFC_20164_1262719628	'1'
EFC_20164_1592913036	'1'
EFC_20164_2283032206	'1'
EFC_20164_2775293581	'1'
EFC_20164_3789132940	'1'
FPS_BROWSER_APP_PROFILE_STRING	'Internet Explorer'
FPS_BROWSER_USER_PROFILE_STRING	'Default'
GATEWAY_INTERFACE	'CGI/1.1'
HOMEDRIVE	'C:'
HOMEPATH	'\\Users\\LEVIN-Z'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br, zstd'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9'
HTTP_CONNECTION	'keep-alive'
HTTP_COOKIE	'********** ********** **********

Variable	Value
	\\Wbem;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\OpenSSH\\;C:\\Program ' 'Files (x86)\\Microsoft SQL Server\\160\\DTS\\Binn\\;C:\\Program ' 'Files\\Git\\cmd;C:\\Program Files\\nodejs\\;C:\\Program Files\\GitHub ' 'CLI\\;C:\\Users\\LEVIN-Z\\AppData\\Local\\Programs\\Python\\Python310\\Scripts\\;C:\\Users\\LEVIN-Z\\AppData\\Local\\Programs\\Python\\Python310\\;C:\\Users\\LEVIN-Z\\AppData\\Local\\Microsoft\\WindowsApps;C:\\Users\\LEVIN-Z\\.dotnet\\tools;C:\\Program ' 'Files\\apache-maven-3.8.4\\bin;C:\\Program Files\\JetBrains\\WebStorm ' '2021.3\\bin;;C:\\Users\\LEVIN-Z\\AppData\\Roaming\\nvm;C:\\Program ' 'Files\\nodejs;C:\\Program Files\\Azure Data Studio\\bin;C:\\Program ' 'Files\\heroku\\bin;C:\\Users\\LEVIN-Z\\AppData\\Local\\Python\\bin;C:\\Users\\LEVIN-Z\\AppData\\Local\\GitHubDesktop\\bin;C:\\Users\\LEVIN-Z\\AppData\\Roaming\\npm')
PATHEXT	'.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC'
PATH_INFO	'/purchase/'
PROCESSOR_ARCHITECTURE	'AMD64'
PROCESSOR_IDENTIFIER	'Intel64 Family 6 Model 165 Stepping 3, GenuineIntel'
PROCESSOR_LEVEL	'6'
PROCESSOR_REVISION	'a503'
PROGRAMDATA	'C:\\ProgramData'
PROGRAMFILES	'C:\\Program Files'
PROGRAMFILES(X86)	'C:\\Program Files (x86)'
PROGRAMW6432	'C:\\Program Files'
PROMPT	'(.venv) PG'
PSMODULEPATH	('C:\\Program ' 'Files\\WindowsPowerShell\\Modules;C:\\WINDOWS\\system32\\WindowsPowerShell\\v1.0\\Modules;C:\\Program ' 'Files (x86)\\Microsoft SQL Server\\120\\Tools\\PowerShell\\Modules\\')
PUBLIC	'C:\\Users\\Public'
QUERY_STRING	''
REMOTE_ADDR	'127.0.0.1'
REMOTE_HOST	''
REQUEST_METHOD	'GET'
RUN_MAIN	'true'
SCRIPT_NAME	''
SERVER_NAME	'LEVIN-ZHOU-PC2.AMAX.COM'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'WSGIServer/0.2'
SESSIONNAME	'Console'
SYSTEMDRIVE	'C:'
SYSTEMROOT	'C:\\WINDOWS'
TEMP	'C:\\Users\\LEVIN-Z\\AppData\\Local\\Temp'
TMP	'C:\\Users\\LEVIN-Z\\AppData\\Local\\Temp'
USERDNSDOMAIN	'AMAX.COM'
USERDOMAIN	'ATECH'
USERDOMAIN_ROAMINGPROFILE	'ATECH'
USERNAME	'LEVIN-Z'
USERPROFILE	'C:\\Users\\LEVIN-Z'
VIRTUAL_ENV	'c:\\dev\\a8_oa\\.venv'
VIRTUAL_ENV_PROMPT	'.venv'
VS110COMNTOOLS	'C:\\Program Files (x86)\\Microsoft Visual Studio 11.0\\Common7\\Tools\\'
WEBSTORM	'C:\\Program Files\\JetBrains\\WebStorm 2021.3\\bin;'
WF_RESOURCES	'C:\\oracle\\ora92\\WF\\RES\\WFus.RES'
WINDIR	'C:\\WINDOWS'
ZES_ENABLE_SYSMAN	'1'
_OLD_VIRTUAL_PATH	('C:\\Program Files\\Amazon Corretto\\jdk11.0.15_9\\bin;C:\\Program ' 'Files\\Common Files\\Oracle\\Java\\javapath;C:\\Program Files\\Eclipse ' 'Foundation\\jdk-8.0.302.8-hotspot\\bin;C:\\oracle\\ora92\\bin;C:\\Program ' 'Files (x86)\\Oracle\\jre\\1.3.1\\bin;C:\\Program Files ' '(x86)\\Oracle\\jre\\1.1.8\\bin;C:\\WINDOWS\\system32;C:\\WINDOWS;C:\\WINDOWS\\System32\\Wbem;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\OpenSSH\\;C:\\Program ' 'Files\\dotnet\\;C:\\Program Files\\Microsoft SQL ' 'Server\\130\\Tools\\Binn\\;C:\\Program Files\\Microsoft SQL Server\\Client ' 'SDK\\ODBC\\170\\Tools\\Binn\\;C:\\Program Files\\Microsoft\\Web Platform ' 'Installer\\;C:\\Program Files (x86)\\Microsoft ASP.NET\\ASP.NET Web ' 'Pages\\v1.0\\;C:\\Program Files\\Microsoft SQL ' 'Server\\110\\Tools\\Binn\\;C:\\Program Files\\Microsoft SQL ' 'Server\\120\\Tools\\Binn\\;C:\\Program Files\\Microsoft SQL Server\\Client ' 'SDK\\ODBC\\110\\Tools\\Binn\\;C:\\Program Files (x86)\\Microsoft SQL ' 'Server\\120\\Tools\\Binn\\;C:\\Program Files\\Microsoft SQL ' 'Server\\120\\DTS\\Binn\\;C:\\Program Files (x86)\\Microsoft SQL ' 'Server\\100\\Tools\\Binn\\VSShell\\Common7\\IDE\\;C:\\Program Files ' '(x86)\\Microsoft SQL Server\\100\\Tools\\Binn\\;C:\\Program Files ' '(x86)\\Microsoft SQL Server\\100\\DTS\\Binn\\;C:\\Program ' 'Files\\apache-maven-3.8.4\\bin;C:\\Users\\LEVIN-Z\\AppData\\Roaming\\nvm;C:\\Program ' 'Files\\nodejs;C:\\apache-maven-3.8.4-bin\\apache-maven-3.8.4\\bin;C:\\Program ' 'Files\\Azure Data Studio\\bin;C:\\Program '

Variable	Value
	'Files\\SourceGear\\Common\\DiffMerge\\;C:\\WINDOWS\\system32;C:\\WINDOWS;C:\\WINDOWS\\System32\\Wbem;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\OpenSSH\\;C:\\Program ' 'Files (x86)\\Microsoft SQL Server\\160\\DTS\\Binn\\;C:\\Program ' 'Files\\Git\\cmd;C:\\Program Files\\nodejs\\;C:\\Program Files\\GitHub ' 'CLI\\;C:\\Users\\LEVIN-Z\\AppData\\Local\\Programs\\Python\\Python310\\Scripts\\;C:\\Users\\LEVIN-Z\\AppData\\Local\\Programs\\Python\\Python310\\;C:\\Users\\LEVIN-Z\\AppData\\Local\\Microsoft\\WindowsApps;C:\\Users\\LEVIN-Z\\.dotnet\\tools;C:\\Program ' 'Files\\apache-maven-3.8.4\\bin;C:\\Program Files\\JetBrains\\WebStorm ' '2021.3\\bin;;C:\\Users\\LEVIN-Z\\AppData\\Roaming\\nvm;C:\\Program ' 'Files\\nodejs;C:\\Program Files\\Azure Data Studio\\bin;C:\\Program ' 'Files\\heroku\\bin;C:\\Users\\LEVIN-Z\\AppData\\Local\\Python\\bin;C:\\Users\\LEVIN-Z\\AppData\\Local\\GitHubDesktop\\bin;C:\\Users\\LEVIN-Z\\AppData\\Roaming\\npm')
_OLD_VIRTUAL_PROMPT	'PG'
wsgi.errors	<_io.TextIOWrapper name='<stderr>' mode='w' encoding='utf-8'>
wsgi.file_wrapper	<class 'wsgiref.util.FileWrapper'>
wsgi.input	<django.core.handlers.wsgi.LimitedStream object at 0x0000025C0B725BA0>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Using settings module `config.settings`

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	[]
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	'********** ********** **********

Setting	Value
DATE_FORMAT	'N j, Y'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	'.'
DEFAULT_AUTO_FIELD	'django.db.models.BigAutoField'
DEFAULT_CHARSET	'utf-8'
DEFAULT_EXCEPTION_REPORTER	'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_TABLESPACE	''
DISALLOWED_USER_AGENTS	[]
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'localhost'
EMAIL_HOST_PASSWORD	'**********
EMAIL_HOST_USER	''
EMAIL_PORT	25
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'**********
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	420
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'accounts', 'approvals', 'projects', 'purchase', 'dashboard']
INTERNAL_IPS	[]
LANGUAGES	[('af', 'Afrikaans'), ('ar', 'Arabic'), ('ar-dz', 'Algerian Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('ckb', 'Central Kurdish (Sorani)'), ('cs', 'Czech'), ('cy', 'Welsh'), ('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'),

Setting	Value
	('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'), ('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('ht', 'Haitian Creole'), ('hu', 'Hungarian'), ('hy', 'Armenian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('ig', 'Igbo'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), ('ka', 'Georgian'), ('kab', 'Kabyle'), ('kk', 'Kazakh'), ('km', 'Khmer'), ('kn', 'Kannada'), ('ko', 'Korean'), ('ky', 'Kyrgyz'), ('lb', 'Luxembourgish'), ('lt', 'Lithuanian'), ('lv', 'Latvian'), ('mk', 'Macedonian'), ('ml', 'Malayalam'), ('mn', 'Mongolian'), ('mr', 'Marathi'), ('ms', 'Malay'), ('my', 'Burmese'), ('nb', 'Norwegian Bokmål'), ('ne', 'Nepali'), ('nl', 'Dutch'), ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'), ('pa', 'Punjabi'), ('pl', 'Polish'), ('pt', 'Portuguese'), ('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latn', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'), ('ta', 'Tamil'), ('te', 'Telugu'), ('tg', 'Tajik'), ('th', 'Thai'), ('tk', 'Turkmen'), ('tr', 'Turkish'), ('tt', 'Tatar'), ('udm', 'Udmurt'), ('ug', 'Uyghur'), ('uk', 'Ukrainian'), ('ur', 'Urdu'), ('uz', 'Uzbek'), ('vi', 'Vietnamese'), ('zh-hans', 'Simplified Chinese'), ('zh-hant', 'Traditional Chinese')]
LANGUAGES_BIDI	['he', 'ar', 'ar-dz', 'ckb', 'fa', 'ug', 'ur']
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	'/'
LANGUAGE_COOKIE_SAMESITE	None
LANGUAGE_COOKIE_SECURE	False
LOCALE_PATHS	[]
LOGGING	{}

Setting	Value
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	'/'
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	'/accounts/login/'
MANAGERS	[]
MEDIA_ROOT	''
MEDIA_URL	'/'
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	'**********
PASSWORD_RESET_TIMEOUT	'**********
PREPEND_WWW	False
ROOT_URLCONF	'config.urls'
SECRET_KEY	'**********
SECRET_KEY_FALLBACKS	'**********
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_CROSS_ORIGIN_OPENER_POLICY	'same-origin'
SECURE_CSP	{}
SECURE_CSP_REPORT_ONLY	{}
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'config.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	[]
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATIC_ROOT	None
STATIC_URL	'/static/'
STORAGES	{'default': {'BACKEND': 'django.core.files.storage.FileSystemStorage'}, 'staticfiles': {'BACKEND': 'django.contrib.staticfiles.storage.StaticFilesStorage'}}
TASKS	{'default': {'BACKEND': 'django.tasks.backends.immediate.ImmediateBackend'}}
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [], 'OPTIONS': {'context_processors': ['django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']

Setting	Value
TIME_ZONE	'UTC'
URLIZE_ASSUME_HTTPS	False
USE_I18N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'config.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.