
Intraocular Lens Anatomy

Images used: 7.2, 7.7, 7.9, 7.12, 7.13, 7.14, 7.8

I. Terminology

A. Poles



B. Equator


II. Optical properties

A. Refractive power of the unaccommodated lens is approximately 20 D.

Around 50 years old you loos accomodation

III. Anatomic divisions

A. Embryonic nucleus




B. Lens epithelium

1. Germinative zone

C. Lens fibers

Throughout life, they become flatter because they are like onion.




1. Fetal nucleus and lens sutures Y

D. Lens capsule

E. Clinical correlate: cataracts

1. Yellowish- age related

both you are born with it;



IV. Slit lamp appearance

A. Biconvex nature

B. Zones

1. Anterior lens capsule
   in the picture ●
2. Subcapsular clear zone
   in the picture ●
   newly sautisfied fibers
3. Remodeling zone
   in the picture ●
   The cells starts to "diferentiet"
4. Cortex and nuclei
5. Anterior Y suture
6. Embryonic nucleus
   between life sutures
7. Posterior inverted Y suture
8. Posterior cortex
   Fibers that have been already developed
9. Posterior capsule

V. Zonules Attach to the lens at equator area. Some goes all the way to the pols.

ciliary body (CB) and atach to lens capsule

VI. Accommodation

