

KINETC: Koopman-Inspired Nonlinear Event-Triggered Control from Data

Zeyad M. Manaa, Ayman M. Abdallah, and Sami El-Ferik

Abstract—Event-triggered Control (ETC) presents a promising paradigm for efficient resource usage in networked and embedded control systems by reducing communication instances compared to traditional time-triggered strategies. This paper introduces a novel approach to ETC for discrete-time nonlinear systems using a data-driven framework. By leveraging Koopman operator theory, the nonlinear system dynamics are globally linearized (approximately in practical settings) in a higher-dimensional space. We design a state-feedback controller and an event-triggering policy directly from data, ensuring exponential stability in Lyapunov sense. The proposed Koopman-Inspired Nonlinear Event-Triggered Control from Data (KINETC) method is validated through extensive simulation experiments, demonstrating significant resource savings.

Index Terms—Koopman operator, event-triggered control, lifting linear predictors, data-driven control.

I. INTRODUCTION

ETC is an implementation strategy in which the plant and its controller only exchange data when certain output- or state-related conditions are met. Event-triggered control seeks to reduce communication instances by concentrating on the real needs of the system, in contrast to traditional conservative time-triggered strategies that depend on fixed time intervals for communication. In situations where efficient use of resources is essential, like networked control systems and embedded systems, this paradigm has become more and more popular. ETC strategies, which offer improved system performance and resource savings in a variety of setups and control problems, have been developed in the literature thanks to the early results by Åarzén in [1], Eker, Hagander, and Åarzén in [2] and the work of Tabuada [3], and Heemls et al. [4].

In most of the current research, parametric state-space models are the foundation of traditional control engineering, where the plant to be controlled must first be identified or modeled. These models make use of the data from the system (from the input and the output) and are frequently written down starting from physics first principles or architecturally constrained system identification techniques. But in cases when first-principles models are intricate or hard to derive, they can only be considered as approximate representations of

real systems, which inevitably leads to modeling errors. These errors impede accurate control design and spread through the phases of analysis and implementation, affecting the overall performance of the system.

By excluding the demand for explicit system identification and instead of leveraging data gathered from open-loop simulations/experiments for any system control analysis and design, data-driven control techniques serves as a promising alternative. Several data-driven techniques for creating state feedback controllers and illustrating system dynamics have been shown in recent works, such as those by da Silva et al. [5], and De Persis and Tesi [6]. These techniques greatly streamline the control design process and do not require constantly exciting input data. There are also numerous applications of data-driven control in fields such as robotics [7], aerospace [8], and power systems [9]. Other methods, when the model is completely unknown, such as SINDy [10] can be utilized to firstly get a nonlinear representation of the dynamics of the system. For example, this approach is applied to model the dynamics of: i) quadrotors' [11], ii) disease [12], iii) optics communication systems [13], iv) chemical processes [14], v) and also robotics applications [15].

However, an alternative option in the situation, when first principles or system identification techniques fail, would be to construct the controller directly using the input, state, and output data that are now accessible. This approach is known as direct data-driven control [16–18]. Although the literature is full of data-driven techniques for control, only a limited number of techniques exist in the current literature [19–21] for data-driven event-based control, particularly for nonlinear systems.

There exists, therefore, a profound demand for comprehensive data-driven event-based control methods tailored for general nonlinear systems, particularly applicable to discrete-time systems in our case. In many cases, it is appropriate and feasible to formulate the control and triggering conditions as data-dependent Linear Matrix Inequality (LMI). Given that most of the existing literature on ETC is well developed for Linear Time Invariant (LTI) systems, we aim to globally linearize nonlinear systems by increasing the dimensional space in which they reside.

This is not totally a new idea, as Koopman and von Neumann [22, 23] in 1930s presented a trade-off between the nonlinear nature of dynamical systems and infinite dimensional representation of the same nonlinear system but it will look linear in the lifted space. Another resurgence of attention in mid 2000s in the work of Mezić and Banaszuk [24, 25] has led to new applications and studies using the idea in many

This work was supported by the Interdisciplinary Research Center for Aviation and Space Exploration (IRC-ASE) at King Fahd University of Petroleum and Minerals under research project/grant INAE2401.

Z. M. Manaa and A. M. Abdallah are with the the Interdisciplinary Research Center for Aviation and Space Exploration (IRC-ASE) and the Department of Aerospace Engineering at King Fahd University of Petroleum and Minerals, Dhahran, 31261, Saudi Arabia.

S. El-Ferik is with the Research Center for Smart Mobility and Logistics, and the Control and Instrumentation Engineering Department, King Fahd University of Petroleum & Minerals Dhahran, 31261, Saudi Arabia.

fields including, robotics, fluid dynamics, epidemiology, power grids [26–37] and many other fields due to the intersection between data science and the easy-to-access computational domain.

We consequently propose KINETC, a technique inspired by Koopman Operator (KO) to acquire (approximately) global linear systems but in a higher dimensional space. Afterwards, we design the controller and the triggering policy for ETC for discrete-time linear systems directly from controlled system data, all together ensuring performance metrics (i.e. Lyapunov exponential stability).

II. PRELIMINARIES

A. Notations and Basic Definitions

Let $\mathbb{Z}_{\geq 0} := \{0, 1, 2, \dots\}$ denote the set of nonnegative integers, and let $\mathbb{Z}_{> 0} := \mathbb{Z}_{\geq 0} \setminus \{0\}$ denote the set of positive integers. We denote by \mathbb{R} the set of real numbers and use a similar notation as for \mathbb{Z} . The ℓ_2 norm of a vector (a finite sequence) is denoted by $\|\cdot\|$. The symbols I and 0 denote the identity matrix and the zero matrix, respectively. Given a symmetric matrix A , the notation $A \succ 0$ indicates that A is positive definite, while $A \succeq 0$ means that A is positive semi-definite. Similarly, $A \prec 0$ indicates that A is negative definite and $A \preceq 0$ means that A is negative semi-definite. For any matrix A , A^\top denotes the transpose of A . The symbol $\mathcal{N}(\mu, \sigma^2)$ represents a normal distribution with mean μ and variance σ^2 . Also, the symbol $\mathcal{U}(a, b)$ represents a normal distribution from the interval $[a, b]$. The symbol λ_i denotes an eigenvalue of a matrix. We define $\langle \cdot, \cdot \rangle$ as the inner product between the two vectors/functions a, b . A square-integrable function r , or an L^2 -function, is a measurable function for which the integral of the square of the absolute value is finite as: $r(x) \in L^2[-\infty, \infty] \rightarrow \int_{-\infty}^{\infty} |r(x)|^2 dx < \infty$. A pair of functions φ_i and φ_j are said to be orthonormal if $\langle \varphi_i, \varphi_j \rangle = \delta_{ij}$, where δ_{ij} is the Kronecker-delta function. We use (\cdot) to denote the complex conjugate.

B. Problem Overview

Consider the discrete time dynamical system

$$x_{k+1} = f(x_k, u_k), \quad (1)$$

where the state is $x_k \in \mathbb{R}^n$ and $u_k \in \mathbb{R}^m$ is the control input, each at time instant $k \in \mathbb{Z}_{\geq 0}$ with $n, m \in \mathbb{Z}_{> 0}$, and f is a transition map such that $f : \mathbb{R}^n \times \mathbb{R}^m \mapsto \mathbb{R}^n$, generally nonlinear, and assumed to be unknown, and stabilizable.

We consider a scenario where the system in (1) is connected to a controller via networked medium. Especially, the state readings are provided to the controller through a digital channel, and the controller has direct access to the actuators. The goal is to design a data-driven event-triggered state-feedback controller with gain $K \in \mathbb{R}^{m \times n}$ to stabilize the plant in (1) while abiding by a triggering policy that defines the instances $\{k_i\}_{i \in \mathcal{Z}}$ at which a transmission happens, with $\mathcal{Z} \subseteq \mathbb{Z}_{\geq 0}$. At the time instant $k = 0$, we consider a transmission happens, so that $k_0 = 0$. In our settings, the controller is updated only upon the violation of some well-defined triggering policy in contrary to the nominal Time-triggered Control (TTC). The




Fig. 1: Block diagram visually providing representation that illustrates the core concept underlying ETC. It showcases various components and their interconnections, highlighting the essential principles and operational dynamics of the ETC framework.

sequence $\{k_i\}_{i \in \mathcal{Z}}$ leads to aperiodic updates of the controller. The controller then follows a zero-order hold implementation that takes the form of

$$u_k = Kx_{k_i}, \quad k \in [k_i, k_{i+1}[. \quad (2)$$

The state error takes into account the provided controller's zero-order hold mechanism.

$$e_k = x_{k_i} - x_k, \quad (3)$$

which can be seen as the deviation between the current state and the last time an event happened. We consider the relative thresholding metric and events occur with the violation of the condition

$$\|e_k\| \leq \gamma \|x_k\| \quad (4)$$

where $\gamma > 0$ is a relative parameter for the thresholding policy. The policy in (4) is checked every time instant k , and only upon violation of the policy, the control is updated. An overall picture of the ETC framework is shown in Fig. 1 where the plant \mathcal{P} can represent (1), the controller \mathcal{C} represents the control law (2), and the event-triggering policy can be represented as in (4).

C. Persistence of Excitation

Consider a carried out experiment for the system in (1) and its states and input data are recorded in the following way

$$\mathcal{D} := \{x_k, u_k : k \in [0, (T-1)] \cap \mathbb{Z}_{\geq 0}\},$$

where T is the final time of the experiment. Let set \mathcal{D} exists. Then, we define

$$\Gamma_0 := [u_0 \ u_1 \ \dots \ u_{T-1}] \in \mathbb{R}^{m \times T}, \quad (5a)$$

$$X_0 := [x_0 \ x_1 \ \dots \ x_{T-1}] \in \mathbb{R}^{n \times T}, \quad (5b)$$

$$X_1 := [x_1 \ x_2 \ \dots \ x_T] \in \mathbb{R}^{n \times T}. \quad (5c)$$

Assumption 1: Taking into account $T \geq n + m$, the matrix $\begin{bmatrix} X \\ \Gamma \end{bmatrix}$ has full row rank. \square

Assumption 1 can be verified numerically for a given set \mathcal{D} . The results of Willems et al. [38] ensures, for discrete-time systems, the validity of assumption 1 as long as u is persistently exciting signal.




Fig. 2: Illustration of the Koopman Operator: The red panel represents the generic nonlinear state-space. Conversely, the green panel represents the linear space.

III. FRAMEWORK

A. Koopman operator theory

Definition 1 (Koopman Operator (KO)¹): Consider the system given in (1). The KO \mathcal{K}_t is an infinite dimensional operator

$$\mathcal{K}_t \xi(x_k) = \xi \circ f(x_k), \quad (6)$$

acts on $\xi \in \mathcal{H} : \mathbb{R}^n \mapsto \mathbb{R}$, the observable functions of the state space, where \circ is the function composition. \square

The KO acts on the Hilbert space \mathcal{H} of all scalar measurement functions ξ and is by definition a *linear operator*—since for $\xi_1, \xi_2 \in \mathcal{H}$ and $\beta_1, \beta_2 \in \mathbb{R}$

$$\begin{aligned} \mathcal{K}_t(\beta_1 \xi_1, \beta_2 \xi_2) &= \beta_1 \xi_1 \circ f + \beta_2 \xi_2 \circ f \\ &= \beta_1 \mathcal{K}_t \xi_1 + \beta_2 \mathcal{K}_t \xi_2, \end{aligned} \quad (7)$$

An infinite-dimensional space \mathcal{H} of observable functions is used to represent a nonlinear system linearly using KO method [39]. This means that the dynamics are changed from nonlinear, finite-dimensional to linear, infinite-dimensional upon transitioning from the state-space model to the Koopman representation (see Fig. 2). However, we are interested in a finite-dimensional approximation of KO from a practical perspective. Several approximation methods are addressed in [40, 41].

To extend this analysis to controlled systems, there exists several methods including [42, 43]. In [42], the authors treated the controlled system as uncontrolled while treating the input as a system parameter. On the other hand, Korda and Mezić [43] dealt with the controlled system in an extended state-space to account for control.

Here, the approach of [43] will be revisited in a short way. In particular, consider the system in (1). Let $\ell(\mathcal{U})$ be the space of all infinite vectors $u^\circ = \{u_k\}_{k=0}^\infty$ with the symbol $u_\circ \in \mathcal{U}$ and \mathcal{U} being an input space. We denote the left shift operator by \mathcal{G}^* (e.g., $\mathcal{G}^* u_k^\circ = u_{k+1}^\circ$). Also, define \mathcal{X} to be an extended state such that, $\mathcal{X} = [x_k \ u_k^\circ]^\top$. So, the system in (1) can be updated to be,

$$\mathcal{X}_{k+1} = \tilde{f}(\mathcal{X}) = \begin{bmatrix} f(x_k, u_0^\circ) \\ \mathcal{G}^* u_k^\circ \end{bmatrix}. \quad (8)$$

If $\tilde{\xi} \in \mathcal{H} : \mathbb{R}^n \times \mathbb{R}^m \mapsto \mathbb{R}$ be a new version of the predefined observable function, the Koopman operator $\mathcal{K}_t : \mathcal{H} \mapsto \mathcal{H}$ for the controlled system is then be,

$$\mathcal{K}_t \tilde{\xi}(\mathcal{X}) = \tilde{\xi} \circ \tilde{f}(\mathcal{X}). \quad (9)$$

¹More details on the proof of this is given in the appendix.

This was a demonstration of the extension from the uncontrolled systems to the controlled systems. From now on, we will use f , and ξ interchangeably between controlled and uncontrolled systems unless otherwise stated.

Also, KO provides (approximately, in a practical settings) global linear representation for nonlinear dynamics if the right set of observable functions is chosen in as shown in the sequel. Generally speaking, the lifting observable functions are hard to identify. They can be found by many method including, but not limited to, brute-force trial and error in a specific basis for the Hilbert space (e.g., trying numerous polynomial functions or Fourier basis functions) or by prior knowledge about the system. Several efforts have been made on this matter [28, 44–49] – just to name a few.

Motivated by the preceding analysis, we will make use of the idea of lifting the nonlinear dynamics from its state-space to look linear in a higher-dimensional state-space.

Remark 1: Our method necessitates a blurry prior physical knowledge of the underlying plant, not necessarily a complete knowledge, but at least a knowledge that can describe the domain shape in which the system operates to design the lifting observable functions. \square

Remark 2: At this stage of the work, we design the controller directly from the data. This step requires a set of observable functions that are satisfactory to approximate KO with notes regarding that being discussed in remark 1. In the sense that we do not focus on the identification of the KO itself, we did not include discussion on such a topic. However, in more general scenarios, one may need to identify the operator for any purpose. Readers can refer to [50, 51]. \square Now, the collected set \mathcal{D} should be revised. Instead of having the system’s states only, we must consider the additional observable functions taking the form of $\Xi(x) = [\xi_1(x) \ \xi_2(x) \ \dots \ \xi_p(x)]^\top$. The observable functions $\Xi \in \mathbb{R}^p (p > n)$. Note that we only lift the state not the control. So the set \mathcal{D} becomes

$$\Gamma_0 := [u_0 \ u_1 \ \dots \ u_{T-1}] \in \mathbb{R}^{m \times T}, \quad (10a)$$

$$Z_0 := \Xi(X_0) \in \mathbb{R}^{p \times T}, \quad (10b)$$

$$Z_1 := \Xi(X_1) \in \mathbb{R}^{p \times T}. \quad (10c)$$

Remark 3: In response to this change, a slight modification of assumption 1, where $T \geq n + m$ will be replaced by $T \geq p + m$. \square

Hence, after choosing the set of observable functions, the system in (1) can be now formulated as

$$z_{k+1} = Az_k + Bu_k, \quad (11a)$$

$$x_k = Cz_k \quad (11b)$$

B. Event-triggered Control For the Lifted Representation of the Non-linear Dynamics

Let’s consider the system given in (11), the globally linear version of the system in (1), subject to the controller (2) that

result in

$$z_{k+1} = Az_k + BKz_{k_i} \quad (12a)$$

$$= Az_k + BKz_k + BKz_{k_i} - BKz_k \quad (12b)$$

$$= (A + BK)z_k + BKe_k, \quad \forall k \in [k_i, k_{i+1}[, \quad (12c)$$

which can be understood as a closed-loop representation of the system in (11) with the state error.

An alternative representation of the event-triggered closed loop system should be derived to account for the data-driven nature of this work. In ref. [52] the authors derived a data-driven representation of the closed loop system without considering the matrix BK . On the other hand, Digge and Pasumarthy [20] arrived to a closed loop representation that allows dealing with the event-triggered formulation. The representation in [5] is modified to account for the lifted linear representation of the nonlinear dynamics.

Lemma 1 (Data-driven event-triggered closed loop representation [6, 20]): The equivalent data-driven closed loop representation of the system (12) under the satisfaction of assumption 1 and where

$$\begin{bmatrix} I \\ K \end{bmatrix} = \begin{bmatrix} Z_0 \\ \Gamma_0 \end{bmatrix} L, \text{ and } \begin{bmatrix} 0 \\ K \end{bmatrix} = \begin{bmatrix} Z_0 \\ \Gamma_0 \end{bmatrix} N, \quad (13)$$

holds is given by

$$z_{k+1} = Z_1 L z_k + Z_1 N e_k, \quad (14)$$

where L and N are $T \times p$ matrices. \square

Proof 1: Let assumption 1 holds. Hence, by the Rouché-Capelli theorem, there exist L and N matrices that satisfy (13). So, another representation of (14) can be written as

$$z_{k+1} = \begin{bmatrix} A & B \end{bmatrix} \begin{bmatrix} I \\ K \end{bmatrix} z_k + \begin{bmatrix} A & B \end{bmatrix} \begin{bmatrix} 0 \\ K \end{bmatrix} e_k.$$

Using (13), the closed-loop system is given by

$$z_{k+1} = \underbrace{\begin{bmatrix} A & B \end{bmatrix} \begin{bmatrix} Z_0 \\ \Gamma_0 \end{bmatrix}}_{Z_1} L z_k + \underbrace{\begin{bmatrix} A & B \end{bmatrix} \begin{bmatrix} Z_0 \\ \Gamma_0 \end{bmatrix}}_{Z_1} N e_k.$$

Therefore, the data-driven representation of the closed-loop system (12) is given by (13). \blacksquare

This formulation can be considered as a reparametrization of the system in (12) in terms of data. In other words, no need for the prior explicit system identification step. Since the formulation is derived, we move forward to derive the condition for system (14) to be exponentially stable in Lyapunov sense. A linear system described by $z_{k+1} = Az_k$, where $A \in \mathbb{R}^p$, is considered exponentially stable if there exists a function $V : \mathbb{R}^p \mapsto \mathbb{R}$ defined by $V(z_k) = z_k^\top S z_k$ with $S \succ 0$ and symmetric, such that $V(z_{k+1}) \leq \alpha V(z_k)$ along the system's trajectories for all $k \geq 0$ and for some $\alpha \in \mathcal{A} =]0, 1] \in \mathbb{R}$.

Remark 4: For unstable systems, the choice of α is critical as it impacts the values of the controller gain $K(\alpha)$ which must satisfy the necessary conditions and thresholds to stabilize the system. Mathematically we can formulate it as,

$$\alpha^* = \inf_{\alpha \in \mathcal{A}} \{ \alpha : K(\alpha) \implies |\lambda_i| < 1, \forall \lambda_i \},$$

where the $K(\alpha)$ is the gains corresponding to one value of alpha on \mathcal{A} . \square

Considering a classical Lyapunov candidate function described in the later paragraph, the exponential Lyapunov stability criteria² is given by

$$\begin{bmatrix} z_k \\ e_k \end{bmatrix}^\top \begin{bmatrix} L^\top Z_1^\top S Z_1 L - \alpha S & L^\top Z_1^\top S Z_1 N \\ N^\top Z_1^\top S Z_1 L & N^\top Z_1^\top S Z_1 N \end{bmatrix} \begin{bmatrix} z_k \\ e_k \end{bmatrix} \leq 0 \quad (15)$$

In this work, the design of the ETC strategy should not violate the Lyapunov stability condition in (15) to ensure exponential stability.

C. Learning Controller From Data

Firstly, we design the controller gains to stabilize the globally linearized system. We consider the data-driven closed loop representation in (14) neglecting the error at this stage

$$z_{k+1} = Z_1 L z_k, \quad (16)$$

the controller gains can be designed directly from data, as discussed in [6, Section IV. A]. Further, the following theorem ensures the Lyapunov stability condition.

Theorem 1: Let condition 1 hold. And by exploiting the results of lemma 1. Then any matrix G_1 that satisfy the following LMI,

$$\begin{bmatrix} Z_0 G_1 & G_1^\top Z_1^\top \\ Z_1 G_1 & Z_0 G_1 \end{bmatrix} \succeq 0 \quad (17)$$

results in

$$K = \Gamma_0 G_1 (Z_0 G_1)^{-1} \quad (18)$$

which stabilizes the system (11). \square

Proof 2: To certify stability in exponential decay of the system (16) with a rate α , implies

$$L^\top Z_1 S Z_1 L - \alpha S \preceq 0, \quad (19)$$

with L satisfying (13). Let $G_1 := LS^{-1}$, and pre- and post-multiply (19) by S^{-1} , the stability of the system can be guaranteed if there exists two matrices G_1 and S such that

$$\begin{aligned} G_1^\top Z_1^\top S Z_1 G_1 - \alpha S^{-1} &\preceq 0 \\ K S^{-1} &= \Gamma_0 G_1 \\ S^{-1} &= Z_0 G_1 \end{aligned}$$

Moreover, we use $S^{-1} = Z_0 G_1$ and obtain

$$\begin{aligned} G_1^\top Z_1^\top (Z_0 G_1) Z_1 G_1 - \alpha Z_0 G_1 &\preceq 0 \\ Z_0 G_1 &\succ 0 \\ K &= \Gamma_0 G_1 (Z_0 G_1)^{-1} \end{aligned}$$

Using Schur's complement lemma on the first inequality, we reach to (17) which results in gains given from (18) that exponentially stabilize the system. \blacksquare

²The full analysis is given in the appendix.




Fig. 3: Results of the illustrative example. (a) Behaviour of state x_1 and x_2 for both ETC and TTC over the horizon. (b) Norms of the error $\|e_k\|$ and the threshold parameter $\gamma\|x_k\|$. (c) Inter-event times $k_{i+1} - k_i$ showing the intervals between successive events. (d) Lyapunov function ratio $V(x_{k+1})/V(x_k)$ with stability threshold α . (e) The phase portrait of the system trajectory in the state space showing both the ETC and TTC behaviour, it also shows the instances at which an event happens along the trajectory in the ETC framework.

D. Learning the Triggering Policy from Data

In the interval $[k_i, k_{i+1}]$, it is essential that inequality (15), which ensures exponential convergence, is also satisfied. The following theorem derives a window for the parameter γ that ensures the stability of system (14).

Theorem 2: Assume that the condition 1 is satisfied. So, the relative threshold parameter γ for the event-triggered implementation (4) with the controller (18) can be calculated by solving for γ such that

$$\begin{aligned} & \max_{q, G_2} \quad \gamma \\ & \text{s.t.} \quad \begin{bmatrix} \alpha Z_0 G_1 & \mathbf{0} & G_1^\top Z_1^\top & \gamma Z_0 G_1 \\ \mathbf{0} & qI & G_2^\top Z_1^\top & \mathbf{0} \\ Z_1 G_1 & Z_1 G_2 & Z_0 G_1 & \mathbf{0} \\ \gamma Z_0 G_1 & \mathbf{0} & \mathbf{0} & qI \end{bmatrix} \succeq \mathbf{0}, \\ & q > 0, \quad Z_0 G_2 = 0, \quad UG_2 - qK = 0, \end{aligned} \quad (20)$$

which will result in stability of the system (14) in exponential behaviour. \square

Proof 3: For exponential stability during event-triggered control, whenever the triggering condition (4) is met, the condition (15), which guarantees stability, must hold as well. This relationship can be encoded using the S-procedure [53]. According to the S-procedure, (4) implies (15) if there exists a constant $\eta \geq 0$ such that:

$$\eta \begin{bmatrix} -\gamma^2 I & \mathbf{0} \\ \mathbf{0} & I \end{bmatrix} \preceq \begin{bmatrix} L^\top Z_1^\top S Z_1 L - \alpha S & L^\top Z_1^\top S Z_1 L \\ L^\top Z_1^\top S Z_1 L & L^\top Z_1^\top S Z_1 L \end{bmatrix}.$$

Using Schur's complement, and post- and pre-multiplying by the $\text{diag}(S^{-1}, I, I)$, we derive:

$$\begin{bmatrix} -\eta\gamma^2 S^{-2} + \alpha S^{-1} & \mathbf{0} & S^{-1} L^\top Z_1^\top \\ \mathbf{0} & \eta I & N^\top Z_1^\top \\ Z_1 L S^{-1} & Z_1 N \eta^{-1} & S^{-1} \end{bmatrix} \succeq \mathbf{0}.$$

By changing the variables $G_1 = L S^{-1}$, $G_2 = \eta^{-1} N$, $q = \eta^{-1}$, and $S^{-1} = Z_0 G_1$, we arrive at the LMI:

$$\begin{bmatrix} \alpha Z_0 G_1 & \mathbf{0} & G_1^\top Z_1^\top & \gamma Z_0 G_1 \\ \mathbf{0} & qI & G_2^\top Z_1^\top & \mathbf{0} \\ Z_1 G_1 & Z_1 G_2 & Z_0 G_1 & \mathbf{0} \\ \gamma Z_0 G_1 & \mathbf{0} & \mathbf{0} & qI \end{bmatrix} \succeq \mathbf{0}.$$




Fig. 4: The eigenvalues of the system given in (22). Clearly, all the eigenvalues are not contained inside the unit circle indicating the system's instability.

The result of theorem 2 allows to maximize γ over the variables G_2 and q . The result also implies that any $\gamma \in [0, \gamma^*]$ stabilizes the system, where γ^* is the solution for (20). \blacksquare

Now, we have all the components put together. A detailed algorithm for the entire process is given in algorithm 1.

Algorithm 1 KINETC: Koopman-Inspired Nonlinear Event-Triggered Control

Require: α , X_0 , X_1 , and Γ_0

- 1: Lift X_0 , and X_1 via (10 b, and c)
 - 2: Solve for G_1 in the LMI given in (17)
 - 3: Solve for the controller gain K in (18)
 - 4: Maximize the threshold parameter γ to get γ^* in (20)
 - 5: Choose any $\gamma \in [0, \gamma^*]$, (typically the max. value gives wider inter-event time window)
 - 6: **return** γ^* , and K
-




Fig. 5: Comparison between ETC and TTC methodologies. The plot on the left shows the number of communication instances for each control strategy, where ETC significantly reduces the communication overhead compared to TTC. The plot on the right shows the corresponding control costs for both methods.

IV. ILLUSTRATIVE SIMULATIONS AND RESULTS

A. Illustrative Example: Proof of Concept

We consider a case of nonlinear system with slow manifold inspired by the example of [54] paper:

$$\begin{bmatrix} x_1 \\ x_2 \end{bmatrix} \mapsto \begin{bmatrix} \rho x_1 \\ \kappa x_2 + (\rho^2 - \kappa)x_1^2 + u \end{bmatrix} \quad (21)$$

In this scenario, there exists a polynomial stable manifold defined as $x_2 = x_1^2$. Within the Koopman-inspired framework, if the correct lifting observable functions were chosen such that $\Xi(x) = [x_1 \ x_2 \ x_1^2]^\top$, the nonlinear system in (21) can be expressed linearly as

$$\begin{bmatrix} z_1 \\ z_2 \\ z_3 \end{bmatrix}_{k+1} = \begin{bmatrix} \rho & 0 & 0 \\ 0 & \kappa & (\rho^2 - \kappa) \\ 0 & 0 & \rho^2 \end{bmatrix} \begin{bmatrix} z_1 \\ z_2 \\ z_3 \end{bmatrix}_k + \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix} u_k \quad (22)$$

Considering the parameters for the system, $\rho = 0.6$, and $\kappa = 1.2$, the corresponding eigenvalues (displayed in Fig. 4)

are $\lambda_1 = 0.6$, $\lambda_2 = 1.2$, and $\lambda_3 = 0.36$. Since $\lambda_2 > 1$, the system exhibits instability and the goal is to stabilize the trajectory around the origin. We collected the data for $T = 45$ which is enough for assumption 1 to hold – on a theoretical note, $T \geq m+p$ samples should be enough (i.e. in this example $T \geq 4$) to obey assumption 1. Therefore, $T = 4$ should work. The input signal is drawn from a normal distribution following $u \sim \mathcal{N}(0, 1)$.³

Then, after deploying the steps in algorithm 1, we obtain $K = [0.0206 \ -1.1109 \ -0.1530]$, which in turn gives $\gamma^* = 0.7664$. We simulated the system for both ETC, and TTC and illustrated the behaviour in Fig. 3. All the results depicted in Fig. 3, are acquired after pulling the states back from the higher-dimensional space, in this case from \mathbb{R}^3 to \mathbb{R}^2 , by applying (11b) with $C = \begin{bmatrix} I_2 & 0 \\ 0 & 0 \end{bmatrix}$.

Fig. 3(a), illustrates the state evolution x_1 and x_2 against time under both ETC and TTC techniques. The trajectories

for ETC demonstrate excellent tracking performance in comparison with the nominal TTC. This highlights the efficacy of the developed event-triggered approach in maintaining system stability while minimizing unnecessary updates.

Also, in Fig. 3(b), the graph shows that $\|e_k\|$ remains consistently below $\gamma\|x_k\|$, satisfying the triggering condition. As shown in Fig. 3(c), the substantial reduction in communication instances (40%) addresses potential concerns regarding communication overhead in practical implementations.

Additionally, results in Fig. 3(d) depicts the ratio of the Lyapunov function $V(x_{k+1})/V(x_k)$ compared to the stability decaying rate α . The ratio remains below α , verifying that the proposed event-triggered control law ensures exponential stability of the system. This gives another certificate of the theoretical guarantees provided by the Lyapunov-based stability analysis.

The results in Fig. 3(e) show the trajectory of the system in the state space and the instances on the trajectory in which the event occurs.

Finally, despite the huge reduction in the communication instances, it came on the expense of the control cost. The control cost of ETC compared to TTC became larger by 3.3150%. Although the increment is not drastically large as seen in Fig. 5, it is noted that there is a trade-off between the efficiency of communication resources and the cost of control. ETC achieves comparable performance to TTC but with fewer communication resources. These findings indicate the high effectiveness of ETC in optimizing resource utilization while maintaining effective. Another note in our experiment, both Koopman based linearization ETC and TTC have control cost much lower than the nominal Taylor linearization technique, consistent with the results of Brunton et al. [54].

B. Sensitivity Analysis

In this subsection, we embark on a detailed and thorough examination aimed at understanding the influence of various parameters on the system's behavior and stability. This includes an in-depth analysis of how different initial conditions and the parameter α impact the system dynamics. We explore these effects through a series of extensive simulations, designed to provide a comprehensive view of the system's response under a range of scenarios. By conducting these simulations, we seek to not only substantiate but also enrich our theoretical insights. The simulations serve as a critical tool in validating our theoretical predictions, allowing us to assess their applicability and accuracy in practical scenarios. This rigorous approach ensures that our findings are well-grounded and robust, offering a clearer understanding of how these parameters interact to influence the overall stability and behavior of the system.

Initially, we assessed the robustness of the algorithm by simulating ten different random initial conditions drawn from a uniform distribution $\sim \mathcal{U}(-5, 5)$. Fig. 6 shows the behavior of both x_1 and x_2 while starting with those random initial conditions. The figures show that while the initial conditions varies significantly, the behaviour of the system states stabilizes in a finite amount of time. After nearly 10 seconds, the

³The used code can be found at: <https://zmanaa.github.io/kinetc/>




Fig. 6: A simulation of ten random initial conditions drawn from a uniform distribution $X \sim \mathcal{U}(-5, 5)$. The figure shows the behaviour of x_1 (left), and x_2 (right).

system states are equal to zero evident from the upper sub-region of Fig. 6.

Subsequently, the initial conditions were fixed at $x_0 = [0.5 \ -0.4]$ simulations were conducted across a fine grid of different α values ranging from 0.4 to 1. The choice of 0.4 as the starting value is informed by empirical observations, which indicate that this value represents the minimum threshold necessary to achieve an adequate gain for system stabilization, as detailed in remark 4. Fig. 7 demonstrates that for each value of α , there is no violation in the rate of Lyapunov function decay. The values on the x-axis in this figure must not exceed their corresponding values on the y-axis (i.e. they cannot cross the line $\max \{V(k+1)/V(k)\} = \alpha$). In other words, no deviation from the expected decaying behavior is observed.




Fig. 7: The relationship between α and the Lyapunov function decay rate. Simulations confirm no violations in the decay rate, as all points lie below the boundary $\max \{V(k+1)/V(k)\} = \alpha$, ensuring system stability across the tested α range.

C. Time and Computation Insights

With a persistently excited signal sequence with a length of 45 in a three-state system, the algorithm's efficiency was clearly demonstrated by the fast execution of the controller learning process, which required only 0.4 seconds on an M2 MacBook Air. Moreover, the learning of the triggering policy, which governs when updates to the control system are necessary, was equally efficient. For the same problem setup, the algorithm completed this task in 0.49 seconds.

By having these results of the low computation times, the algorithm not only shows significant results in learning efficiency but also emphasizes its potential scalability for larger, more complex systems. This high performance on a personal computer level further supports the practical applicability of the method in a broad range of control scenarios.

V. CONCLUSION

To sum up, this study proposes an event-triggered control approach based on data-driven methods for discrete-time nonlinear systems. By lifting the nonlinear dynamics into a higher-dimensional linear representation inspired by the KO theory, the method makes it possible to create an event-triggered controller driven by data. Through the development of a closed-loop system and the implementation of a triggering strategy, the proposed method stabilizes the plant with less frequent control updates.

The event-triggered closed-loop system's exponential stability is guaranteed by the stability analysis, which is based on the Lyapunov criterion. Numerical simulations and theoretical analysis are used to show how effective the suggested strategy is. This work creates opportunities for real-world applications in networked control systems and advances event-triggered control techniques for nonlinear systems.

The foundations provided by this work shall allow dealing with many other scenarios including, when the plant (discrete or continuous) include time varying parameters, when the full state measurements are not available, or when policies other than the zero-order hold is used. Additionally, examining the various lifting techniques available in the literature is important, as well as, testing the scalability of the solution.

APPENDIX

PROOF OF THE EXISTENCE OF THE KOOPMAN OPERATOR BY CONSTRUCTION

This introduces the proof of the existence of the Koopman operator. Firstly, consider the dynamical system in (1), and a Hilbert space \mathcal{H} of L^2 -functions with inner product defined as,

$$\langle r(x), \xi(x) \rangle = \int_X r(x) \bar{\xi}(x) dx, \quad r, \xi \in \mathcal{H}. \quad (23)$$

Suppose that the space \mathcal{H} is spanned by orthonormal basis functions $\varphi_1, \varphi_2, \dots, \varphi_n$, then the function $\xi \in \mathcal{H}$ can be expressed as

$$\xi(x) = \sum_{i=1}^{\infty} a_i \varphi_i(x); \quad a_i = \langle \xi(x), \varphi_i(x) \rangle = \int_X \xi(x) \bar{\varphi}_i(x) dx. \quad (24)$$

Consider a function $f : \mathbb{R}^n \mapsto \mathbb{R}^n$ whose composition with ξ is involved in the Hilbert space as,

$$\xi(x) \circ f(x) = \xi(f(x)) \in \mathcal{H}, \quad (25)$$

this implies that the composition can also be expressed as,

$$\xi(x) \circ f(x) = \sum_{j=1}^{\infty} b_j \varphi_j(x); \quad b_j = \langle \xi(x) \circ f(x), \varphi_j(x) \rangle, \quad (26)$$

but,

$$b_j \stackrel{(24)}{=} \left\langle \left[\sum_{i=1}^{\infty} a_i \varphi_i(x) \right] \circ f(x), \varphi_j(x) \right\rangle \quad (27a)$$

$$= \sum_{i=1}^{\infty} a_i \left\langle \varphi_i(x) \circ f(x), \varphi_j(x) \right\rangle, \quad (27b)$$

therefore, (26) will be,

$$\xi(x) \circ f(x) = \sum_{i=1}^{\infty} \sum_{j=1}^{\infty} a_i \left\langle \varphi_i(x) \circ f(x), \varphi_j(x) \right\rangle \varphi_j(x) \quad (28a)$$

$$= \sum_{i=1}^{\infty} a_i \underbrace{\sum_{j=1}^{\infty} \left\langle \varphi_i(x) \circ f(x), \varphi_j(x) \right\rangle \varphi_j(x)}_{\varphi_i(x) \circ f(x)} \quad (28b)$$

$$\stackrel{(24)}{=} \sum_{i=1}^{\infty} \left\langle \xi(x), \varphi_i(x) \right\rangle \varphi_i(x) \circ f(x) \quad (28c)$$

$$= \sum_{i=1}^{\infty} \varphi_i(x) \circ f(x) \left\langle \bar{\varphi}_i(x), \xi(x) \right\rangle \quad (28d)$$

$$= \sum_{i=1}^{\infty} \varphi_i[f(x)] \int_X \bar{\varphi}_i(\zeta) \xi(\zeta) d\zeta \quad (28e)$$

$$= \int_X \underbrace{\sum_{i=1}^{\infty} \varphi_i[f(x)] \bar{\varphi}_i(\zeta) \xi(\zeta) d\zeta}_{:= \mathcal{K}_t(x, \zeta), \text{ as a kernel}} \quad (28f)$$

This means that the function ξ is mapped to its composition with the function f through the linear operator $\mathcal{K}_t(x, \zeta)$, which is exactly the *Koopman Operator* taking the form of $\mathcal{K}_t \xi = \xi \circ f(x)$. These results can be easily applied to controlled dynamics as found in section III-A.

LYAPUNOV STABILITY ANALYSIS

This subsection of the appendix presents the exponential stability of the system given by

$$z_{k+1} = Z_1 L z_k + Z_1 N e_k \quad (29)$$

in a Lyapunov sense with the candidate $V(k) = z_k^\top S z_k$.

First, $V(z_{k+1})$ can be computed as follows

$$\begin{aligned} V(z_{k+1}) &= (Z_1 L z_k + Z_1 N e_k)^\top S (Z_1 L z_k + Z_1 N e_k) \\ &= z_k^\top L^\top Z_1^\top S Z_1 L z_k + z_k^\top L^\top Z_1^\top S Z_1 N e_k + \dots \\ &\dots e_k^\top N^\top Z_1^\top S Z_1 L z_k + e_k^\top N^\top Z_1^\top S Z_1 N e_k \end{aligned} \quad (30)$$

Lyapunov exponential stability condition with convergence rate α can be reached by defining $V(z_{k+1}) \leq \alpha V(z_k)$. This leads to the following identity based on the candidate Lyapunov function

$$\begin{aligned} &z_k^\top L^\top Z_1^\top S Z_1 L z_k + z_k^\top L^\top Z_1^\top S Z_1 N e_k + \dots \\ &\dots e_k^\top N^\top Z_1^\top S Z_1 L z_k + e_k^\top N^\top Z_1^\top S Z_1 N e_k \leq \alpha z_k^\top S z_k \end{aligned} \quad (31)$$

By defining $v = \begin{bmatrix} z_k \\ e_k \end{bmatrix}$, Eqn. (31) can be written in the form of $v^\top \Psi v \leq 0$, where

$$\Psi = \begin{bmatrix} L^\top Z_1^\top S Z_1 L - \alpha S & L^\top Z_1^\top S Z_1 N \\ N^\top Z_1^\top S Z_1 L & N^\top Z_1^\top S Z_1 N \end{bmatrix} \quad (32)$$

Therefore, the Lyapunov stability condition for the system can be written as

$$\begin{bmatrix} z_k \\ e_k \end{bmatrix}^\top \begin{bmatrix} L^\top Z_1^\top S Z_1 L - \alpha S & L^\top Z_1^\top S Z_1 N \\ N^\top Z_1^\top S Z_1 L & N^\top Z_1^\top S Z_1 N \end{bmatrix} \begin{bmatrix} z_k \\ e_k \end{bmatrix} \leq 0 \quad (33)$$

If condition (33) is satisfied, it then guarantees exponential stability of the system with convergence rate α .

REFERENCES

- [1] K.-E. Årzen, "A simple event-based pid controller," *IFAC Proceedings Volumes*, vol. 32, no. 2, pp. 8687–8692, 1999.
- [2] J. Eker, P. Hagander, and K.-E. Årzen, "A feedback scheduler for real-time controller tasks," *Control Engineering Practice*, vol. 8, no. 12, pp. 1369–1378, 2000.
- [3] P. Tabuada, "Event-triggered real-time scheduling of stabilizing control tasks," *IEEE Transactions on Automatic control*, vol. 52, no. 9, pp. 1680–1685, 2007.
- [4] W. P. Heemels, K. H. Johansson, and P. Tabuada, "An introduction to event-triggered and self-triggered control," in *2012 IEEE 51st IEEE conference on decision and control (cdc)*, pp. 3270–3285, IEEE, 2012.
- [5] G. R. G. da Silva, A. S. Bazanella, C. Lorenzini, and L. Campestri, "Data-driven lqr control design," *IEEE control systems letters*, vol. 3, no. 1, pp. 180–185, 2018.
- [6] C. De Persis and P. Tesi, "Formulas for data-driven control: Stabilization, optimality, and robustness," *IEEE Transactions on Automatic Control*, vol. 65, no. 3, pp. 909–924, 2019.
- [7] L. Shi and K. Karydis, "Enhancement for robustness of koopman operator-based data-driven mobile robotic systems," in *2021 IEEE International Conference on Robotics and Automation (ICRA)*, pp. 2503–2510, IEEE, 2021.
- [8] C. Folkestad, S. X. Wei, and J. W. Burdick, "Quadrotor trajectory tracking with learned dynamics: Joint koopman-based learning of system models and function dictionaries," *arXiv preprint arXiv:2110.10341*, 2021.
- [9] Y. Susuki, I. Mezic, F. Raak, and T. Hikiyama, "Applied koopman operator theory for power systems technology," *Nonlinear Theory and Its Applications, IEICE*, vol. 7, no. 4, pp. 430–459, 2016.
- [10] S. L. Brunton, J. L. Proctor, and J. N. Kutz, "Discovering governing equations from data by sparse identification of nonlinear dynamical systems," *Proceedings of the national academy of sciences*, vol. 113, no. 15, pp. 3932–3937, 2016.
- [11] Z. M. Manaa, M. R. Elbalshy, and A. M. Abdallah, "Data-driven discovery of the quadrotor equations of motion via sparse identification of nonlinear dynamics," in *AIAA SCITECH 2024 Forum*, p. 1308, 2024.
- [12] Y. X. Jiang, X. Xiong, S. Zhang, J. X. Wang, J. C. Li, and L. Du, "Modeling and prediction of the transmission dynamics of COVID-19 based on the SINDy-LM method," *Nonlinear Dynamics*, vol. 105, no. 3, pp. 2775–2794, 2021. Number: 3.
- [13] M. Sorokina, S. Sygletos, and S. Turitsyn, "Sparse Identification for Nonlinear Optical Communication Systems:

- SINO Method,” *Opt. Express*, vol. 24, p. 30433, Dec. 2016. arXiv:1701.01650 [physics].
- [14] B. Bhadriraju, M. S. F. Bangi, A. Narasingam, and J. S. I. Kwon, “Operable adaptive sparse identification of systems: Application to chemical processes,” *AIChE Journal*, vol. 66, no. 11, 2020. Number: 11.
 - [15] D. Bhattacharya, L. K. Cheng, and W. Xu, “Sparse Machine Learning Discovery of Dynamic Differential Equation of an Esophageal Swallowing Robot,” *IEEE Transactions on Industrial Electronics*, vol. 67, no. 6, pp. 4711–4720, 2020. Number: 6.
 - [16] M. Sznaiier, “Control oriented learning in the era of big data,” *IEEE Control Systems Letters*, vol. 5, no. 6, pp. 1855–1867, 2020.
 - [17] M. C. Campi, A. Lecchini, and S. M. Savaresi, “Virtual reference feedback tuning: a direct method for the design of feedback controllers,” *Automatica*, vol. 38, no. 8, pp. 1337–1346, 2002.
 - [18] M. Fliess and C. Join, “Model-free control,” *International journal of control*, vol. 86, no. 12, pp. 2228–2252, 2013.
 - [19] W. Liu, J. Sun, G. Wang, F. Bullo, and J. Chen, “Data-driven self-triggered control via trajectory prediction,” *IEEE Transactions on Automatic Control*, vol. 68, no. 11, pp. 6951–6958, 2023.
 - [20] V. Digge and R. Pasumathy, “Data-driven event-triggered control for discrete-time lti systems,” in *2022 European Control Conference (ECC)*, pp. 1355–1360, IEEE, 2022.
 - [21] X. Wang, J. Berberich, J. Sun, G. Wang, F. Allgöwer, and J. Chen, “Model-based and data-driven control of event-and self-triggered discrete-time linear systems,” *IEEE Transactions on Cybernetics*, 2023.
 - [22] B. O. Koopman, “Hamiltonian systems and transformation in hilbert space,” *Proceedings of the National Academy of Sciences*, vol. 17, no. 5, pp. 315–318, 1931.
 - [23] B. O. Koopman and J. v. Neumann, “Dynamical systems of continuous spectra,” *Proceedings of the National Academy of Sciences*, vol. 18, no. 3, pp. 255–263, 1932.
 - [24] I. Mezić and A. Banaszuk, “Comparison of systems with complex behavior,” *Physica D: Nonlinear Phenomena*, vol. 197, no. 1-2, pp. 101–133, 2004.
 - [25] I. Mezić, “Spectral properties of dynamical systems, model reduction and decompositions,” *Nonlinear Dynamics*, vol. 41, pp. 309–325, 2005.
 - [26] D. Bruder, X. Fu, R. B. Gillespie, C. D. Remy, and R. Vasudevan, “Koopman-based control of a soft continuum manipulator under variable loading conditions,” *IEEE robotics and automation letters*, vol. 6, no. 4, pp. 6852–6859, 2021.
 - [27] D. Bruder, C. D. Remy, and R. Vasudevan, “Nonlinear system identification of soft robot dynamics using koopman operator theory,” in *2019 International Conference on Robotics and Automation (ICRA)*, pp. 6244–6250, IEEE, 2019.
 - [28] G. Mamakoukas, M. L. Castano, X. Tan, and T. D. Murphey, “Derivative-based koopman operators for real-time control of robotic systems,” *IEEE Transactions on Robotics*, vol. 37, no. 6, pp. 2173–2192, 2021.
 - [29] D. A. Haggerty, M. J. Banks, P. C. Curtis, I. Mezić, and E. W. Hawkes, “Modeling, reduction, and control of a helically actuated inertial soft robotic arm via the koopman operator,” *arXiv preprint arXiv:2011.07939*, 2020.
 - [30] X. Zhu, C. Ding, L. Jia, and Y. Feng, “Koopman operator based model predictive control for trajectory tracking of an omnidirectional mobile manipulator,” *Measurement and Control*, vol. 55, no. 9-10, pp. 1067–1077, 2022.
 - [31] N. Komeno, B. Michael, K. Küchler, E. Anarossi, and T. Matsubara, “Deep koopman with control: Spectral analysis of soft robot dynamics,” in *2022 61st Annual Conference of the Society of Instrument and Control Engineers (SICE)*, pp. 333–340, IEEE, 2022.
 - [32] M. Han, J. Euler-Rolle, and R. K. Katzschmann, “Desko: Stability-assured robust control with a deep stochastic koopman operator,” in *International Conference on Learning Representations*, 2021.
 - [33] J. Chen, Y. Dang, and J. Han, “Offset-free model predictive control of a soft manipulator using the koopman operator,” *Mechatronics*, vol. 86, p. 102871, 2022.
 - [34] Z. M. Manaa, A. M. Abdallah, M. A. Abido, and S. S. A. Ali, “Koopman-lqr controller for quadrotor uavs from data,” *arXiv preprint arXiv:2406.17973*, 2024.
 - [35] R. R. Hossain, R. Adesunkanmi, and R. Kumar, “Data-driven linear koopman embedding for networked systems: Model-predictive grid control,” *IEEE Systems Journal*, 2023.
 - [36] T. Markmann, M. Straat, and B. Hammer, “Koopman-based surrogate modelling of turbulent rayleigh-bénard convection,” *arXiv preprint arXiv:2405.06425*, 2024.
 - [37] I. Mezić, Z. Drmač, N. Črnjarić, S. Maćešić, M. Fonoberova, R. Mohr, A. M. Avila, I. Manojlović, and A. Andrejčuk, “A koopman operator-based prediction algorithm and its application to covid-19 pandemic and influenza cases,” *Scientific reports*, vol. 14, no. 1, p. 5788, 2024.
 - [38] J. C. Willems, P. Rapisarda, I. Markovsky, and B. L. De Moor, “A note on persistency of excitation,” *Systems & Control Letters*, vol. 54, no. 4, pp. 325–329, 2005.
 - [39] M. Budišić, R. Mohr, and I. Mezić, “Applied koopmanism,” *Chaos: An Interdisciplinary Journal of Nonlinear Science*, vol. 22, no. 4, 2012.
 - [40] P. Bevanda, S. Sosnowski, and S. Hirche, “Koopman operator dynamical models: Learning, analysis and control,” *Annual Reviews in Control*, vol. 52, pp. 197–212, 2021.
 - [41] J. L. Proctor, S. L. Brunton, and J. N. Kutz, “Generalizing koopman theory to allow for inputs and control,” *SIAM Journal on Applied Dynamical Systems*, vol. 17, no. 1, pp. 909–930, 2018.
 - [42] S. Peitz, S. E. Otto, and C. W. Rowley, “Data-driven model predictive control using interpolated koopman generators,” *SIAM Journal on Applied Dynamical Systems*, vol. 19, no. 3, pp. 2162–2193, 2020.
 - [43] M. Korda and I. Mezić, “Linear predictors for nonlinear dynamical systems: Koopman operator meets model predictive control,” *Automatica*, vol. 93, pp. 149–160, 2018.

- [44] S. E. Otto and C. W. Rowley, “Linearly recurrent autoencoder networks for learning dynamics,” *SIAM Journal on Applied Dynamical Systems*, vol. 18, no. 1, pp. 558–593, 2019.
- [45] E. Yeung, S. Kundu, and N. Hodas, “Learning deep neural network representations for koopman operators of nonlinear dynamical systems,” in *2019 American Control Conference (ACC)*, pp. 4832–4839, IEEE, 2019.
- [46] B. Lusch, J. N. Kutz, and S. L. Brunton, “Deep learning for universal linear embeddings of nonlinear dynamics,” *Nature communications*, vol. 9, no. 1, p. 4950, 2018.
- [47] M. Netto, Y. Susuki, V. Krishnan, and Y. Zhang, “On analytical construction of observable functions in extended dynamic mode decomposition for nonlinear estimation and prediction,” in *2021 American Control Conference (ACC)*, pp. 4190–4195, IEEE, 2021.
- [48] M. Kamb, E. Kaiser, S. L. Brunton, and J. N. Kutz, “Time-delay observables for koopman: Theory and applications,” *SIAM Journal on Applied Dynamical Systems*, vol. 19, no. 2, pp. 886–917, 2020.
- [49] G. Mamakoukas, M. Castano, X. Tan, and T. Murphey, “Local koopman operators for data-driven control of robotic systems,” in *Robotics: science and systems*, 2019.
- [50] P. J. Schmid, “Dynamic mode decomposition of numerical and experimental data,” *Journal of fluid mechanics*, vol. 656, pp. 5–28, 2010.
- [51] J. L. Proctor, S. L. Brunton, and J. N. Kutz, “Dynamic mode decomposition with control,” *SIAM Journal on Applied Dynamical Systems*, vol. 15, no. 1, pp. 142–161, 2016.
- [52] C. De Persis, R. Postoyan, and P. Tesi, “Event-triggered control from data,” *IEEE Transactions on Automatic Control*, 2023.
- [53] S. P. Boyd and L. Vandenberghe, *Convex optimization*. Cambridge university press, 2004.
- [54] S. L. Brunton, B. W. Brunton, J. L. Proctor, and J. N. Kutz, “Koopman invariant subspaces and finite linear representations of nonlinear dynamical systems for control,” *PloS one*, vol. 11, no. 2, 2016.