Comparison of work focus coding res1C


Seeing the world differently

Michael Garrett
2018-01-30

Compare

```
# List coders
coders <- res1C_focus_hand_cstamp %>%
 map("name") %>%
 map(wkf_parse_dspath) %>%
 map("coder")
coders
## [[1]]
## [1] "mdg"
## [[2]]
## [1] "slg"
##
## [[3]]
## [1] "mdg"
## [[4]]
## [1] "slg"
ts <- res1C_focus_hand_cstamp[1:2] %>%
 map(~ wkf_tsample_cstamps(ds = ., dt = 1, warn = FALSE))
tsAB <- as.data.frame(list(A = ts[[1]]$data, B = ts[[2]]$data))
agreeAB <- tsAB %>%
 transpose() %>%
 map_df(~ wkf_compAB_tsample(tsAB = .))
agreeAB <- agreeAB %>%
 mutate(t = tsAB$A.t) %>%
 gather(key = n, value = d, d1:d2) %>%
 filter(d != "N") %>%
  select(-n)
agreeAB <- list(names = ts %>% map("name"), data = agreeAB)
agreeAB$data %>% group_by(d) %>% summarize(n = n())
## # A tibble: 3 x 2
##
        d
   <chr> <int>
       A 1106
## 1
## 2
        D 424
## 3
       E
```

Plot of coding disagreements for phase res1A



Vertical bands show disagreements between coding datasets:
[1] res1C_focus_hand_mdg_20180102_tsample
[2] res1C_focus_hand_slg_20180102_tsample
Horizontal bands show codestamps for the dataset [1]