

Командная оболочка Midnight Commander

Заур Мустафаев¹

28 марта, 2024, Москва, Россия

¹Российский Университет Дружбы Народов

Цели и задачи работы

Цель лабораторной работы

Ознакомление с файловой системой Linux, её структурой, именами и содержанием каталогов. Приобретение практических навыков по применению команд для работы с файлами и каталогами, по управлению процессами, по проверке использования диска и обслуживанию файловой системы.

Задачи лабораторной работы

- 1 Изучить возможности Midnight Commander
- 2 Изучить редактор Midnight Commander

Процесс выполнения лабораторной работы

Работа с Midnight Commander




Рис. 1: Запуск mc

Работа с Midnight Commander




Рис. 2: Выделение

Работа с Midnight Commander




Рис. 3: Отмена

Работа с Midnight Commander




Рис. 4: Копирование

Работа с Midnight Commander




Рис. 5: Перемещение

Работа с Midnight Commander




Рис. 6: Информация

Работа с Midnight Commander




Рис. 7: Быстрый просмотр

Работа с Midnight Commander




Рис. 8: Информация

Работа с Midnight Commander




Рис. 9: Дерево каталогов

Работа с Midnight Commander




Рис. 10: Просмотр содержимого текстового файла

Работа с Midnight Commander




Рис. 11: Отредактируем содержимое текстового файла без сохранения результатов

Работа с Midnight Commander




Рис. 12: Создание каталога

Работа с Midnight Commander




Рис. 13: Копирование в файлов в созданный каталог

Работа с Midnight Commander




Рис. 14: Поиск файлов




Рис. 15: История команд




Рис. 16: Переход в домашний каталог

Работа с Midnight Commander

```
mc.ext.ini [-----] 0 L: [ 1+ 0 1/1136] *0 /26909b/0035 0x023 [*][X]
# Midnight Commander 4.8 extension file
#
# Warning: The structure of this file has been completely changed with the version 4.0!
#
# All lines starting with # or empty lines are ignored.
#
# IMPORTANT: mc scans this file only upon first use or after editing it using the
# mc "Edit extension file" command (F8-c-e). If you edit this file in any other way
# while mc is running, you will need to press F8-c-e and exit the editor for your
# changes to take effect, or exit mc and start it again.
#
# Section name can be anything with following exceptions:
#   there are two reserved section names:
#       mc.ext.ini
#       Default
#   special name pattern:
#       Include/xxxx
#   See below for more details.
#
# Section [mc.ext.ini] is mandatory. It contains file metadata.
# "Version" parameter is mandatory. It contains the file format version.
#
# Section [Default] is optional. It is applied only if no other match was found.
#
# Sections like [Include/xxxx] can be referenced as "Include=xxxx" from other sections.
# Section [Include/xxxx] can be located as before as after sections that point to it.
#
# Sections are processed from top to bottom, thus the order is important.
# If there are more than one sections with the same name in this file, the first
# section will be used.
#
# [Default] should be a catch-all action and come last.
#
```

Рис. 17: Просмотр файла расширений

A screenshot of the Midnight Commander file menu. The window title is "menu" with a status bar at the top showing "1 t: 1*16 17/378 *(732 /11821b) 0010 0x00A" and a close button. The menu text is as follows:

```
shell_patterns=0

#####
# %% The % character
# %f The current file (if non-local vfs, file will be copied locally and
#           %f will be full path to it)
# %p The current file
# %d The current working directory
# %s "Selected files"; the tagged files if any, otherwise the current file
# %t Tagged files
# %u Tagged files (and they are untagged on return from expand_format)
# %v Run the commands and pipes standard output to the view command
# If %view is immediately followed by '|', recognize keywords
#      ascii, hex, nroff and unform
#
# If the format letter is in uppercase, it refers to the other panel
#
# With a number followed the % character you can turn quoting on (default)
# and off. For example:
# %f   quote expanded macro
# %if  ditto
# %of  don't quote expanded macro
#####

+ ! t t
|      Do something on the current file
|      CMD=%(Enter command)
|      $CMD %f

+ t t
|      Do something on the tagged files
|      CMD=%(Enter command)
|      for i in %t ; do
```

At the bottom of the window is a toolbar with 10 icons and their Russian labels: 1. Помощь (Help), 2. Сохранить (Save), 3. Поиск (Search), 4. Имена (Names), 5. Скопия (Copy), 6. Перенести (Move), 7. Повтор (Repeat), 8. Удалить (Delete), 9. НенавС (Not a File), 10. Выход (Exit).

Рис. 18: Просмотр файла меню

Работа с Midnight Commander



Рис. 19: Конфигурация

Работа с Midnight Commander



Рис. 20: Внешний вид

Работа с Midnight Commander



Рис. 21: Настройки панелей



Рис. 22: Подтверждение



Рис. 23: Оформление




Рис. 24: Кодировка символов

Работа с Midnight Commander



Рис. 25: Распознавание клавиш

Файл с текстом

Рис. 26: Файл с текстом

Файл с текстом

Рис. 27: Файл с текстом

Копирование фрагмента

Рис. 28: Копирование фрагмента

Сохранение

Рис. 29: Сохранение

Отмена

Рис. 30: Отмена

Переход в конец файла

Рис. 31: Переход в конец файла

Переход в начало файла

Рис. 32: Переход в начало файла

Файл с программой

Рис. 33: Файл с программой

Цветовыделение синтаксиса

Рис. 34: Цветовыделение синтаксиса

Выводы по проделанной работе

В данной работе мы ознакомились с инструментами поиска файлов и фильтрации текстовых данных. А также приобрели практические навыки по управлению процессами.