

masterclass-demo - Admin Guide

June 2, 2026

masterclass-demo — Admin Guide

Complete administration guide for **WKND Adventures** on Adobe Experience Manager Edge Delivery Services. This document covers authentication, permissions, content and code operations, Document Authoring administration, automated demo traffic, secrets management, and troubleshooting.

Quick Reference

URLs

Purpose	URL
Admin login	https://admin.hlx.page/login/znikolovski/masterclass-demo
Config Service	https://admin.hlx.page/config/znikolovski/
Document Authoring	https://da.live/#/znikolovski/masterclass-demo/
Preview	https://main-masterclass-demo-znikolovski.aem.page/
Live	https://main-masterclass-demo-znikolovski.aem.live/
Feature preview	https://{branch}-masterclass-demo-znikolovski.aem.page/

Sites

Site	Content source (DA)	Code repository	Preview	Live
master-class-demo	content.da.live/znikolovski/masterclass-demo/	znikolovski/masterclass-demo	https://main-masterclass-demo-znikolovski.aem.page/	https://main-masterclass-demo-znikolovski.aem.live/

This project uses a **standard** single-site setup: one GitHub code repository mapped to one Document Authoring content space.

Admin context

Item	Value
Organization	znikolovski
Site	masterclass-demo
Branch (default)	main
GitHub	https://github.com/znikolovski/masterclass-demo

Authentication

Administrators use **Adobe IMS** (Adobe ID) for the Admin API, Config Service, and Document Authoring admin endpoints. The same Bearer token is used across `admin.hlx.page`, `admin.da.live`, and Config Service URLs.

Browser login (recommended)

1. Open: <https://admin.hlx.page/login/znikolovski/masterclass-demo>
2. Sign in with your Adobe ID.
3. Copy the auth token from the UI when performing API operations, or use a CLI-cached token (below).

CLI / automation token

For scripts and local tooling, authenticate once and store the token at `~/.aem/ims-token.json`:

```
# Check token validity (expires in ~24 hours)
node -e "
  const fs = require('fs');
  const t = JSON.parse(fs.readFileSync(process.env.HOME + '/.aem/ims-
token.json', 'utf8'));
  const ok = t.imsToken && t.imsTokenExpiry > Math.floor(Date.now()/1000) +
60;
  console.log(ok ? 'Token valid' : 'Token missing or expired');
"
```

If the token is missing or expired, run the project **auth** skill (opens a browser, captures OAuth, saves `~/.aem/ims-token.json`).

Export for shell commands:

```
export IMS_TOKEN=$(node -e "
  const fs = require('fs');
  const t = JSON.parse(fs.readFileSync(process.env.HOME + '/.aem/ims-
token.json', 'utf8'));
  process.stdout.write(t.imsToken || '');
")
```

Verify authentication

```
curl -s -w "%{http_code}" -o /dev/null \
-H "Authorization: Bearer ${IMS_TOKEN}" \
"https://admin.hlx.page/config/znikolovski/sites.json"
```

A response of **200** confirms the token. **401** means re-authenticate.

Logout

```
curl -X POST \
  -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/logout/znikolovski/masterclass-demo/main"
```

Document Authoring token

DA-specific automation may use `~/aem/da-token.json`. The **da-auth** skill obtains this when calling `admin.da.live` outside the main IMS flow. For most admin tasks on this site, the IMS token above is sufficient.

User management and permissions

Access is managed per site through the Config Service. Roles control who can change configuration, author content, and publish to live.

View current access

```
curl -s -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/config/znikolovski/sites/masterclass-demo/access.json"
```

Role overview

Role	Typical capabilities
admin	Full site configuration, user management, secrets, API keys
author	Create and edit content in Document Authoring; preview
publish	Publish content to live (in addition to author capabilities)
develop	Code-related operations where granted

Exact permissions depend on your organization's policies. Assign the minimum role required.

Add a user

Admin:

```
curl -X POST \
  -H "Authorization: Bearer ${IMS_TOKEN}" \
  -H "Content-Type: application/json" \
  -d '{"users": ["user@example.com"]}' \
  "https://admin.hlx.page/config/znikolovski/sites/masterclass-demo/access/admin.json"
```

Author:

```
curl -X POST \
  -H "Authorization: Bearer ${IMS_TOKEN}" \
  -H "Content-Type: application/json" \
  -d '{"users": ["user@example.com"]}' \
  "https://admin.hlx.page/config/znikolovski/sites/masterclass-demo/access/author.json"
```

Replace `user@example.com` with the Adobe ID email address.

Remove a user

```
curl -X DELETE \
  -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/config/znikolovski/sites/masterclass-demo/access/
admin/user@example.com.json"
```

Adjust the path segment (admin, author, etc.) to match the role being revoked.

Check your profile

```
curl -s -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/profile"
```

Content operations

Content lives in Document Authoring and is promoted to **preview** (.aem.page) and **live** (.aem.live) through the Admin API. Authors can also preview and publish from the DA UI.

Preview

Operation	Method and endpoint
Single page	POST /preview/znikolovski/masterclass-demo/main/{path}
Bulk preview	POST /preview/znikolovski/masterclass-demo/main/*

Example (homepage):

```
curl -X POST \
  -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/preview/znikolovski/masterclass-demo/main/"
```

Publish (go live)

Operation	Method and endpoint
Single page	POST /live/znikolovski/masterclass-demo/main/{path}
Bulk publish	POST /live/znikolovski/masterclass-demo/main/*
Unpublish	DELETE /live/znikolovski/masterclass-demo/main/{path}

Example:

```
curl -X POST \
  -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/live/znikolovski/masterclass-demo/main/field-notes/
my-story"
```

Republish entire site

Use after large content migrations or when preview and live are out of sync:

1. POST /preview/znikolovski/masterclass-demo/main/*
2. POST /live/znikolovski/masterclass-demo/main/*
3. Optionally purge cache (see below)

Index and sitemap (when needed)

Task	Endpoint
Reindex path	POST /index/znikolovski/masterclass-demo/main/{path}
Generate sitemap	POST /sitemap/znikolovski/masterclass-demo/main

Cache management

The CDN caches preview and live responses. Purge after code deploys or when stale content appears.

Operation	Endpoint
Purge single path	POST /cache/znikolovski/masterclass-demo/main/{path}
Purge entire site	POST /cache/znikolovski/masterclass-demo/main/*

Example (purge all on main):

```
curl -X POST \
  -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/cache/znikolovski/masterclass-demo/main/*"
```

If content still looks stale, retry with a force update in the request body per Admin API documentation.

Code operations and code sync

Site behavior (blocks, scripts, styles) is deployed from the GitHub repository **znikolovski/masterclass-demo**. Pushes to main trigger **AEM Code Sync** automatically; you can also force a sync manually.

Manual code sync

```
curl -X POST \
  -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/code/znikolovski/masterclass-demo/main"
```

Run this after merging a pull request if preview does not reflect the latest code within a few minutes.

CI validation

The repository runs lint on every push (.github/workflows/main.yaml):

- npm ci
- npm run lint

Fix lint failures before merging to main to avoid blocked deployments.

Feature branches

Code on non-main branches is available at:

`https://{branch}-masterclass-demo-znikolovski.aem.page/`

Use feature preview URLs in pull requests to validate changes before merge.

Document Authoring administration

Authoring UI

Task	Location
Edit pages	<code>https://da.live/#/znikolovski/masterclass-demo/</code>
Block library	<code>https://da.live/#/znikolovski/masterclass-demo/.da/library</code>
Bulk operations	<code>https://da.live/apps/bulk</code>
Site config sheets	<code>https://da.live/#/znikolovski/masterclass-demo/.da</code>

Admin API (`admin.da.live`)

Use the IMS Bearer token for programmatic content operations:

Operation	Example
List documents	GET <code>https://admin.da.live/source/znikolovski/masterclass-demo/</code>
Read document	GET <code>https://admin.da.live/source/znikolovski/masterclass-demo/{path}</code>
Update content	PUT with body to the same path
Preview from DA	Trigger via DA UI or align with <code>admin.hlx.page</code> preview endpoints

Refer to the **da-content** skill and DA documentation for HTML structure and silent-failure rules.

Sensitive DA configuration

Do not preview or publish configuration that contains secrets:

Sheet / path	Purpose
<code>/.da/adobe-target</code>	Adobe Target API credentials (tenant, clientId, clientSecret) for Experience Workspace “Send to Adobe Target”

Store Target credentials only in the unpublished DA sheet. See `docs/MARTECH.md` and the Send to Adobe Target skill for authoring integration details.

Media and binaries

Upload images and assets through DA so they resolve on preview and live. Binaries committed to the code repository must be optimized per project guidelines.

GitHub Actions: daily traffic simulation

This project includes a scheduled workflow that generates **Analytics demo traffic** against the **live** site using Playwright and the Web SDK.

Workflow file

`.github/workflows/daily-traffic-simulation.yaml`

Schedule and manual runs

Trigger	Behavior
Cron	Daily at 06:00 UTC (0 6 * * *)
workflow_dispatch	Manual run with optional hits (default 10000) and concurrency (default 6, max 8)

What the job does

1. Checks out the repository and installs Node.js dependencies.
2. Installs Playwright Chromium.
3. **Restores** the visitor-pool artifact (persisted ECIDs for returning visitors).
4. Runs `tools/scripts/simulate-live-audience-traffic.mjs` against:
 - **Live base:** `https://main--masterclass-demo--znikolovski.aem.live`
 - **--from-index:** Refreshes paths from production `query-index.json` so new pages are included.
 - **Visitor pool:** `tools/scripts/output/visitor-pool` (uploaded back after each run, 45-day retention).
5. Uploads run logs (`traffic-run-*.json`, `traffic-mix-*.json`, `site-index-*.json`) for 14 days.

Local equivalent

```
npm run simulate:traffic:daily
# Dry run:
npm run simulate:traffic:dry
```

Operational notes

- Traffic is directed at **production** (`.aem.live`). Ensure martech and Analytics are configured before interpreting reports.
 - The workflow does **not** require repository secrets for the live URL (it is hard-coded in the workflow env).
 - Monitor workflow duration (timeout: 240 minutes) and artifact storage in GitHub Actions.
 - Filter Analytics workspaces with **live-only** segments (see `docs/ANALYTICS-LAUNCH-PLAN.md`) so preview and local hits do not skew executive views.
-

Secrets and API keys (Config Service)

Store integration secrets in the **Config Service**, not in the public Git repository.

List secrets

```
curl -s -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/config/znikolovski/secrets.json"
```

Create or update a secret

```
curl -X POST \
  -H "Authorization: Bearer ${IMS_TOKEN}" \
  -H "Content-Type: application/json" \
  -d '{"name": "MY_INTEGRATION_SECRET", "value": "..."}' \
  "https://admin.hlx.page/config/znikolovski/secrets.json"
```

API keys and tokens

	Resource	List endpoint
API keys	GET	/config/znikolovski/api-keys.json
Tokens	GET	/config/znikolovski/tokens.json

Create and revoke keys through the same Config Service API or the admin UI. Never commit API keys, client secrets, or IMS credentials to masterclass-demo on GitHub.

Martech configuration (code, not secrets)

Runtime Web SDK settings are in scripts/martech-config.js (datastreamId, orgId, Launch embed URLs). Replace placeholders during environment setup; values are not secret but must match your Adobe Experience Platform and Launch property.

Common administrative tasks

Task	Steps
Onboard new admin	Add Adobe ID to access/admin.json; confirm login URL works
Onboard author	Add to access/author.json (and publish if they must go live)
Deploy code	Merge to main; verify Code Sync or POST /code/znikolovski/masterclass-demo/main
Full content refresh	Bulk preview /*, then bulk live /*; purge cache /*
Fix stale CDN	POST /cache/.../main/* with force update if needed
Refresh Analytics demo data	Wait for daily workflow or run workflow_dispatch / npm run simulate:traffic:daily
Audit site config	GET /config/znikolovski/sites/masterclass-demo.json with Bearer token

Troubleshooting

Issue	Likely cause	Solution
401 Unauthorized	Expired or missing IMS token	Re-login at admin login URL or re-run auth skill
403 Forbidden	Insufficient role	Verify user in <code>access.json</code> ; request admin to grant role
404 Not Found	Wrong org, site, branch, or path	Confirm <code>znikolovski</code> , <code>masterclass-demo</code> , and <code>main</code> in URLs
429 Rate limited	Too many API calls	Back off and retry
Preview differs from DA	Preview not run	<code>POST /preview/.../{path}</code> or use DA Preview button
Live not updated	Not published	<code>POST /live/.../{path}</code> ; check publish permissions
Cache shows old content	CDN cache	Purge path or <code>/*</code> ; use force update if documented
Code changes missing	Code Sync delay or wrong branch	Manual code sync; test feature preview URL for branch
Config Service empty sites list	Token not sent	All Config Service reads require <code>Authorization: Bearer</code>
Daily traffic workflow failed	Playwright/install timeout	Check Actions logs; re-run with lower concurrency
No Analytics hits from simulation	Martech placeholders or consent	Complete <code>martech-config.js</code> ; verify live host in datastream
Target export errors	Missing <code>/.da/adobe-target</code> sheet	Add credentials in DA; do not publish that sheet

Useful diagnostics

```
# Site configuration (code + content sources)
curl -s -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/config/znikolovski/sites/masterclass-demo.json"

# Recent jobs
curl -s -H "Authorization: Bearer ${IMS_TOKEN}" \
  "https://admin.hlx.page/status/znikolovski/masterclass-demo/main"
```

Local development

```
npx -y @adobe/aem-cli up --no-open --forward-browser-logs
```

Local server: <http://localhost:3000> — serves uncommitted code with previewed CMS content.

Resources

Resource	URL
Admin API	https://www.aem.live/docs/admin.html
Config Service setup	https://www.aem.live/docs/config-service-setup
Document Authoring docs	https://docs.da.live/
Edge Delivery developer docs	https://www.aem.live/docs/docs/MARTECH.md
Martech (this project)	docs/ANALYTICS-LAUNCH-PLAN.md
Analytics / Launch plan	
Repository	https://github.com/znikolovski/masterclass-demo

Generated for administrators taking over the masterclass-demo (WKND Adventures) Edge Delivery Services site. Re-verify URLs and access lists against the Config Service after any org or site migration.