

# Product Offering Qualification Conformance Profile

# NOTICE

Copyright © TM Forum 2023. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

181 New Road, Suite 304

Parsippany, NJ 07054, USA

Tel No. +1 862 227 1648

TM Forum Web Page: [www.tmforum.org](http://www.tmforum.org)

# Table of Contents

NOTICE .....	1
Introduction - API description .....	4
Resource Model Conformance .....	5
API Mandatory Resources .....	5
General Notes on Resource Attribute Conformance .....	5
CheckProductOfferingQualification Resource Mandatory Attributes .....	5
QueryProductOfferingQualification Resource Mandatory Attributes .....	8
Notification Model Conformance .....	10
API Operations Conformance .....	11
Operation .....	11
Prefix .....	11
CheckProductOfferingQualification Mandatory Operations .....	11
QueryProductOfferingQualification Mandatory Operations .....	12
RETRIEVE Operation Conformance .....	13
CheckProductOfferingQualification .....	13
Channels .....	13
Request Message Schema .....	13
Response Message Schema .....	13
QueryProductOfferingQualification .....	14
Channels .....	14
Request Message Schema .....	14
Response Message Schema .....	15
Definitions for Filter .....	15
LIST Operation Conformance .....	16
CheckProductOfferingQualification .....	16
Channels .....	16
Request Message Schema .....	16
Response Message Schema .....	16
QueryProductOfferingQualification .....	17
Channels .....	17
Request Message Schema .....	17
Response Message Schema .....	18
Definitions for Filter .....	18
CREATE Operation Conformance .....	19
CheckProductOfferingQualification .....	19
Channels .....	19
Request Message Schema .....	19
Response Message Schema .....	19

Expected Status Codes:.....	20
QueryProductOfferingQualification .....	20
Channels .....	20
Request Message Schema .....	20
Response Message Schema .....	21
Expected Status Codes:.....	21
PATCH Operation Conformance .....	22
CheckProductOfferingQualification .....	22
Channels .....	22
Request Message Schema .....	22
Response Message Schema .....	22
Expected Status Codes:.....	23
Patchable and Non Patchable Attributes: .....	23
QueryProductOfferingQualification .....	24
Channels .....	24
Request Message Schema .....	24
Response Message Schema .....	24
Expected Status Codes:.....	25
Patchable and Non Patchable Attributes: .....	25
DELETE Operation Conformance .....	26
CheckProductOfferingQualification .....	26
Channels .....	26
Request Message Schema .....	26
Response Message Schema .....	26
Expected Status Codes:.....	27
QueryProductOfferingQualification .....	27
Channels .....	27
Request Message Schema .....	27
Response Message Schema .....	27
Expected Status Codes:.....	28
Acknowledgements .....	29
Release History .....	29
Version History .....	29

# Introduction - API description

The following document is the conformance specification of the Async API for Any management.

# Resource Model Conformance

## API Mandatory Resources

The following table indicates the mandatory resources for this API.

Resource Name	Comment
CheckProductOfferingQualification	
QueryProductOfferingQualification	

## General Notes on Resource Attribute Conformance

There are three situations that could occur for an attribute:

- Mandatory attribute,
- Mandatory attribute if the optional parent attribute is present,
- Non-mandatory/Optional attribute. Those are all the other attributes not mentioned in the following subsections. Please refer to the corresponding API REST Specification for more details.
- The tables in the subsections below indicate which attributes are mandatory including mandatory when an optional parent is present.
- Where a resource is an input into an API (e.g. CREATE, PATCH), Mandatory means that the attribute value must be supplied by the API consumer in the input (and must not be blank or null).
- Where a resource is an output from an API (e.g. RETRIEVE, LIST, CREATE), Mandatory means that the attribute value must be supplied by the API provider in the output (and must not be blank or null).
- For a sub-resource that is not an array, Mandatory (cardinality 1..1) means that the sub-resource must be present, while Optional (cardinality 0..1) means that the sub-resource may be absent. Mandatory and Optional on the sub-resource attributes apply to the sub-resource if present.
- For a sub-resource that is an array, Mandatory (cardinality 1..) **means that at least one sub-resource must be present in the array, while Optional (cardinality 0..)** means that the array may be absent. Mandatory and Optional on the sub-resource attributes apply to each of the sub-resources if present.

In this table are listed all mandatory attributes. A mandatory attribute **MUST** be retrieved in resource representation when no attribute selection is used (e.g. retrieveTroubleTicket.commandRequest {id}) without any attribute selection

When an attribute is listed with an indentation (in second column) it means this attribute is mandatory if root (parent) attribute is present.

# CheckProductOfferingQualification Resource

## Mandatory Attributes

Mandatory attribute when parent is present		Rule
creationDate		M (in response messages)
effectiveQualificationDate		M
id		M (in response messages)
qualificationResult		M
state		M (in response messages)
topicRef		M
channel (if present)		
	@type	M (in response message)
	id	M
checkProductOfferingQualificationItem (if present)		
	@type	M
	id	M
	product	M
	qualificationItemResult	M
	state	M (in response messages)
checkProductOfferingQualificationItem.alternateProductOfferingProposal (if present)		
	@type	M
	id	M
checkProductOfferingQualificationItem.alternateProductOfferingProposal.alternateProductOffering (if present)		
	@type	M
	id	M
	topicRef	M
checkProductOfferingQualificationItem.alternateProductOfferingProposal.promotion (if present)		
	@type	M
	id	M
	topicRef	M
checkProductOfferingQualificationItem.eligibilityUnavailabilityReason (if present)		
	@type	M

Mandatory attribute when parent is present		Rule
checkProductOfferingQualificationItem.note (if present)		
	@type	M
	text	M
checkProductOfferingQualificationItem.productOffering (if present)		
	@type	M
	id	M
	topicRef	M
checkProductOfferingQualificationItem.promotion (if present)		
	@type	M
	id	M
	topicRef	M
checkProductOfferingQualificationItem.qualificationItem Relationship (if present)		
	@type	M
	id	M
	relationshipType	M
checkProductOfferingQualificationItem.terminationError (if present)		
	@type	M
	id	M
	value	M (in response message)
note (if present)		
	@type	M
	text	M
relatedParty (if present)		
	@type	M
	id	M (in response messages)
	role	M
	topicRef	M



# QueryProductOfferingQualification Resource

## Mandatory Attributes

Mandatory attribute when parent is present		Rule
@type		M
creationDate		M (in response messages)
effectiveQualificationDate		M
id		M (in response messages)
state		M (in response messages)
topicRef		M
category (if present)		
	@type	M
	id	M
	topicRef	M
channel (if present)		
	@type	M
	id	M
	topicRef	M
note (if present)		
	@type	M
	text	M
qualifiedProductOfferingItem (if present)		
	@type	M
	id	M
	product	M
qualifiedProductOfferingItem.productOffering (if present)		
	@type	M
	id	M
	topicRef	M
qualifiedProductOfferingItem.promotion (if present)		
	@type	M
	id	M
	topicRef	M
qualifiedProductOfferingItem.qualificationItemRelationship (if present)		

Mandatory attribute when parent is present		Rule
	@type	M
	id	M
	relationshipType	M
relatedParty (if present)		
	@type	M
	id	M
	role	M
	topicRef	M
searchCriteria (if present)		
	@type	M
searchCriteria.productOffering (if present)		
	@type	M
	id	M
	topicRef	M
searchCriteria.promotion (if present)		
	@type	M
	id	M
	topicRef	M
searchCriteria.qualificationItemRelationship (if present)		
	@type	M
	id	M
	relationshipType	M

# Notification Model Conformance

There are no mandatory notifications for this API.

# API Operations Conformance

For every single resource, the following tables include mandatory operations.

## Operation

Every operation consists of two parts:

- REQUEST: Publish a message on a 'commandRequest' channel.
- RESPONSE: Subscribe to the corresponding 'commandReply' channel to receive the response.

## Prefix

All channel names are defined with a "{prefix}" parameter.

Let's take the example of  
`{prefix}.tmfapi.CheckProductOfferingQualification.v5.retrieveCheckProductOfferingQualification.commandRequest`.

This topic name consists of two pieces:

1. a optional prefix **{prefix}**
2. a constant:  
**tmfapi.CheckProductOfferingQualification.v5.retrieveCheckProductOfferingQualification.commandRequest**

Your application may support this channel both with and without a prefix, but the constant must always be present.

Without the prefix, the channel name is:

**tmfapi.CheckProductOfferingQualification.v5.retrieveCheckProductOfferingQualification.commandRequest**

However, some organisations may prefix the channel name for administrative purposes, say to denote the name of a company, department, etc. When using a prefix, say 'acme' for a company named 'Acme Telecom', the channel name is:

**acme.tmfapi.CheckProductOfferingQualification.v5.retrieveCheckProductOfferingQualification.commandRequest**

## CheckProductOfferingQualification Mandatory Operations

The following table indicates which ones are mandatory for the CheckProductOfferingQualification resource:

Uniform API Operation	Comment
RETRIEVE	Retrieve a CheckProductOfferingQualification given it's id
LIST	Retrieve a list of CheckProductOfferingQualifications
CREATE	Create a CheckProductOfferingQualification

## QueryProductOfferingQualification Mandatory Operations

The following table indicates which ones are mandatory for the QueryProductOfferingQualification resource:

Uniform API Operation	Comment
RETRIEVE	Retrieve a QueryProductOfferingQualification given it's id
LIST	Retrieve a list of QueryProductOfferingQualifications
CREATE	Create a QueryProductOfferingQualification

# RETRIEVE Operation Conformance

## CheckProductOfferingQualification

This operation retrieves a CheckProductOfferingQualification entity.

### Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.retrieveCheckProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.retrieveCheckProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

### Request Message Schema

#### Payload

The parameters for this operation are to be sent as headers.

#### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Reply-Channel		M
Parameters		M
	id	M
	fields	
Query-Filters		

### Response Message Schema

#### Payload

The Payload is is a CheckProductOfferingQualification resource entity.

#### Headers

Property	Mandatory/Optional
X-Correlation-Id	M

Property	Mandatory/Optional
Status-Code	M
X-Request-Channel	M

#### Expected Status Codes:

Status Code	Mandatory/Optional
200 if successful	M
404 if not found	M

## QueryProductOfferingQualification

This operation retrieves a QueryProductOfferingQualification entity.

### Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.retrieveQueryProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.retrieveQueryProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

## Request Message Schema

### Payload

The parameters for this operation are to be sent as headers.

### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Reply-Channel		M
Parameters		M
	id	M
	fields	
Query-Filters		

## Response Message Schema

### Payload

The Payload is is a QueryProductOfferingQualification resource entity.

### Headers

Property	Mandatory/Optional
X-Correlation-Id	M
Status-Code	M
X-Request-Channel	M

### Expected Status Codes:

Status Code	Mandatory/Optional
200 if successful	M
404 if not found	M

## Definitions for Filter

- **Filtered Search:** A filtered search can be applied using query parameters to obtain only the resources that meet the criteria defined by the filtering parameters included in the request. Several elements can be applied to the filtered search as part of the 'filters' parameter. In that case logic, a logical AND is applied to combine the criteria (e.g.severity=<value>&status=<value>).
- **Attribute selection (Limiting Response Data):** In order to limit which attributes are included in the response, the RETRIEVE request payload can include the fields parameter. Only those attributes whose names are supplied in this parameter will be returned. Attribute selection capabilities are the same for collections retrieval and individual resource queries.
- **Level:** The filtering and attribute selection can apply to the top level properties (attributes) and subproperties. The tables below show which attributes need to be supported in top-level or contained resources.



# LIST Operation Conformance

## CheckProductOfferingQualification

This operation retrieves an array of CheckProductOfferingQualification entities. Attribute selection is enabled for all first level attributes.

### Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.listCheckProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.listCheckProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

### Request Message Schema

#### Payload

The parameters for this operation are to be sent as headers.

#### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Reply-Channel		M
Parameters		M
	fields	
	offset	
	limit	
Query-Filters		

### Response Message Schema

#### Payload

The Payload is is an array of CheckProductOfferingQualification resource entities.

#### Headers

Property	Mandatory/Optional
X-Correlation-Id	M
Status-Code	M
X-Total-Count	
X-Result-Count	
X-Request-Channel	M

#### Expected Status Codes:

Status Code	Mandatory/Optional
200 if successful	M
404 if not found	M

## QueryProductOfferingQualification

This operation retrieves an array of QueryProductOfferingQualification entities. Attribute selection is enabled for all first level attributes.

### Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.listQueryProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.listQueryProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

### Request Message Schema

#### Payload

The parameters for this operation are to be sent as headers.

#### Headers

Property	Mandatory/Optional
X-Correlation-Id	M
Reply-Channel	M
Parameters	M
	fields

Property		Mandatory/Optional
	offset	
	limit	
Query-Filters		

## Response Message Schema

### Payload

The Payload is is an array of QueryProductOfferingQualification resource entities.

### Headers

Property	Mandatory/Optional
X-Correlation-Id	M
Status-Code	M
X-Total-Count	
X-Result-Count	
X-Request-Channel	M

### Expected Status Codes:

Status Code	Mandatory/Optional
200 if successful	M
404 if not found	M

## Definitions for Filter

- **Filtered Search:** A filtered search can be applied using query parameters to obtain only the resources that meet the criteria defined by the filtering parameters included in the request. Several elements can be applied to the filtered search as part of the 'filters' parameter. In that case logic, a logical AND is applied to combine the criteria (e.g.severity=<value>&status=<value>).
- **Attribute selection (Limiting Response Data):** In order to limit which attributes are included in the response, the RETRIEVE request payload can include the fields parameter. Only those attributes whose names are supplied in this parameter will be returned. Attribute selection capabilities are the same for collections retrieval and individual resource queries.
- **Level:** The filtering and attribute selection can apply to the top level properties (attributes) and subproperties. The tables below show which attributes need to be supported in top-level or contained resources.

# CREATE Operation Conformance

## CheckProductOfferingQualification

This operation creates a CheckProductOfferingQualification entity.

### Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.createCheckProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.createCheckProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

### Request Message Schema

#### Payload

The Payload is is a CheckProductOfferingQualification FVO resource entity.

The following table provides the list of mandatory attributes when creating an instance of the CheckProductOfferingQualification resource, including any possible rule, conditions and applicable default values.

Mandatory Attribute	Rule
checkProductOfferingQualificationItem	

### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Reply-Channel		M
Parameters		M
	fields	

### Response Message Schema

#### Payload

The Payload is is a CheckProductOfferingQualification resource entity.

## Headers

Property	Mandatory/Optional
X-Correlation-Id	M
Status-Code	M
X-Request-Channel	M

## Expected Status Codes:

Status Code	Mandatory/Optional
201 if successful	M

# QueryProductOfferingQualification

This operation creates a QueryProductOfferingQualification entity.

## Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.createQueryProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.createQueryProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

## Request Message Schema

### Payload

The Payload is is a QueryProductOfferingQualification FVO resource entity.

The following table provides the list of mandatory attributes when creating an instance of the QueryProductOfferingQualification resource, including any possible rule, conditions and applicable default values.

Mandatory Attribute	Rule
---------------------	------

## Headers

Property	Mandatory/Optional
X-Correlation-Id	M
Reply-Channel	M

Property		Mandatory/Optional
Parameters		M
	fields	

## Response Message Schema

### Payload

The Payload is is a QueryProductOfferingQualification resource entity.

### Headers

Property	Mandatory/Optional
X-Correlation-Id	M
Status-Code	M
X-Request-Channel	M

### Expected Status Codes:

Status Code	Mandatory/Optional
201 if successful	M

# PATCH Operation Conformance

## CheckProductOfferingQualification

This operation updates partially a CheckProductOfferingQualification entity.

### Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.patchCheckProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.patchCheckProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

### Request Message Schema

#### Payload

The Payload is is a CheckProductOfferingQualification MVO resource entity.

#### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Reply-Channel		M
Parameters		M
	id	M
	fields	

### Response Message Schema

#### Payload

The Payload is is a CheckProductOfferingQualification resource entity.

#### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Status-Code		M

Property	Mandatory/Optional
X-Request-Channel	M

### Expected Status Codes:

Status Code	Mandatory/Optional
200 if successful	M

### Patchable and Non Patchable Attributes:

Non Patchable Attribute	Rule
creationDate	
href	
id	

Patchable Attribute	Rule
@baseType	
@schemaLocation	
@type	
channel	
checkProductOfferingQualificationItem	
description	
effectiveQualificationDate	
expectedQualificationCompletionDate	
expirationDate	
instantSyncQualification	
note	
provideAlternative	
provideOnlyAvailable	
provideResultReason	
qualificationResult	
relatedParty	
requestedQualificationCompletionDate	
state	



# QueryProductOfferingQualification

This operation updates partially a QueryProductOfferingQualification entity.

## Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.patchQueryProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.patchQueryProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

## Request Message Schema

### Payload

The Payload is is a QueryProductOfferingQualification MVO resource entity.

### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Reply-Channel		M
Parameters		M
	id	M
	fields	

## Response Message Schema

### Payload

The Payload is is a QueryProductOfferingQualification resource entity.

### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Status-Code		M
X-Request-Channel		M

## Expected Status Codes:

Status Code	Mandatory/Optional
200 if successful	M

## Patchable and Non Patchable Attributes:

Non Patchable Attribute	Rule
creationDate	
href	
id	

Patchable Attribute	Rule
@baseType	
@schemaLocation	
@type	
category	
channel	
description	
effectiveQualificationDate	
expectedQualificationCompletionDate	
expirationDate	
instantSyncQualification	
note	
qualifiedProductOfferingItem	
relatedParty	
requestedQualificationCompletionDate	
searchCriteria	
state	

# DELETE Operation Conformance

## CheckProductOfferingQualification

This operation deletes a CheckProductOfferingQualification entity.

### Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.deleteCheckProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.deleteCheckProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

### Request Message Schema

#### Payload

The parameters for this operation are to be sent as headers.

#### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Reply-Channel		M
Parameters		M
	id	M

### Response Message Schema

#### Payload

There is no Payload defined for this channel

#### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Status-Code		M
X-Request-Channel		M

## Expected Status Codes:

Status Code	Mandatory/Optional
204 if successful	M

# QueryProductOfferingQualification

This operation deletes a QueryProductOfferingQualification entity.

## Channels

REQUEST CHANNEL	{prefix}.productOfferingQualification.v5.deleteQueryProductOfferingQualification.commandRequest
REPLY CHANNEL	{prefix}.productOfferingQualification.v5.deleteQueryProductOfferingQualification.commandReply

Note: See the API Operations Conformance section above for more details on the request and reply channels.

## Request Message Schema

### Payload

The parameters for this operation are to be sent as headers.

### Headers

Property		Mandatory/Optional
X-Correlation-Id		M
Reply-Channel		M
Parameters		M
	id	M

## Response Message Schema

### Payload

There is no Payload defined for this channel

### Headers

Property		Mandatory/Optional
X-Correlation-Id		M

Property	Mandatory/Optional
Status-Code	M
X-Request-Channel	M

### Expected Status Codes:

Status Code	Mandatory/Optional
204 if successful	M

# Acknowledgements

## Release History

Release Number	Date	Release led by:	Description

## Version History

Version Number	Date	Modified by	Description