.

#### L29 examples

#### add refered link of fonts

Turn to  $google\ fonts$  and search the quired font type. e.g. search type Oxygen, and copy the link of it and paste into the specific area

```
<head>
k href="https://fonts.googleapis.com/css2?family=0xygen&display=swap" rel="stylesheet">
</head>
```

### view the synchronic web

open the command

```
$ browser-sync start --server --directory --files "*"
```

and the website position is

```
Local: http://localhost:3000
```

and the sync web is UI

```
UI: http://localhost:3001
```

# L30-1 coding basics of navbar header

# add the nav bar

add the header in the body

```
<header>
  <nav id="header-nav" class="navbar navbar-default">
       <div class="container">
       </div>
  </nav>
</header>
```

find a white line at the top of the website, then edit the type of it in css

```
#header-nav{
   background-color: #f6b319;
   border-radius:0;
   border:0;
}
```

border-radius is the shape of this grid border-radous detail

# place a symbol in the nav bar

find the nav bar details at getbootstrap.com nav bar

```
<header>
     <nav class="header-nav" class="navbar navbar-default">
          <div class="container">
```

the related css file: **How to adjust the img size to the given size** The problem of adjust the size of this img is that: div the grid size e.g. <div class= "logo-box"> in css file .logo-box{} with absolute size of width: 150px; height:150px; .Then apply the **img** of max-width: 100%; max-height: 100%; to adjust to the given box size.The general idea follows <u>adjust img size</u>

```
.logo-box{
    width: 150px;
    height:150px;
    margin: 10px 15px 10px 0px;
}
.logo-box img{
    max-width: 100%;
    max-height: 100%;
}
```

ps: the alt means if the img can not show, the text will show on that place. The details of <u>usage</u>

 $\label{logo-box} \begin{tabular}{ll} how to edit multiple imgs size setting I use .logo-box img{} \end{tabular} the class of class= "logo-box" The idea is inpired from $\frac{here}{class}$ \end{tabular}$ 

#### L30-2 coding basics of Navbar Header

## add the navbar-brand

- <u>pull-left</u>: we use it to make the tile show in the left top class="pull-left visible-md"
- <u>visible-md</u>: we use it in this example to not show the log when in the small screen, class="pull-left visible-md"
- $\bullet$   $\underline{\text{text-decoration}}\colon$  in this example we use text-decoration: none; to eliminate the text type of this link
- <u>text transform</u>: In this example text-transform: uppercase; to change the brand name
- vertical align

and the relative css file

```
/**navbar brand **/
.navbar-brand {
 padding-top: 25px;
}
.navbar-brand h1 { /* Restaurant name */
  font-family: 'Lora', serif;
 color: #557c3e;
  font-size: 1.5em;
  text-transform: uppercase;
  font-weight: bold;
  text-shadow: 1px 1px 1px #222;
  margin-top: 0;
 margin-bottom: 0;
 line-height: .75;
}
.navbar-brand a:hover, .navbar-brand a:focus {
  text-decoration: none;
.navbar-brand p { /* Kosher cert */
 color: #000;
 text-transform: uppercase;
 font-size: .7em;
 margin-top: 15px;
.navbar-brand p span { /* Star-K */
  vertical-align: middle;
}
```

Here we look the css styles line by line: