ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 0013

General Election Data for the United States, 1950-1990

Inter-university Consortium for Political and Social Research

Codebook for National, 1986

Terms of Use

Information about Copyrighted Content

ICPSR PROCESSING NOTES FOR #00013

General Election Data for the United States, 1950-1990
– National, 1986

1) **Collection Update:** The SPSS setup files were updated to conform to current standards. SAS and Stata setup files, as well as SPSS and Stata system files, a SAS transport (CPORT) file, an R data file, a tab-delimited data file, and a PDF codebook have been added to the collection.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1986

Variable Name and Label (Total Cases = 3140)		Percent of Cases with Missing Values
1.6% (2 of 127 variables)	have 0% Missing Values	
0.0% (0 of 127 variables)	have 0% - 1% Missing Values	
37.8% (48 of 127 variables)	have 1% - 3% Missing Values	
0.0% (0 of 127 variables)	have 3% - 5% Missing Values	
0.0% (0 of 127 variables)	have 5% - 10% Missing Values	
0.0% (0 of 127 variables)	have 10% - 20% Missing Values	
60.6% (77 of 127 variables)	have 20% - 40% Missing Values	
V4	STATE OFFICE SUB-CODE	26.3%
V5	986 5 G SEN 0100 VOTE	33.6%
V6	986 5 G SEN 0112 VOTE	33.6%
V7	986 5 G SEN 0200 VOTE	33.6%
V8	986 5 G SEN 0310 VOTE	33.6%
V9	986 5 G SEN 0328 VOTE	33.6%
V10	986 5 G SEN 0402 VOTE	33.6%
V11	986 5 G SEN 0646 VOTE	33.6%
V12	986 5 G SEN 1404 VOTE	33.6%
V13	986 5 G SEN 1411 VOTE	33.6%
V14	986 5 G SEN 1706 VOTE	33.6%
V15	986 5 G SEN 1716 VOTE	33.6%
V16	986 5 G SEN 1717 VOTE	33.6%
V17	986 5 G SEN 1735 VOTE	33.6%
V18	986 5 G SEN 1737 VOTE	33.6%
V19	986 5 G SEN 1743 VOTE	33.6%
V20	986 5 G SEN 2431 VOTE	33.6%
V21	986 5 G SEN 2488 VOTE	33.6%
V22	986 5 G SEN 2495 VOTE	33.6%
V23	986 5 G SEN 2577 VOTE	33.6%
V24	986 5 G SEN 2613 VOTE	33.6%
V25	986 5 G SEN 2631 VOTE	33.6%
V26	986 5 G SEN 2682 VOTE	33.6%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1986

Variable Name and Label (Total Cases = 3140)		Percent of Cases with Missing Values
V27	986 5 G SEN 2697 VOTE	33.6%
V28	986 5 G SEN 9999 VOTE	33.6%
V29	986 5 G SEN TOTAL VOTE	33.6%
V77	986 2 G GOV 0100 VOTE	30.7%
V78	986 2 G GOV 0112 VOTE	30.7%
V79	986 2 G GOV 0200 VOTE	30.7%
V80	986 2 G GOV 0310 VOTE	30.7%
V81	986 2 G GOV 0328 VOTE	30.7%
V82	986 2 G GOV 0331 VOTE	30.7%
V83	986 2 G GOV 0402 VOTE	30.7%
V84	986 2 G GOV 0646 VOTE	30.7%
V85	986 2 G GOV 0809 VOTE	30.7%
V86	986 2 G GOV 1404 VOTE	30.7%
V87	986 2 G GOV 1411 VOTE	30.7%
V88	986 2 G GOV 1706 VOTE	30.7%
V89	986 2 G GOV 1716 VOTE	30.7%
V90	986 2 G GOV 1717 VOTE	30.7%
V91	986 2 G GOV 1735 VOTE	30.7%
V92	986 2 G GOV 1737 VOTE	30.7%
V93	986 2 G GOV 2431 VOTE	30.7%
V94	986 2 G GOV 2446 VOTE	30.7%
V95	986 2 G GOV 2495 VOTE	30.7%
V96	986 2 G GOV 2504 VOTE	30.7%
V97	986 2 G GOV 2577 VOTE	30.7%
V98	986 2 G GOV 2578 VOTE	30.7%
V99	986 2 G GOV 2613 VOTE	30.7%
V100	986 2 G GOV 2682 VOTE	30.7%
V101	986 2 G GOV 2762 VOTE	30.7%
V102	986 2 G GOV 2763 VOTE	30.7%
V103	986 2 G GOV 9999 VOTE	30.7%
V104	986 2 G GOV TOTAL VOTE	30.7%
V105	986 7 G STATE 0100 VOTE	26.3%
V106	986 7 G STATE 0112 VOTE	26.3%
V107	986 7 G STATE 0200 VOTE	26.3%
V108	986 7 G STATE 0310 VOTE	26.3%
V109	986 7 G STATE 0328 VOTE	26.3%
V110	986 7 G STATE 0331 VOTE	26.3%
V111	986 7 G STATE 0402 VOTE	26.3%
V112	986 7 G STATE 0809 VOTE	26.3%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1986

Variable Name and Label (Total Cases = 3140)		Percent of Cases with Missing Values
V113	986 7 G STATE 1404 VOTE	26.3%
V114	986 7 G STATE 1411 VOTE	26.3%
V115	986 7 G STATE 1706 VOTE	26.3%
V116	986 7 G STATE 1717 VOTE	26.3%
V117	986 7 G STATE 1735 VOTE	26.3%
V118	986 7 G STATE 1743 VOTE	26.3%
V119	986 7 G STATE 2431 VOTE	26.3%
V120	986 7 G STATE 2440 VOTE	26.3%
V121	986 7 G STATE 2488 VOTE	26.3%
V122	986 7 G STATE 2495 VOTE	26.3%
V123	986 7 G STATE 2577 VOTE	26.3%
V124	986 7 G STATE 2613 VOTE	26.3%
V125	986 7 G STATE 2762 VOTE	26.3%
V126	986 7 G STATE 9999 VOTE	26.3%
V127	986 7 G STATE TOTAL VOTE	26.3%
0.0% (0 of 127 variables)	have 40% - 99% Missing Values	
0.0% (0 of 127 variables)	have 100% missing values	

ICPSR 13

General Election Data for the United States, 1950-1990

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

General Election Data for the United States, 1950-1990

National, 1986

V1	ICPSR STATE CODE

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
1	8	0.3 %
2	16	0.5 %
3	14	0.4 %
4	10	0.3 %
5	5	0.2 %
6	14	0.4 %
11	3	0.1 %
12	21	0.7 %
13	62	2.0 %
14	67	2.1 %
21	102	3.2 %
22	92	2.9 %
23	83	2.6 %
24	88	2.8 %
25	72	2.3 %
31	99	3.2 %
32	105	3.3 %
33	87	2.8 %
34	115	3.7 %
35	93	3.0 %
36	53	1.7 %
37	66	2.1 %
40	136	4.3 %
41	67	2.1 %
42	75	2.4 %
43	67	2.1 %
44	159	5.1 %
45	64	2.0 %
46	82	2.6 %
47	100	3.2 %
48	46	1.5 %
49	254	8.1 %
51	120	3.8 %

Value	Unweighted Frequency	%
52	24	0.8 %
53	77	2.5 %
54	95	3.0 %
56	55	1.8 %
61	15	0.5 %
62	63	2.0 %
63	44	1.4 %
64	56	1.8 %
65	17	0.5 %
66	33	1.1 %
67	29	0.9 %
68	23	0.7 %
71	58	1.8 %
72	36	1.1 %
73	39	1.2 %
81	27	0.9 %
82	4	0.1 %

Based upon 3140 valid cases out of 3140 total cases.

- Mean: 41.39
- Median: 43.00
- Mode: 49.00
- Minimum: 1.00
- Maximum: 82.00
- Standard Deviation: 15.98

V2	COUNTY NAME

Location:	3-19 (width: 17; decimal: 0)
Variable Type:	character
	Based upon 3140 valid cases out of 3140 total cases.

V3	DISTRICT

Location:	20-22 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	999

Value	Unweighted Frequency	%
1	583	18.6 %
2	405	12.9 %
3	298	9.5 %

Value	Unweighted Frequency	%
4	228	7.3 %
5	201	6.4 %
6	181	5.8 %
7	160	5.1 %
8	141	4.5 %
9	103	3.3 %
10	62	2.0 %
11	59	1.9 %
12	10	0.3 %
13	42	1.3 %
14	29	0.9 %
15	28	0.9 %
16	22	0.7 %
17	51	1.6 %
18	18	0.6 %
19	36	1.1 %
20	10	0.3 %
21	31	1.0 %
22	23	0.7 %
23	19	0.6 %
24	5	0.2 %
25	4	0.1 %
26	10	0.3 %
27	5	0.2 %
28	3	0.1 %
29	4	0.1 %
30	1	0.0 %
31	1	0.0 %
32	2	0.1 %
34	6	0.2 %
45	1	0.0 %
902	231	7.4 %
903	55	1.8 %
904	15	0.5 %
905	6	0.2 %
906	2	0.1 %
907	1	0.0 %
914	1	0.0 %
918	1	0.0 %
999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 96.32
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 918.00
- Standard Deviation: 270.07

V4	**STATE OFFICE SUB-CODE**

Location:	23-24 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	99

Value	Unweighted Frequency	%
1	690	22.0 %
2	1099	35.0 %
3	159	5.1 %
4	23	0.7 %
6	307	9.8 %
9	36	1.1 %
99 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 2.43
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.76

V5	**986 5 G SEN 0100 VOTE**

Location:	25-31 (width: 7; decimal: 0)
Variable Type:	numeric

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 11655.57
- Minimum: 76.00
- Maximum: 1110614.00
- Standard Deviation: 41720.68

V6	**986 5 G SEN 0112 VOTE**

Location:	32-38 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   9999999

Value	Unweighted Frequency	%
0	2008	63.9 %
25	1	0.0 %
46	1	0.0 %
108	2	0.1 %
112	1	0.0 %
129	1	0.0 %
146	1	0.0 %
158	1	0.0 %
172	1	0.0 %
193	1	0.0 %
196	1	0.0 %
202	1	0.0 %
231	1	0.0 %
238	1	0.0 %
239	1	0.0 %
307	1	0.0 %
311	1	0.0 %
421	1	0.0 %
433	1	0.0 %
434	1	0.0 %
442	1	0.0 %
443	1	0.0 %
483	1	0.0 %
487	1	0.0 %
504	1	0.0 %
514	1	0.0 %
533	1	0.0 %
610	1	0.0 %
680	1	0.0 %
682	1	0.0 %
686	1	0.0 %
714	1	0.0 %
729	1	0.0 %
730	1	0.0 %
764	1	0.0 %
781	1	0.0 %
786	1	0.0 %
815	1	0.0 %

Value	Unweighted Frequency	%
862	1	0.0 %
878	1	0.0 %
926	1	0.0 %
961	1	0.0 %
982	1	0.0 %
1034	1	0.0 %
1052	1	0.0 %
1072	1	0.0 %
1087	1	0.0 %
1156	1	0.0 %
1175	1	0.0 %
1207	1	0.0 %
1354	1	0.0 %
1576	1	0.0 %
1922	1	0.0 %
1980	1	0.0 %
2227	1	0.0 %
2247	1	0.0 %
2341	1	0.0 %
2377	1	0.0 %
2678	1	0.0 %
3104	1	0.0 %
3262	1	0.0 %
3377	1	0.0 %
3918	1	0.0 %
4158	1	0.0 %
5037	1	0.0 %
5799	1	0.0 %
5871	1	0.0 %
6339	1	0.0 %
7048	1	0.0 %
12500	1	0.0 %
13828	1	0.0 %
14996	1	0.0 %
18001	1	0.0 %
18799	1	0.0 %
19559	1	0.0 %
22782	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Study 13 -

Value	Unweighted Frequency	%
47	1	0.0 %
58	2	0.1 %
59	1	0.0 %
63	1	0.0 %
65	1	0.0 %
69	1	0.0 %
72	1	0.0 %
75	2	0.1 %
82	1	0.0 %
104	1	0.0 %
109	1	0.0 %
110	1	0.0 %
134	1	0.0 %
151	1	0.0 %
159	1	0.0 %
161	1	0.0 %
363	1	0.0 %
381	1	0.0 %
493	1	0.0 %
556	1	0.0 %
559	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 2.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 559.00
- Standard Deviation: 25.21

V9	986 5 G SEN 0328 VOTE

Location: 53-59 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 14.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4290.00

- Standard Deviation: 140.23

V10	986 5 G SEN 0402 VOTE

Location:	60-66 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2022	64.4 %
35	1	0.0 %
88	1	0.0 %
92	1	0.0 %
95	1	0.0 %
118	1	0.0 %
129	1	0.0 %
153	1	0.0 %
155	1	0.0 %
157	1	0.0 %
158	1	0.0 %
162	1	0.0 %
176	1	0.0 %
184	1	0.0 %
208	1	0.0 %
213	1	0.0 %
214	1	0.0 %
216	1	0.0 %
226	1	0.0 %
242	1	0.0 %
249	1	0.0 %
253	3	0.1 %
255	1	0.0 %
258	1	0.0 %
270	2	0.1 %
278	1	0.0 %
288	1	0.0 %
289	1	0.0 %
309	1	0.0 %
326	1	0.0 %
358	1	0.0 %
377	1	0.0 %
388	1	0.0 %
391	1	0.0 %

Value	Unweighted Frequency	%
410	1	0.0 %
514	1	0.0 %
519	1	0.0 %
583	1	0.0 %
681	1	0.0 %
689	1	0.0 %
727	1	0.0 %
759	1	0.0 %
776	1	0.0 %
860	1	0.0 %
881	1	0.0 %
971	1	0.0 %
1176	1	0.0 %
1190	1	0.0 %
1573	1	0.0 %
1615	1	0.0 %
1759	1	0.0 %
2465	1	0.0 %
3033	1	0.0 %
3332	1	0.0 %
3603	1	0.0 %
3644	1	0.0 %
3783	1	0.0 %
5117	1	0.0 %
5295	1	0.0 %
6058	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 28.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6058.00
- Standard Deviation: 290.14

V11	986 5 G SEN 0646 VOTE

Location: 67-73 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2045	65.1 %
3	2	0.1 %
14	1	0.0 %
15	1	0.0 %
19	2	0.1 %
30	1	0.0 %
31	1	0.0 %
34	1	0.0 %
36	1	0.0 %
38	1	0.0 %
49	1	0.0 %
51	1	0.0 %
58	1	0.0 %
68	1	0.0 %
75	1	0.0 %
78	1	0.0 %
80	1	0.0 %
82	1	0.0 %
86	1	0.0 %
91	1	0.0 %
98	1	0.0 %
117	1	0.0 %
130	1	0.0 %
136	1	0.0 %
156	1	0.0 %
192	1	0.0 %
205	1	0.0 %
237	1	0.0 %
267	1	0.0 %
291	1	0.0 %
380	1	0.0 %
383	1	0.0 %
448	1	0.0 %
488	1	0.0 %
597	1	0.0 %
686	1	0.0 %
917	1	0.0 %
2277	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 4.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2277.00
- Standard Deviation: 61.89

V12	986 5 G SEN 1404 VOTE
Location:	74-80 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2026	64.5 %
14	1	0.0 %
21	1	0.0 %
30	1	0.0 %
46	1	0.0 %
73	1	0.0 %
82	1	0.0 %
92	1	0.0 %
120	1	0.0 %
126	1	0.0 %
127	1	0.0 %
140	1	0.0 %
144	1	0.0 %
166	1	0.0 %
192	1	0.0 %
208	1	0.0 %
218	1	0.0 %
240	1	0.0 %
259	1	0.0 %
296	1	0.0 %
298	1	0.0 %
306	2	0.1 %
329	1	0.0 %
342	1	0.0 %
372	1	0.0 %
395	1	0.0 %
408	1	0.0 %
494	1	0.0 %

Value	Unweighted Frequency	%
568	1	0.0 %
602	1	0.0 %
611	1	0.0 %
724	1	0.0 %
754	1	0.0 %
821	1	0.0 %
872	1	0.0 %
955	1	0.0 %
1008	1	0.0 %
1023	1	0.0 %
1075	1	0.0 %
1083	1	0.0 %
1117	1	0.0 %
1125	1	0.0 %
1369	1	0.0 %
1531	1	0.0 %
1558	1	0.0 %
1573	1	0.0 %
1923	1	0.0 %
2334	1	0.0 %
2616	1	0.0 %
2974	1	0.0 %
3020	1	0.0 %
4469	1	0.0 %
4866	1	0.0 %
4970	1	0.0 %
6648	1	0.0 %
11288	1	0.0 %
13877	1	0.0 %
26658	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 52.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26658.00
- Standard Deviation: 756.97

- Study 13 -

V13	986 5 G SEN 1411 VOTE		

Location: 81-87 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value		Unweighted Frequency	%
0		2026	64.5 %
5		1	0.0 %
11		1	0.0 %
17		1	0.0 %
19		1	0.0 %
21		1	0.0 %
29		1	0.0 %
30		1	0.0 %
31		1	0.0 %
34		1	0.0 %
40		1	0.0 %
41		1	0.0 %
44		1	0.0 %
49		1	0.0 %
51		1	0.0 %
54		1	0.0 %
57		1	0.0 %
61		1	0.0 %
69		1	0.0 %
74		1	0.0 %
75		1	0.0 %
77		1	0.0 %
104		1	0.0 %
114		1	0.0 %
126		1	0.0 %
134		1	0.0 %
147		1	0.0 %
151		1	0.0 %
165		1	0.0 %
182		1	0.0 %
184		1	0.0 %
197		1	0.0 %
202		1	0.0 %
260		1	0.0 %
286		1	0.0 %
297		1	0.0 %

Value	Unweighted Frequency	%
328	1	0.0 %
346	1	0.0 %
357	1	0.0 %
381	1	0.0 %
390	1	0.0 %
418	1	0.0 %
433	1	0.0 %
449	1	0.0 %
602	1	0.0 %
666	1	0.0 %
797	1	0.0 %
807	1	0.0 %
845	1	0.0 %
888	1	0.0 %
1049	1	0.0 %
1058	1	0.0 %
1273	1	0.0 %
1453	1	0.0 %
1564	1	0.0 %
1838	1	0.0 %
2258	1	0.0 %
2577	1	0.0 %
9654	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 16.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9654.00
- Standard Deviation: 241.55

V14	986 5 G SEN 1706 VOTE	

Location:	88-94 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2022	64.4 %

Value	Unweighted Frequency	%
64	1	0.0 %
126	1	0.0 %
143	1	0.0 %
150	1	0.0 %
197	1	0.0 %
246	1	0.0 %
247	1	0.0 %
261	1	0.0 %
300	1	0.0 %
309	1	0.0 %
325	1	0.0 %
329	1	0.0 %
332	1	0.0 %
350	1	0.0 %
362	1	0.0 %
377	1	0.0 %
388	1	0.0 %
389	1	0.0 %
411	1	0.0 %
427	1	0.0 %
431	1	0.0 %
432	1	0.0 %
433	1	0.0 %
434	1	0.0 %
478	1	0.0 %
481	1	0.0 %
484	1	0.0 %
499	1	0.0 %
532	1	0.0 %
545	1	0.0 %
553	1	0.0 %
579	2	0.1 %
588	1	0.0 %
651	1	0.0 %
694	1	0.0 %
734	1	0.0 %
753	1	0.0 %
784	1	0.0 %
1051	1	0.0 %
1228	1	0.0 %

Value	Unweighted Frequency	%
1324	1	0.0 %
1480	1	0.0 %
1665	1	0.0 %
1667	1	0.0 %
1811	1	0.0 %
1916	1	0.0 %
2073	1	0.0 %
2092	1	0.0 %
2393	1	0.0 %
3326	1	0.0 %
3367	1	0.0 %
3691	1	0.0 %
3885	1	0.0 %
5281	1	0.0 %
5527	1	0.0 %
8769	1	0.0 %
8823	1	0.0 %
10141	1	0.0 %
10243	1	0.0 %
15420	1	0.0 %
22266	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 65.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22266.00
- Standard Deviation: 771.02

V15	986 5 G SEN 1716 VOTE

Location:	95-101 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2017	64.2 %
5	1	0.0 %
9	1	0.0 %

- Study 13 -

Value	Unweighted Frequency	%
16	1	0.0 %
21	2	0.1 %
29	1	0.0 %
30	1	0.0 %
35	1	0.0 %
45	1	0.0 %
48	1	0.0 %
49	1	0.0 %
60	1	0.0 %
68	1	0.0 %
69	1	0.0 %
70	1	0.0 %
76	1	0.0 %
81	1	0.0 %
90	1	0.0 %
92	1	0.0 %
93	1	0.0 %
96	3	0.1 %
97	1	0.0 %
98	1	0.0 %
107	1	0.0 %
109	1	0.0 %
115	1	0.0 %
119	1	0.0 %
124	1	0.0 %
133	1	0.0 %
141	1	0.0 %
147	1	0.0 %
149	1	0.0 %
156	1	0.0 %
163	1	0.0 %
165	1	0.0 %
172	1	0.0 %
199	1	0.0 %
227	1	0.0 %
245	1	0.0 %
249	1	0.0 %
273	1	0.0 %
312	1	0.0 %
314	1	0.0 %

Value	Unweighted Frequency	%
316	1	0.0 %
333	1	0.0 %
361	1	0.0 %
371	1	0.0 %
379	2	0.1 %
420	1	0.0 %
439	1	0.0 %
450	1	0.0 %
521	1	0.0 %
529	1	0.0 %
570	1	0.0 %
599	1	0.0 %
605	1	0.0 %
616	1	0.0 %
818	1	0.0 %
917	1	0.0 %
952	1	0.0 %
1055	1	0.0 %
1071	1	0.0 %
3041	1	0.0 %
3619	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 11.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3619.00
- Standard Deviation: 121.85

V16	986 5 G SEN 1717 VOTE

Location:	102-108 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2070	65.9 %
7	1	0.0 %
12	1	0.0 %

Value	Unweighted Frequency	%
29	1	0.0 %
35	1	0.0 %
68	1	0.0 %
85	1	0.0 %
97	1	0.0 %
109	1	0.0 %
112	1	0.0 %
133	1	0.0 %
140	1	0.0 %
178	1	0.0 %
272	1	0.0 %
306	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 306.00
- Standard Deviation: 11.66

V17	986 5 G SEN 1735 VOTE

Location: 109-115 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 50.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16056.00
- Standard Deviation: 464.57

V18	986 5 G SEN 1737 VOTE

Location: 116-122 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2023	64.4 %

Value	Unweighted Frequency	%
1	8	0.3 %
2	5	0.2 %
3	6	0.2 %
4	8	0.3 %
5	5	0.2 %
6	5	0.2 %
8	1	0.0 %
9	1	0.0 %
11	2	0.1 %
13	1	0.0 %
16	2	0.1 %
18	2	0.1 %
19	2	0.1 %
20	1	0.0 %
23	1	0.0 %
36	1	0.0 %
41	1	0.0 %
52	1	0.0 %
66	1	0.0 %
67	1	0.0 %
103	1	0.0 %
107	1	0.0 %
109	1	0.0 %
126	1	0.0 %
164	1	0.0 %
376	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 376.00
- Standard Deviation: 10.63

V19	**986 5 G SEN 1743 VOTE**

Location:	123-129 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	1992	63.4 %
2	1	0.0 %
7	3	0.1 %
8	3	0.1 %
9	2	0.1 %
12	1	0.0 %
13	2	0.1 %
14	2	0.1 %
15	2	0.1 %
16	1	0.0 %
18	2	0.1 %
19	2	0.1 %
20	2	0.1 %
22	1	0.0 %
23	1	0.0 %
24	1	0.0 %
25	2	0.1 %
26	1	0.0 %
27	2	0.1 %
29	2	0.1 %
30	1	0.0 %
31	1	0.0 %
34	3	0.1 %
35	1	0.0 %
36	2	0.1 %
38	4	0.1 %
39	1	0.0 %
40	2	0.1 %
41	2	0.1 %
42	2	0.1 %
44	1	0.0 %
45	1	0.0 %
46	1	0.0 %
47	1	0.0 %
49	2	0.1 %
51	1	0.0 %
52	1	0.0 %
53	3	0.1 %
54	1	0.0 %
59	1	0.0 %

Value	Unweighted Frequency	%
62	1	0.0 %
63	1	0.0 %
64	1	0.0 %
67	1	0.0 %
70	1	0.0 %
77	1	0.0 %
82	1	0.0 %
83	1	0.0 %
86	1	0.0 %
90	1	0.0 %
98	1	0.0 %
103	1	0.0 %
104	1	0.0 %
110	1	0.0 %
113	1	0.0 %
137	1	0.0 %
138	1	0.0 %
143	1	0.0 %
150	1	0.0 %
151	1	0.0 %
154	1	0.0 %
166	1	0.0 %
185	1	0.0 %
187	1	0.0 %
253	1	0.0 %
383	1	0.0 %
685	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 2.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 685.00
- Standard Deviation: 22.67

V20	986 5 G SEN 2431 VOTE

Location: 130-136 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2067	65.8 %
9	1	0.0 %
43	1	0.0 %
49	1	0.0 %
54	1	0.0 %
65	1	0.0 %
66	1	0.0 %
92	1	0.0 %
127	1	0.0 %
170	1	0.0 %
177	1	0.0 %
200	1	0.0 %
205	1	0.0 %
253	1	0.0 %
378	1	0.0 %
490	1	0.0 %
3520	1	0.0 %
3574	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 4.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3574.00
- Standard Deviation: 111.19

V21	**986 5 G SEN 2488 VOTE**

Location: 137-143 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	1985	63.2 %
3	3	0.1 %
4	1	0.0 %
5	1	0.0 %
6	6	0.2 %

Value	Unweighted Frequency	%
7	3	0.1 %
8	5	0.2 %
9	3	0.1 %
10	2	0.1 %
11	2	0.1 %
12	3	0.1 %
13	3	0.1 %
14	7	0.2 %
15	5	0.2 %
16	4	0.1 %
17	1	0.0 %
18	3	0.1 %
19	3	0.1 %
20	1	0.0 %
21	6	0.2 %
22	5	0.2 %
24	3	0.1 %
25	1	0.0 %
27	3	0.1 %
28	1	0.0 %
30	1	0.0 %
31	2	0.1 %
32	1	0.0 %
35	1	0.0 %
39	1	0.0 %
40	1	0.0 %
42	1	0.0 %
49	1	0.0 %
51	1	0.0 %
59	1	0.0 %
61	2	0.1 %
70	1	0.0 %
76	1	0.0 %
89	1	0.0 %
90	1	0.0 %
92	1	0.0 %
96	1	0.0 %
107	1	0.0 %
141	1	0.0 %
148	1	0.0 %

Value	Unweighted Frequency	%
269	1	0.0 %
545	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 1.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 545.00
- Standard Deviation: 15.59

V22	986 5 G SEN 2495 VOTE

Location:	144-150 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2022	64.4 %
9	1	0.0 %
10	1	0.0 %
17	1	0.0 %
19	2	0.1 %
22	1	0.0 %
23	1	0.0 %
25	1	0.0 %
28	1	0.0 %
37	2	0.1 %
38	1	0.0 %
39	1	0.0 %
40	1	0.0 %
42	4	0.1 %
43	1	0.0 %
44	1	0.0 %
48	3	0.1 %
50	1	0.0 %
55	1	0.0 %
56	1	0.0 %
57	1	0.0 %
62	1	0.0 %

Value	Unweighted Frequency	%
64	1	0.0 %
65	1	0.0 %
66	1	0.0 %
68	2	0.1 %
70	1	0.0 %
73	1	0.0 %
76	1	0.0 %
77	1	0.0 %
87	1	0.0 %
90	1	0.0 %
101	1	0.0 %
106	1	0.0 %
110	1	0.0 %
118	2	0.1 %
119	1	0.0 %
122	1	0.0 %
128	1	0.0 %
132	1	0.0 %
153	1	0.0 %
159	1	0.0 %
179	1	0.0 %
208	1	0.0 %
218	1	0.0 %
354	1	0.0 %
487	1	0.0 %
567	1	0.0 %
646	1	0.0 %
658	1	0.0 %
692	1	0.0 %
919	1	0.0 %
1054	1	0.0 %
1365	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 5.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1365.00

- Standard Deviation: 54.46

V23	986 5 G SEN 2577 VOTE

Location:	151-157 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	1859	59.2 %
1	13	0.4 %
2	17	0.5 %
3	10	0.3 %
4	7	0.2 %
5	14	0.4 %
6	10	0.3 %
7	4	0.1 %
8	11	0.4 %
9	6	0.2 %
10	5	0.2 %
11	4	0.1 %
12	8	0.3 %
13	2	0.1 %
14	2	0.1 %
15	5	0.2 %
16	4	0.1 %
17	5	0.2 %
18	2	0.1 %
19	3	0.1 %
21	3	0.1 %
23	1	0.0 %
25	5	0.2 %
26	3	0.1 %
28	2	0.1 %
30	1	0.0 %
31	1	0.0 %
33	2	0.1 %
34	1	0.0 %
36	2	0.1 %
38	3	0.1 %
40	1	0.0 %
41	1	0.0 %
42	3	0.1 %

- Study 13 -

Value	Unweighted Frequency	%
43	3	0.1 %
45	2	0.1 %
46	1	0.0 %
47	4	0.1 %
48	1	0.0 %
49	1	0.0 %
50	1	0.0 %
52	1	0.0 %
54	1	0.0 %
55	1	0.0 %
56	2	0.1 %
57	1	0.0 %
59	1	0.0 %
60	1	0.0 %
62	1	0.0 %
63	1	0.0 %
65	1	0.0 %
69	2	0.1 %
70	1	0.0 %
75	2	0.1 %
77	1	0.0 %
79	2	0.1 %
88	1	0.0 %
89	1	0.0 %
92	1	0.0 %
96	1	0.0 %
99	2	0.1 %
102	1	0.0 %
108	1	0.0 %
112	1	0.0 %
115	1	0.0 %
117	1	0.0 %
121	1	0.0 %
125	1	0.0 %
128	1	0.0 %
143	1	0.0 %
162	1	0.0 %
187	1	0.0 %
213	1	0.0 %
238	1	0.0 %

Value	Unweighted Frequency	%
252	1	0.0 %
302	1	0.0 %
309	1	0.0 %
323	1	0.0 %
348	1	0.0 %
468	1	0.0 %
568	1	0.0 %
631	1	0.0 %
701	1	0.0 %
743	1	0.0 %
763	1	0.0 %
1383	1	0.0 %
3819	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 8.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3819.00
- Standard Deviation: 97.74

V24	986 5 G SEN 2613 VOTE

Location:	158-164 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	1982	63.1 %
5	1	0.0 %
6	2	0.1 %
7	1	0.0 %
8	2	0.1 %
9	3	0.1 %
12	2	0.1 %
14	2	0.1 %
15	2	0.1 %
16	1	0.0 %
17	3	0.1 %

Value	Unweighted Frequency	%
18	4	0.1 %
19	2	0.1 %
20	2	0.1 %
21	3	0.1 %
22	1	0.0 %
23	4	0.1 %
24	6	0.2 %
25	2	0.1 %
26	4	0.1 %
27	2	0.1 %
28	1	0.0 %
29	1	0.0 %
30	1	0.0 %
32	1	0.0 %
33	1	0.0 %
34	1	0.0 %
35	3	0.1 %
36	1	0.0 %
37	1	0.0 %
39	1	0.0 %
42	2	0.1 %
46	1	0.0 %
48	1	0.0 %
50	4	0.1 %
51	1	0.0 %
54	1	0.0 %
55	1	0.0 %
60	1	0.0 %
62	1	0.0 %
66	1	0.0 %
73	2	0.1 %
75	2	0.1 %
92	1	0.0 %
96	2	0.1 %
107	2	0.1 %
108	1	0.0 %
127	1	0.0 %
140	1	0.0 %
152	1	0.0 %
173	1	0.0 %

Value	Unweighted Frequency	%
175	1	0.0 %
200	1	0.0 %
209	1	0.0 %
234	1	0.0 %
252	1	0.0 %
254	1	0.0 %
298	1	0.0 %
334	1	0.0 %
345	1	0.0 %
353	1	0.0 %
567	1	0.0 %
890	1	0.0 %
8176	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 7.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8176.00
- Standard Deviation: 181.77

V25	986 5 G SEN 2631 VOTE
Location:	165-171 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2024	64.5 %
1	4	0.1 %
2	3	0.1 %
3	2	0.1 %
4	5	0.2 %
5	6	0.2 %
6	4	0.1 %
7	2	0.1 %
8	5	0.2 %
9	2	0.1 %
10	2	0.1 %

Value	Unweighted Frequency	%
11	3	0.1 %
12	2	0.1 %
14	2	0.1 %
16	1	0.0 %
17	2	0.1 %
18	2	0.1 %
19	1	0.0 %
29	1	0.0 %
31	1	0.0 %
60	1	0.0 %
66	1	0.0 %
100	1	0.0 %
108	1	0.0 %
136	2	0.1 %
149	1	0.0 %
178	1	0.0 %
235	1	0.0 %
268	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 0.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 268.00
- Standard Deviation: 10.99

V26	986 5 G SEN 2682 VOTE

Location:	172-178 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2014	64.1 %
1	2	0.1 %
2	5	0.2 %
3	3	0.1 %
4	4	0.1 %
5	2	0.1 %

Value	Unweighted Frequency	%
6	7	0.2 %
7	4	0.1 %
8	2	0.1 %
9	1	0.0 %
10	3	0.1 %
11	1	0.0 %
13	2	0.1 %
14	1	0.0 %
15	1	0.0 %
16	1	0.0 %
17	2	0.1 %
18	1	0.0 %
19	1	0.0 %
21	1	0.0 %
23	1	0.0 %
26	1	0.0 %
27	1	0.0 %
29	2	0.1 %
31	1	0.0 %
33	1	0.0 %
36	1	0.0 %
43	3	0.1 %
44	1	0.0 %
52	2	0.1 %
59	1	0.0 %
70	1	0.0 %
74	1	0.0 %
75	1	0.0 %
79	1	0.0 %
82	1	0.0 %
85	1	0.0 %
89	1	0.0 %
135	1	0.0 %
162	1	0.0 %
309	1	0.0 %
850	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 1.40

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 850.00
- Standard Deviation: 21.13

V27	986 5 G SEN 2697 VOTE

Location:	179-185 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2013	64.1 %
5	1	0.0 %
6	1	0.0 %
9	2	0.1 %
10	1	0.0 %
12	1	0.0 %
14	1	0.0 %
16	1	0.0 %
17	2	0.1 %
19	1	0.0 %
20	1	0.0 %
21	1	0.0 %
24	1	0.0 %
25	1	0.0 %
26	3	0.1 %
29	1	0.0 %
33	2	0.1 %
34	1	0.0 %
35	1	0.0 %
37	1	0.0 %
38	1	0.0 %
39	1	0.0 %
42	1	0.0 %
45	1	0.0 %
48	1	0.0 %
55	1	0.0 %
57	1	0.0 %
58	1	0.0 %
60	1	0.0 %
66	1	0.0 %

Value	Unweighted Frequency	%
70	1	0.0 %
72	2	0.1 %
74	1	0.0 %
78	1	0.0 %
84	1	0.0 %
85	1	0.0 %
88	1	0.0 %
89	1	0.0 %
97	1	0.0 %
99	1	0.0 %
106	1	0.0 %
140	1	0.0 %
167	1	0.0 %
169	1	0.0 %
260	1	0.0 %
264	1	0.0 %
274	1	0.0 %
278	2	0.1 %
320	1	0.0 %
323	1	0.0 %
354	1	0.0 %
432	1	0.0 %
455	1	0.0 %
483	1	0.0 %
486	1	0.0 %
491	1	0.0 %
522	1	0.0 %
629	1	0.0 %
732	1	0.0 %
752	1	0.0 %
807	1	0.0 %
1251	1	0.0 %
1315	1	0.0 %
1483	1	0.0 %
4576	1	0.0 %
9999999 (M)	1056	33.6 %

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 9.24
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 4576.00
- Standard Deviation: 121.37

V28	986 5 G SEN 9999 VOTE

Location: 186-192 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 154.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 39941.00
- Standard Deviation: 1806.08

V29	986 5 G SEN TOTAL VOTE

Location: 193-199 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2084 valid cases out of 3140 total cases.

- Mean: 23304.99
- Minimum: 304.00
- Maximum: 2039232.00
- Standard Deviation: 73834.30

V30	986 3 G CONG 0100 VOTE

Location: 200-206 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 10225.93
- Minimum: 0.00
- Maximum: 1114010.00
- Standard Deviation: 36172.24

V31	986 3 G CONG 0112 VOTE

Location: 207-213 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   9999999

Value	Unweighted Frequency	%
0	3035	96.7 %
106	1	0.0 %
230	1	0.0 %
251	1	0.0 %
261	1	0.0 %
289	1	0.0 %
299	1	0.0 %
316	1	0.0 %
401	1	0.0 %
419	1	0.0 %
462	1	0.0 %
501	1	0.0 %
518	1	0.0 %
527	1	0.0 %
550	1	0.0 %
692	1	0.0 %
699	1	0.0 %
701	1	0.0 %
702	1	0.0 %
735	1	0.0 %
754	1	0.0 %
758	1	0.0 %
771	1	0.0 %
817	1	0.0 %
831	1	0.0 %
847	1	0.0 %
864	1	0.0 %
865	1	0.0 %
869	1	0.0 %
888	1	0.0 %
1016	1	0.0 %
1089	1	0.0 %
1128	1	0.0 %
1265	1	0.0 %
1275	1	0.0 %
1310	1	0.0 %
1330	1	0.0 %
1487	1	0.0 %
1504	1	0.0 %
1547	1	0.0 %

Value	Unweighted Frequency	%
1714	1	0.0 %
2060	1	0.0 %
2148	1	0.0 %
2221	1	0.0 %
2559	1	0.0 %
2634	1	0.0 %
2727	1	0.0 %
2780	1	0.0 %
4356	1	0.0 %
5021	1	0.0 %
5601	1	0.0 %
5620	1	0.0 %
8155	1	0.0 %
9696	1	0.0 %
10077	1	0.0 %
11746	1	0.0 %
13809	1	0.0 %
17579	1	0.0 %
19667	1	0.0 %
26289	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 60.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26289.00
- Standard Deviation: 833.25

V32	986 3 G CONG 0200 VOTE

| Location: | 214-220 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 8315.98
- Minimum: 0.00
- Maximum: 800975.00
- Standard Deviation: 26577.75

V33	986 3 G CONG 0310 VOTE

Location: 221-227 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3079	98.1 %
10	2	0.1 %
12	1	0.0 %
17	1	0.0 %
20	1	0.0 %
21	1	0.0 %
24	1	0.0 %
48	1	0.0 %
54	1	0.0 %
58	1	0.0 %
70	1	0.0 %
89	1	0.0 %
100	1	0.0 %
524	1	0.0 %
1072	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1072.00
- Standard Deviation: 21.69

V34	986 3 G CONG 0328 VOTE

Location: 228-234 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 49.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16221.00
- Standard Deviation: 580.81

V35	**986 3 G CONG 0331 VOTE**

Location:	235-241 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3007	95.8 %
671	1	0.0 %
735	1	0.0 %
784	1	0.0 %
1007	1	0.0 %
1066	1	0.0 %
1165	1	0.0 %
1190	1	0.0 %
1256	1	0.0 %
1392	1	0.0 %
1517	1	0.0 %
1652	1	0.0 %
1667	1	0.0 %
1671	1	0.0 %
1680	1	0.0 %
1722	1	0.0 %
1782	1	0.0 %
1787	1	0.0 %
1803	1	0.0 %
1807	1	0.0 %
2041	1	0.0 %
2046	1	0.0 %
2057	1	0.0 %
2073	1	0.0 %
2077	1	0.0 %
2102	1	0.0 %
2225	1	0.0 %
2271	1	0.0 %
2293	1	0.0 %
2311	1	0.0 %
2348	1	0.0 %
2412	1	0.0 %
2508	1	0.0 %
2533	1	0.0 %
2558	1	0.0 %
2587	1	0.0 %

Value	Unweighted Frequency	%
2623	1	0.0 %
2655	1	0.0 %
2704	1	0.0 %
2774	1	0.0 %
2794	1	0.0 %
2991	1	0.0 %
3033	1	0.0 %
3037	1	0.0 %
3189	1	0.0 %
3268	1	0.0 %
3270	1	0.0 %
3392	1	0.0 %
3471	1	0.0 %
3495	1	0.0 %
3663	1	0.0 %
3744	1	0.0 %
3772	1	0.0 %
3838	1	0.0 %
3887	1	0.0 %
4059	1	0.0 %
4200	1	0.0 %
4301	1	0.0 %
4316	1	0.0 %
4527	1	0.0 %
4688	1	0.0 %
4741	1	0.0 %
4811	1	0.0 %
4874	1	0.0 %
5053	1	0.0 %
5080	1	0.0 %
5199	1	0.0 %
5428	1	0.0 %
5527	1	0.0 %
5761	1	0.0 %
5982	1	0.0 %
6397	1	0.0 %
6535	1	0.0 %
6912	1	0.0 %
7014	1	0.0 %
7992	1	0.0 %

Value	Unweighted Frequency	%
8098	1	0.0 %
8888	1	0.0 %
9536	1	0.0 %
9876	1	0.0 %
10334	1	0.0 %
13380	1	0.0 %
16741	1	0.0 %
17398	1	0.0 %
17871	1	0.0 %
36194	1	0.0 %
37195	1	0.0 %
134437	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 180.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 134437.00
- Standard Deviation: 2735.70

V36	986 3 G CONG 0340 VOTE

Location:	242-248 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3087	98.3 %
31	1	0.0 %
194	1	0.0 %
200	1	0.0 %
228	1	0.0 %
283	1	0.0 %
360	1	0.0 %
1487	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.90

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1487.00
- Standard Deviation: 28.71

V37	986 3 G CONG 0380 VOTE

Location: 249-255 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3093	98.5 %
3120	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 1.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3120.00
- Standard Deviation: 56.09

V38	986 3 G CONG 0402 VOTE

Location: 256-262 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3079	98.1 %
23	1	0.0 %
71	1	0.0 %
72	1	0.0 %
88	1	0.0 %
333	1	0.0 %
923	1	0.0 %
955	1	0.0 %
961	1	0.0 %
1830	1	0.0 %
2683	1	0.0 %
4999	1	0.0 %
7716	1	0.0 %

Value	Unweighted Frequency	%
8322	1	0.0 %
14717	1	0.0 %
18053	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 19.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 18053.00
- Standard Deviation: 478.58

V39	**986 3 G CONG 0809 VOTE**

Location:	263-269 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3007	95.8 %
631	1	0.0 %
1251	1	0.0 %
1258	1	0.0 %
1261	1	0.0 %
1336	1	0.0 %
1341	1	0.0 %
1511	1	0.0 %
1599	1	0.0 %
1757	1	0.0 %
1806	1	0.0 %
1928	1	0.0 %
2070	1	0.0 %
2113	1	0.0 %
2135	1	0.0 %
2187	1	0.0 %
2198	1	0.0 %
2212	1	0.0 %
2422	1	0.0 %
2621	1	0.0 %
2644	1	0.0 %

Value	Unweighted Frequency	%
2669	1	0.0 %
2682	1	0.0 %
2694	1	0.0 %
2695	1	0.0 %
2844	1	0.0 %
2893	1	0.0 %
2911	1	0.0 %
2912	1	0.0 %
2955	1	0.0 %
2976	1	0.0 %
3084	1	0.0 %
3317	1	0.0 %
3474	1	0.0 %
3539	1	0.0 %
3900	1	0.0 %
3913	1	0.0 %
3984	1	0.0 %
4019	1	0.0 %
4020	1	0.0 %
4039	1	0.0 %
4093	1	0.0 %
4097	1	0.0 %
4133	1	0.0 %
4206	1	0.0 %
4501	1	0.0 %
4608	1	0.0 %
4679	1	0.0 %
4764	1	0.0 %
4785	1	0.0 %
4813	1	0.0 %
4919	1	0.0 %
4943	1	0.0 %
4958	1	0.0 %
5112	1	0.0 %
5303	1	0.0 %
5443	1	0.0 %
5712	1	0.0 %
5940	1	0.0 %
6038	1	0.0 %
6141	1	0.0 %

Value	Unweighted Frequency	%
6167	1	0.0 %
6178	1	0.0 %
6253	1	0.0 %
6923	1	0.0 %
6958	1	0.0 %
7200	1	0.0 %
7405	1	0.0 %
7473	1	0.0 %
7736	1	0.0 %
8983	1	0.0 %
9081	1	0.0 %
10005	1	0.0 %
10449	1	0.0 %
10506	1	0.0 %
11444	1	0.0 %
11680	1	0.0 %
12331	1	0.0 %
12529	1	0.0 %
13120	1	0.0 %
17536	1	0.0 %
19146	1	0.0 %
25025	1	0.0 %
27528	1	0.0 %
44930	1	0.0 %
60334	1	0.0 %
100704	1	0.0 %
163102	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 268.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 163102.00
- Standard Deviation: 3885.41

V40	986 3 G CONG 1411 VOTE

Location: 270-276 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   9999999

Value	Unweighted Frequency	%
0	3077	98.0 %
214	1	0.0 %
220	1	0.0 %
259	1	0.0 %
347	1	0.0 %
618	1	0.0 %
644	1	0.0 %
926	1	0.0 %
1048	1	0.0 %
1116	1	0.0 %
1676	1	0.0 %
2078	1	0.0 %
2225	1	0.0 %
2405	1	0.0 %
3832	1	0.0 %
6308	1	0.0 %
10021	1	0.0 %
23066	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 18.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 23066.00
- Standard Deviation: 478.45

V41	986 3 G CONG 1706 VOTE

Location: 277-283 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   9999999

Value	Unweighted Frequency	%
0	3053	97.2 %
76	1	0.0 %
164	1	0.0 %
215	1	0.0 %
221	1	0.0 %

Value	Unweighted Frequency	%
228	1	0.0 %
250	1	0.0 %
261	1	0.0 %
275	1	0.0 %
280	1	0.0 %
319	1	0.0 %
321	1	0.0 %
323	1	0.0 %
326	1	0.0 %
336	1	0.0 %
342	1	0.0 %
354	1	0.0 %
369	1	0.0 %
377	1	0.0 %
388	1	0.0 %
423	1	0.0 %
441	1	0.0 %
444	1	0.0 %
505	1	0.0 %
515	1	0.0 %
542	1	0.0 %
1002	1	0.0 %
1033	1	0.0 %
1281	1	0.0 %
1319	1	0.0 %
1330	1	0.0 %
1382	1	0.0 %
1396	1	0.0 %
1467	1	0.0 %
1692	1	0.0 %
1929	1	0.0 %
1940	1	0.0 %
2907	1	0.0 %
4485	1	0.0 %
5113	1	0.0 %
9834	1	0.0 %
15008	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 19.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15008.00
- Standard Deviation: 360.54

V42	986 3 G CONG 1717 VOTE

Location:	284-290 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3080	98.1 %
41	1	0.0 %
67	1	0.0 %
220	1	0.0 %
273	1	0.0 %
277	1	0.0 %
302	1	0.0 %
352	1	0.0 %
419	1	0.0 %
482	1	0.0 %
594	1	0.0 %
638	1	0.0 %
840	1	0.0 %
903	1	0.0 %
1652	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 2.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1652.00
- Standard Deviation: 43.39

V43	986 3 G CONG 1735 VOTE

Location:	291-297 (width: 7; decimal: 0)
Variable Type:	numeric

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 39.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26700.00
- Standard Deviation: 591.49

V44	**986 3 G CONG 1743 VOTE**

Location:	298-304 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3091	98.4 %
72	1	0.0 %
85	1	0.0 %
482	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 482.00
- Standard Deviation: 8.89

V45	**986 3 G CONG 2419 VOTE**

Location:	305-311 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3080	98.1 %
61	1	0.0 %
64	1	0.0 %
208	1	0.0 %
295	1	0.0 %
350	1	0.0 %
359	1	0.0 %
385	1	0.0 %
437	1	0.0 %

Value	Unweighted Frequency	%
478	1	0.0 %
605	1	0.0 %
633	1	0.0 %
740	1	0.0 %
764	1	0.0 %
2025	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 2.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2025.00
- Standard Deviation: 47.36

V46	**986 3 G CONG 2442 VOTE**

Location:	312-318 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3093	98.5 %
3265	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3265.00
- Standard Deviation: 58.70

V47	**986 3 G CONG 2471 VOTE**

Location:	319-325 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3089	98.4 %
51	1	0.0 %
214	1	0.0 %
385	1	0.0 %
1486	1	0.0 %
1510	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 1.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1510.00
- Standard Deviation: 38.90

V48	**986 3 G CONG 2476 VOTE**

Location:	326-332 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3061	97.5 %
199	1	0.0 %
200	1	0.0 %
229	1	0.0 %
231	1	0.0 %
240	1	0.0 %
252	1	0.0 %
258	1	0.0 %
277	1	0.0 %
281	1	0.0 %
285	1	0.0 %
303	1	0.0 %
330	1	0.0 %
394	1	0.0 %
424	1	0.0 %
444	1	0.0 %
447	1	0.0 %
608	1	0.0 %

- Study 13 -

Value	Unweighted Frequency	%
921	1	0.0 %
943	1	0.0 %
1006	1	0.0 %
1285	1	0.0 %
1448	1	0.0 %
1506	1	0.0 %
1640	1	0.0 %
1881	1	0.0 %
2135	1	0.0 %
4700	1	0.0 %
5404	1	0.0 %
6423	1	0.0 %
7795	1	0.0 %
8821	1	0.0 %
19641	1	0.0 %
29428	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 32.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29428.00
- Standard Deviation: 696.65

V49	**986 3 G CONG 2495 VOTE**

Location: 333-339 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3091	98.4 %
67	1	0.0 %
1509	1	0.0 %
2096	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 1.19

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2096.00
- Standard Deviation: 46.44

V50	986 3 G CONG 2498 VOTE		

Location: 340-346 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3080	98.1 %
53	1	0.0 %
55	1	0.0 %
176	1	0.0 %
177	1	0.0 %
212	1	0.0 %
217	1	0.0 %
251	1	0.0 %
321	1	0.0 %
422	1	0.0 %
485	1	0.0 %
492	1	0.0 %
599	1	0.0 %
1030	1	0.0 %
1360	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 1.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1360.00
- Standard Deviation: 37.02

V51	986 3 G CONG 2504 VOTE		

Location: 347-353 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3089	98.4 %
80	1	0.0 %
83	1	0.0 %
240	1	0.0 %
647	1	0.0 %
2935	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 1.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2935.00
- Standard Deviation: 54.24

V52	986 3 G CONG 2550 VOTE

Location: 354-360 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3093	98.5 %
8	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.14

V53	986 3 G CONG 2577 VOTE

Location: 361-367 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3086	98.3 %
103	1	0.0 %
120	1	0.0 %
330	1	0.0 %
444	1	0.0 %
899	1	0.0 %
1341	1	0.0 %
1874	1	0.0 %
3488	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 2.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3488.00
- Standard Deviation: 77.53

V54	**986 3 G CONG 2578 VOTE**

Location: 368-374 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3072	97.8 %
6	1	0.0 %
10	1	0.0 %
13	1	0.0 %
15	1	0.0 %
18	2	0.1 %
19	1	0.0 %
20	1	0.0 %
21	2	0.1 %
32	1	0.0 %
33	1	0.0 %
47	1	0.0 %
50	1	0.0 %
67	1	0.0 %
68	1	0.0 %

Value	Unweighted Frequency	%
92	1	0.0 %
93	1	0.0 %
96	1	0.0 %
108	1	0.0 %
149	1	0.0 %
330	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 330.00
- Standard Deviation: 7.78

V55	**986 3 G CONG 2614 VOTE**

Location:	375-381 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3093	98.5 %
1348	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1348.00
- Standard Deviation: 24.23

V56	**986 3 G CONG 2616 VOTE**

Location:	382-388 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3093	98.5 %
6250	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 2.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6250.00
- Standard Deviation: 112.36

V57	986 3 G CONG 2630 VOTE

Location:	389-395 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3090	98.4 %
77	1	0.0 %
87	1	0.0 %
979	1	0.0 %
1195	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1195.00
- Standard Deviation: 27.85

V58	986 3 G CONG 2641 VOTE

Location:	396-402 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3080	98.1 %

Value	Unweighted Frequency	%
1652	1	0.0 %
2282	1	0.0 %
5785	1	0.0 %
7363	1	0.0 %
7952	1	0.0 %
8078	1	0.0 %
9065	1	0.0 %
9524	1	0.0 %
11313	1	0.0 %
11861	1	0.0 %
17115	1	0.0 %
18035	1	0.0 %
18967	1	0.0 %
39411	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 54.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 39411.00
- Standard Deviation: 1015.18

V59	986 3 G CONG 2654 VOTE

Location:	403-409 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3093	98.5 %
1911	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1911.00
- Standard Deviation: 34.36

V60	986 3 G CONG 2663 VOTE

Location: 410-416 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3093	98.5 %
29937	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 9.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29937.00
- Standard Deviation: 538.21

V61	986 3 G CONG 2682 VOTE

Location: 417-423 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3091	98.4 %
82	1	0.0 %
847	1	0.0 %
1951	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1951.00
- Standard Deviation: 38.26

V62	986 3 G CONG 2684 VOTE

Location: 424-430 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	3087	98.3 %
168	1	0.0 %
210	1	0.0 %
266	1	0.0 %
339	1	0.0 %
1477	1	0.0 %
1771	1	0.0 %
2878	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 2.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2878.00
- Standard Deviation: 66.90

V63	**986 3 G CONG 2685 VOTE**

Location:	431-437 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3089	98.4 %
536	1	0.0 %
624	1	0.0 %
688	1	0.0 %
833	1	0.0 %
1131	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 1.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1131.00
- Standard Deviation: 31.75

V64	**986 3 G CONG 2686 VOTE**

Location:	438-444 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3089	98.4 %
58	1	0.0 %
60	1	0.0 %
81	1	0.0 %
238	1	0.0 %
352	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 352.00
- Standard Deviation: 7.92

V65	**986 3 G CONG 2687 VOTE**

Location:	445-451 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3091	98.4 %
83	1	0.0 %
488	1	0.0 %
1452	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1452.00
- Standard Deviation: 27.58

V66	**986 3 G CONG 2688 VOTE**

Location:	452-458 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3093	98.5 %
1825	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1825.00
- Standard Deviation: 32.81

V67	**986 3 G CONG 2689 VOTE**

Location:	459-465 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3093	98.5 %
525	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 525.00
- Standard Deviation: 9.44

V68	**986 3 G CONG 2691 VOTE**

Location:	466-472 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3093	98.5 %

Value	Unweighted Frequency	%
2004	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2004.00
- Standard Deviation: 36.03

V69	**986 3 G CONG 2697 VOTE**

Location:	473-479 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3092	98.5 %
93	1	0.0 %
565	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 565.00
- Standard Deviation: 10.29

V70	**986 3 G CONG 2746 VOTE**

Location:	480-486 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3074	97.9 %
285	1	0.0 %
507	1	0.0 %
618	1	0.0 %

Value	Unweighted Frequency	%
841	1	0.0 %
857	1	0.0 %
867	1	0.0 %
958	1	0.0 %
1160	1	0.0 %
1248	1	0.0 %
1260	1	0.0 %
1378	1	0.0 %
1622	1	0.0 %
1660	1	0.0 %
1726	1	0.0 %
1773	1	0.0 %
2068	1	0.0 %
2262	1	0.0 %
2286	1	0.0 %
2904	1	0.0 %
6004	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 10.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6004.00
- Standard Deviation: 161.32

V71	986 3 G CONG 2748 VOTE

Location:	487-493 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3092	98.5 %
161	1	0.0 %
1197	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.44

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1197.00
- Standard Deviation: 21.71

V72	**986 3 G CONG 2749 VOTE**

Location:	494-500 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3089	98.4 %
6	1	0.0 %
28	1	0.0 %
33	1	0.0 %
37	1	0.0 %
514	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 514.00
- Standard Deviation: 9.30

V73	**986 3 G CONG 2762 VOTE**

Location:	501-507 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3070	97.8 %
3	1	0.0 %
11	1	0.0 %
13	1	0.0 %
15	1	0.0 %
17	1	0.0 %
22	1	0.0 %
25	1	0.0 %
26	1	0.0 %

Value	Unweighted Frequency	%
32	1	0.0 %
40	1	0.0 %
45	1	0.0 %
51	1	0.0 %
59	1	0.0 %
76	1	0.0 %
87	1	0.0 %
160	2	0.1 %
181	1	0.0 %
189	1	0.0 %
368	1	0.0 %
441	1	0.0 %
550	1	0.0 %
589	1	0.0 %
793	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 793.00
- Standard Deviation: 23.78

V74	**986 3 G CONG 3064 VOTE**

Location:	508-514 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	3085	98.2 %
18	1	0.0 %
44	1	0.0 %
211	1	0.0 %
3349	1	0.0 %
3683	1	0.0 %
4969	1	0.0 %
5043	1	0.0 %
8201	1	0.0 %

Value	Unweighted Frequency	%
20677	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 14.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20677.00
- Standard Deviation: 428.93

V75	986 3 G CONG 9999 VOTE

Location:	515-521 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2704	86.1 %
1	89	2.8 %
2	52	1.7 %
3	29	0.9 %
4	27	0.9 %
5	12	0.4 %
6	12	0.4 %
7	8	0.3 %
8	12	0.4 %
9	9	0.3 %
10	6	0.2 %
11	10	0.3 %
12	5	0.2 %
13	4	0.1 %
14	4	0.1 %
15	5	0.2 %
16	7	0.2 %
17	4	0.1 %
18	3	0.1 %
19	6	0.2 %
20	5	0.2 %
21	2	0.1 %
22	2	0.1 %

Value	Unweighted Frequency	%
23	1	0.0 %
24	4	0.1 %
25	2	0.1 %
26	1	0.0 %
27	1	0.0 %
28	1	0.0 %
30	1	0.0 %
31	1	0.0 %
32	3	0.1 %
34	1	0.0 %
37	2	0.1 %
38	1	0.0 %
40	1	0.0 %
41	1	0.0 %
42	1	0.0 %
43	1	0.0 %
45	1	0.0 %
50	1	0.0 %
63	1	0.0 %
66	1	0.0 %
68	1	0.0 %
72	2	0.1 %
75	1	0.0 %
80	1	0.0 %
86	1	0.0 %
89	1	0.0 %
90	1	0.0 %
98	3	0.1 %
100	1	0.0 %
124	1	0.0 %
127	1	0.0 %
135	1	0.0 %
157	1	0.0 %
164	1	0.0 %
167	1	0.0 %
171	1	0.0 %
203	1	0.0 %
212	1	0.0 %
217	1	0.0 %
247	1	0.0 %

Value	Unweighted Frequency	%
265	1	0.0 %
269	1	0.0 %
310	1	0.0 %
311	1	0.0 %
324	1	0.0 %
381	1	0.0 %
387	1	0.0 %
393	1	0.0 %
409	1	0.0 %
535	1	0.0 %
548	1	0.0 %
678	1	0.0 %
708	1	0.0 %
725	1	0.0 %
774	1	0.0 %
785	1	0.0 %
811	1	0.0 %
824	1	0.0 %
855	1	0.0 %
879	1	0.0 %
1192	1	0.0 %
1361	1	0.0 %
1540	1	0.0 %
1716	1	0.0 %
2387	1	0.0 %
2853	1	0.0 %
2878	1	0.0 %
9999999 (M)	46	1.5 %

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 9.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2878.00
- Standard Deviation: 110.97

V76	986 3 G CONG TOTAL VOTE

Location: 522-528 (width: 7; decimal: 0)

Variable Type: numeric

- Study 13 -

Based upon 3094 valid cases out of 3140 total cases.

- Mean: 19359.89
- Minimum: 76.00
- Maximum: 1964770.00
- Standard Deviation: 61140.27

V77	**986 2 G GOV 0100 VOTE**

Location: 529-535 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 11319.88
- Minimum: 0.00
- Maximum: 930576.00
- Standard Deviation: 35126.82

V78	**986 2 G GOV 0112 VOTE**

Location: 536-542 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2113	67.3 %
85	1	0.0 %
142	1	0.0 %
169	1	0.0 %
174	1	0.0 %
312	1	0.0 %
319	1	0.0 %
328	1	0.0 %
339	1	0.0 %
341	1	0.0 %
357	1	0.0 %
361	1	0.0 %
369	1	0.0 %
401	1	0.0 %
406	2	0.1 %
462	1	0.0 %
472	1	0.0 %
503	1	0.0 %
541	1	0.0 %

Value	Unweighted Frequency	%
545	2	0.1 %
547	1	0.0 %
576	1	0.0 %
614	1	0.0 %
621	1	0.0 %
622	1	0.0 %
641	2	0.1 %
650	1	0.0 %
692	1	0.0 %
722	1	0.0 %
819	1	0.0 %
830	1	0.0 %
855	1	0.0 %
920	1	0.0 %
934	1	0.0 %
958	1	0.0 %
1281	1	0.0 %
1292	1	0.0 %
1346	1	0.0 %
1611	1	0.0 %
1724	1	0.0 %
1878	1	0.0 %
1984	1	0.0 %
2259	1	0.0 %
2358	1	0.0 %
2675	1	0.0 %
2991	1	0.0 %
3439	1	0.0 %
3537	1	0.0 %
3974	1	0.0 %
4191	1	0.0 %
4253	1	0.0 %
4513	1	0.0 %
4520	1	0.0 %
7102	1	0.0 %
8257	1	0.0 %
8315	1	0.0 %
13833	1	0.0 %
14254	1	0.0 %
14639	1	0.0 %

Value	Unweighted Frequency	%
16842	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 70.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16842.00
- Standard Deviation: 756.12

V79	986 2 G GOV 0200 VOTE

Location:	543-549 (width: 7; decimal: 0)
Variable Type:	numeric

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 10685.09
- Minimum: 0.00
- Maximum: 1090138.00
- Standard Deviation: 37014.37

V80	986 2 G GOV 0310 VOTE

Location:	550-556 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2129	67.8 %
3	1	0.0 %
4	1	0.0 %
5	1	0.0 %
6	1	0.0 %
7	1	0.0 %
10	1	0.0 %
11	3	0.1 %
12	1	0.0 %
15	1	0.0 %
17	3	0.1 %
19	1	0.0 %
20	2	0.1 %

Value	Unweighted Frequency	%
21	1	0.0 %
22	2	0.1 %
23	1	0.0 %
27	3	0.1 %
29	1	0.0 %
34	1	0.0 %
37	2	0.1 %
41	1	0.0 %
43	1	0.0 %
50	1	0.0 %
55	1	0.0 %
56	1	0.0 %
59	2	0.1 %
69	1	0.0 %
83	1	0.0 %
87	1	0.0 %
97	1	0.0 %
127	1	0.0 %
135	1	0.0 %
177	1	0.0 %
299	1	0.0 %
401	1	0.0 %
421	1	0.0 %
534	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 1.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 534.00
- Standard Deviation: 19.57

V81	986 2 G GOV 0328 VOTE

Location:	557-563 (width: 7; decimal: 0)
Variable Type:	numeric

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 176.01

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 139231.00
- Standard Deviation: 3203.25

V82	986 2 G GOV 0331 VOTE

Location:	564-570 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2088	66.5 %
538	1	0.0 %
685	1	0.0 %
780	1	0.0 %
986	1	0.0 %
1018	1	0.0 %
1084	1	0.0 %
1144	1	0.0 %
1211	1	0.0 %
1475	1	0.0 %
1492	1	0.0 %
1613	1	0.0 %
1619	1	0.0 %
1661	1	0.0 %
1847	1	0.0 %
1877	1	0.0 %
1885	1	0.0 %
1906	1	0.0 %
1937	1	0.0 %
1958	1	0.0 %
2052	1	0.0 %
2296	1	0.0 %
2351	1	0.0 %
2371	1	0.0 %
2381	1	0.0 %
2407	1	0.0 %
2521	1	0.0 %
2529	1	0.0 %
2551	1	0.0 %
2568	1	0.0 %

Value	Unweighted Frequency	%
2594	1	0.0 %
2767	1	0.0 %
2786	1	0.0 %
2804	1	0.0 %
2860	1	0.0 %
2893	1	0.0 %
3059	1	0.0 %
3194	1	0.0 %
3240	1	0.0 %
3242	1	0.0 %
3416	1	0.0 %
3436	1	0.0 %
3453	1	0.0 %
3547	1	0.0 %
3596	1	0.0 %
3909	1	0.0 %
3971	1	0.0 %
3979	1	0.0 %
4120	1	0.0 %
4205	1	0.0 %
4217	1	0.0 %
4289	1	0.0 %
4420	1	0.0 %
4619	1	0.0 %
4678	1	0.0 %
4748	1	0.0 %
4779	1	0.0 %
4873	1	0.0 %
5014	1	0.0 %
5125	1	0.0 %
5151	1	0.0 %
5155	1	0.0 %
5173	1	0.0 %
5180	1	0.0 %
5249	1	0.0 %
5684	1	0.0 %
6166	1	0.0 %
6184	1	0.0 %
6203	1	0.0 %
6243	1	0.0 %

Value	Unweighted Frequency	%
6432	1	0.0 %
6501	1	0.0 %
6517	1	0.0 %
7160	1	0.0 %
7163	1	0.0 %
7299	1	0.0 %
8275	1	0.0 %
8525	1	0.0 %
8887	1	0.0 %
10767	1	0.0 %
13746	1	0.0 %
14840	1	0.0 %
18056	1	0.0 %
18987	1	0.0 %
24125	1	0.0 %
31781	1	0.0 %
56532	1	0.0 %
130198	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 278.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 130198.00
- Standard Deviation: 3333.13

V83	986 2 G GOV 0402 VOTE

Location:	571-577 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2113	67.3 %
36	1	0.0 %
86	1	0.0 %
87	1	0.0 %
93	1	0.0 %
150	1	0.0 %

Value	Unweighted Frequency	%
163	1	0.0 %
165	1	0.0 %
168	1	0.0 %
176	1	0.0 %
187	1	0.0 %
195	1	0.0 %
204	1	0.0 %
207	1	0.0 %
210	1	0.0 %
212	2	0.1 %
246	1	0.0 %
252	1	0.0 %
255	1	0.0 %
272	1	0.0 %
273	1	0.0 %
276	1	0.0 %
325	1	0.0 %
327	1	0.0 %
341	1	0.0 %
352	1	0.0 %
356	1	0.0 %
360	1	0.0 %
378	1	0.0 %
400	1	0.0 %
406	1	0.0 %
441	1	0.0 %
444	1	0.0 %
470	1	0.0 %
488	1	0.0 %
497	1	0.0 %
502	1	0.0 %
540	1	0.0 %
545	1	0.0 %
771	1	0.0 %
787	1	0.0 %
888	1	0.0 %
1030	1	0.0 %
1124	1	0.0 %
1127	1	0.0 %
1241	1	0.0 %

Value	Unweighted Frequency	%
1245	1	0.0 %
1273	1	0.0 %
1412	1	0.0 %
1839	1	0.0 %
2010	1	0.0 %
2168	1	0.0 %
2935	1	0.0 %
4448	1	0.0 %
6468	1	0.0 %
7441	1	0.0 %
8267	1	0.0 %
9041	1	0.0 %
9531	1	0.0 %
11290	1	0.0 %
15607	1	0.0 %
17063	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 55.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17063.00
- Standard Deviation: 695.12

V84	986 2 G GOV 0646 VOTE

Location:	578-584 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2089	66.5 %
1	2	0.1 %
2	4	0.1 %
3	4	0.1 %
4	2	0.1 %
5	7	0.2 %
6	6	0.2 %
7	6	0.2 %

Value	Unweighted Frequency	%
8	4	0.1 %
9	4	0.1 %
10	4	0.1 %
11	1	0.0 %
12	2	0.1 %
13	5	0.2 %
14	3	0.1 %
15	6	0.2 %
16	2	0.1 %
17	3	0.1 %
18	1	0.0 %
19	1	0.0 %
20	1	0.0 %
21	1	0.0 %
22	2	0.1 %
24	1	0.0 %
25	1	0.0 %
26	1	0.0 %
36	1	0.0 %
41	1	0.0 %
47	1	0.0 %
55	1	0.0 %
63	1	0.0 %
75	1	0.0 %
76	1	0.0 %
100	1	0.0 %
116	1	0.0 %
186	1	0.0 %
519	1	0.0 %
1074	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 1.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1074.00
- Standard Deviation: 26.36

V85	986 2 G GOV 0809 VOTE		

Location:	585-591 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2088	66.5 %
756	1	0.0 %
1186	1	0.0 %
1243	1	0.0 %
1307	1	0.0 %
1417	1	0.0 %
1445	1	0.0 %
1557	1	0.0 %
1696	1	0.0 %
1727	1	0.0 %
1818	1	0.0 %
1879	1	0.0 %
1908	1	0.0 %
2111	1	0.0 %
2231	1	0.0 %
2246	1	0.0 %
2263	1	0.0 %
2282	1	0.0 %
2330	1	0.0 %
2414	1	0.0 %
2480	1	0.0 %
2487	1	0.0 %
2528	1	0.0 %
2606	1	0.0 %
2654	1	0.0 %
2695	1	0.0 %
2818	1	0.0 %
2979	1	0.0 %
2999	1	0.0 %
3133	1	0.0 %
3199	1	0.0 %
3355	1	0.0 %
3521	1	0.0 %
3534	1	0.0 %
3538	1	0.0 %
3598	1	0.0 %

Value	Unweighted Frequency	%
3678	1	0.0 %
3705	1	0.0 %
3729	1	0.0 %
3750	1	0.0 %
3751	1	0.0 %
3886	1	0.0 %
3916	1	0.0 %
3918	1	0.0 %
3946	1	0.0 %
3953	1	0.0 %
3980	1	0.0 %
4064	1	0.0 %
4101	1	0.0 %
4396	1	0.0 %
4475	1	0.0 %
4487	1	0.0 %
4702	1	0.0 %
4739	1	0.0 %
4792	1	0.0 %
4899	1	0.0 %
4900	1	0.0 %
4947	1	0.0 %
5054	1	0.0 %
5064	1	0.0 %
5461	1	0.0 %
5630	1	0.0 %
6271	1	0.0 %
6280	1	0.0 %
6633	1	0.0 %
6841	1	0.0 %
7081	1	0.0 %
7116	1	0.0 %
7169	1	0.0 %
7985	1	0.0 %
8012	1	0.0 %
8255	1	0.0 %
8335	1	0.0 %
8534	1	0.0 %
8692	1	0.0 %
9099	1	0.0 %

Value	Unweighted Frequency	%
9184	1	0.0 %
9231	1	0.0 %
10659	1	0.0 %
11387	1	0.0 %
13553	1	0.0 %
18231	1	0.0 %
19672	1	0.0 %
34084	1	0.0 %
37103	1	0.0 %
63513	1	0.0 %
85003	1	0.0 %
176352	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 363.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 176352.00
- Standard Deviation: 4672.54

V86	986 2 G GOV 1404 VOTE

Location: 592-598 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2117	67.4 %
12	1	0.0 %
15	1	0.0 %
25	1	0.0 %
40	2	0.1 %
42	1	0.0 %
45	1	0.0 %
50	1	0.0 %
59	1	0.0 %
71	1	0.0 %
82	1	0.0 %
84	1	0.0 %

Value	Unweighted Frequency	%
92	1	0.0 %
93	1	0.0 %
95	1	0.0 %
113	2	0.1 %
147	1	0.0 %
163	1	0.0 %
176	1	0.0 %
177	1	0.0 %
188	1	0.0 %
199	1	0.0 %
230	1	0.0 %
234	1	0.0 %
263	1	0.0 %
285	1	0.0 %
286	1	0.0 %
361	1	0.0 %
363	1	0.0 %
375	1	0.0 %
378	1	0.0 %
379	1	0.0 %
382	1	0.0 %
421	1	0.0 %
434	1	0.0 %
448	1	0.0 %
451	1	0.0 %
472	1	0.0 %
519	1	0.0 %
556	1	0.0 %
587	1	0.0 %
793	1	0.0 %
795	1	0.0 %
900	1	0.0 %
987	1	0.0 %
1007	1	0.0 %
1091	1	0.0 %
1098	1	0.0 %
1951	1	0.0 %
2014	1	0.0 %
2280	1	0.0 %
2350	1	0.0 %

Value	Unweighted Frequency	%
2490	1	0.0 %
2650	1	0.0 %
3956	1	0.0 %
5126	1	0.0 %
11514	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 23.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11514.00
- Standard Deviation: 314.44

V87	**986 2 G GOV 1411 VOTE**

Location:	599-605 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2117	67.4 %
13	1	0.0 %
15	1	0.0 %
16	1	0.0 %
20	1	0.0 %
24	1	0.0 %
26	1	0.0 %
40	1	0.0 %
45	2	0.1 %
51	1	0.0 %
56	1	0.0 %
59	1	0.0 %
60	1	0.0 %
61	1	0.0 %
75	3	0.1 %
78	1	0.0 %
82	1	0.0 %
96	1	0.0 %
110	1	0.0 %

Value	Unweighted Frequency	%
125	1	0.0 %
165	1	0.0 %
182	1	0.0 %
193	1	0.0 %
199	1	0.0 %
206	1	0.0 %
214	1	0.0 %
280	1	0.0 %
282	1	0.0 %
334	1	0.0 %
348	1	0.0 %
349	1	0.0 %
370	1	0.0 %
382	1	0.0 %
417	1	0.0 %
491	1	0.0 %
513	1	0.0 %
544	1	0.0 %
610	1	0.0 %
623	1	0.0 %
781	1	0.0 %
839	1	0.0 %
927	1	0.0 %
960	1	0.0 %
1015	1	0.0 %
1092	1	0.0 %
1242	1	0.0 %
1336	1	0.0 %
1421	1	0.0 %
1644	1	0.0 %
1974	1	0.0 %
2743	1	0.0 %
2821	1	0.0 %
2920	1	0.0 %
3783	1	0.0 %
5390	1	0.0 %
13158	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 23.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13158.00
- Standard Deviation: 345.41

V88	986 2 G GOV 1706 VOTE

Location:	606-612 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2113	67.3 %
76	1	0.0 %
77	1	0.0 %
123	1	0.0 %
125	1	0.0 %
155	1	0.0 %
180	1	0.0 %
237	1	0.0 %
238	1	0.0 %
242	1	0.0 %
245	1	0.0 %
320	1	0.0 %
322	1	0.0 %
338	1	0.0 %
339	1	0.0 %
341	1	0.0 %
351	1	0.0 %
367	1	0.0 %
374	1	0.0 %
375	1	0.0 %
379	1	0.0 %
381	1	0.0 %
385	1	0.0 %
396	1	0.0 %
397	1	0.0 %
416	1	0.0 %
420	1	0.0 %
430	1	0.0 %
451	1	0.0 %

Value	Unweighted Frequency	%
453	1	0.0 %
469	1	0.0 %
483	1	0.0 %
486	1	0.0 %
511	1	0.0 %
513	1	0.0 %
525	1	0.0 %
550	1	0.0 %
563	1	0.0 %
594	1	0.0 %
809	1	0.0 %
811	1	0.0 %
1016	1	0.0 %
1337	1	0.0 %
1620	1	0.0 %
1622	1	0.0 %
1704	1	0.0 %
1712	1	0.0 %
1764	1	0.0 %
1815	1	0.0 %
1901	1	0.0 %
2648	1	0.0 %
2874	1	0.0 %
2991	1	0.0 %
3503	1	0.0 %
3554	1	0.0 %
3880	1	0.0 %
4098	1	0.0 %
6360	1	0.0 %
7159	1	0.0 %
9165	1	0.0 %
9321	1	0.0 %
15861	1	0.0 %
29650	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 60.14
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 29650.00
- Standard Deviation: 829.87

V89	986 2 G GOV 1716 VOTE		

Location:	613-619 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2108	67.1 %
10	1	0.0 %
13	1	0.0 %
18	1	0.0 %
20	1	0.0 %
23	1	0.0 %
39	1	0.0 %
40	1	0.0 %
56	1	0.0 %
59	1	0.0 %
60	1	0.0 %
78	1	0.0 %
85	1	0.0 %
92	1	0.0 %
93	1	0.0 %
95	2	0.1 %
99	1	0.0 %
103	1	0.0 %
109	1	0.0 %
110	1	0.0 %
113	1	0.0 %
122	1	0.0 %
125	1	0.0 %
126	1	0.0 %
127	1	0.0 %
134	1	0.0 %
140	1	0.0 %
141	1	0.0 %
144	1	0.0 %
148	1	0.0 %
149	1	0.0 %
155	1	0.0 %

Value	Unweighted Frequency	%
183	1	0.0 %
200	2	0.1 %
218	1	0.0 %
220	1	0.0 %
225	1	0.0 %
236	1	0.0 %
272	1	0.0 %
273	1	0.0 %
277	1	0.0 %
307	1	0.0 %
355	1	0.0 %
380	1	0.0 %
398	1	0.0 %
412	1	0.0 %
459	2	0.1 %
475	1	0.0 %
481	1	0.0 %
502	1	0.0 %
526	1	0.0 %
610	1	0.0 %
628	1	0.0 %
788	2	0.1 %
799	1	0.0 %
821	1	0.0 %
1038	1	0.0 %
1100	1	0.0 %
1385	1	0.0 %
1532	1	0.0 %
1596	1	0.0 %
1777	1	0.0 %
4521	1	0.0 %
5161	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 14.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5161.00

- Standard Deviation: 173.10

V90	986 2 G GOV 1717 VOTE

Location: 620-626 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2161	68.8 %
3	1	0.0 %
5	1	0.0 %
12	1	0.0 %
13	1	0.0 %
15	1	0.0 %
23	1	0.0 %
29	2	0.1 %
34	1	0.0 %
35	1	0.0 %
68	1	0.0 %
75	1	0.0 %
141	1	0.0 %
180	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 5.57

V91	986 2 G GOV 1735 VOTE

Location: 627-633 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 56.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12862.00
- Standard Deviation: 435.46

V92 **986 2 G GOV 1737 VOTE**

Location:	634-640 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2113	67.3 %
2	4	0.1 %
4	1	0.0 %
5	1	0.0 %
6	2	0.1 %
7	1	0.0 %
8	3	0.1 %
9	4	0.1 %
10	2	0.1 %
12	1	0.0 %
14	1	0.0 %
15	1	0.0 %
20	4	0.1 %
21	1	0.0 %
22	1	0.0 %
26	1	0.0 %
29	1	0.0 %
31	1	0.0 %
33	1	0.0 %
35	1	0.0 %
36	1	0.0 %
37	3	0.1 %
38	1	0.0 %
39	2	0.1 %
40	1	0.0 %
42	1	0.0 %
44	2	0.1 %
45	1	0.0 %
49	1	0.0 %
51	1	0.0 %
76	1	0.0 %
83	1	0.0 %
91	1	0.0 %
99	1	0.0 %
104	1	0.0 %

Value	Unweighted Frequency	%
112	1	0.0 %
242	1	0.0 %
280	1	0.0 %
348	1	0.0 %
428	1	0.0 %
445	1	0.0 %
550	1	0.0 %
679	1	0.0 %
952	1	0.0 %
1206	1	0.0 %
1476	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 3.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1476.00
- Standard Deviation: 52.53

V93	986 2 G GOV 2431 VOTE

Location:	641-647 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2158	68.7 %
11	1	0.0 %
19	1	0.0 %
21	1	0.0 %
22	1	0.0 %
49	1	0.0 %
51	1	0.0 %
55	1	0.0 %
65	1	0.0 %
82	1	0.0 %
95	1	0.0 %
107	1	0.0 %
119	2	0.1 %

Value	Unweighted Frequency	%
209	1	0.0 %
393	1	0.0 %
1472	1	0.0 %
2582	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 2.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2582.00
- Standard Deviation: 64.65

V94	986 2 G GOV 2446 VOTE

Location: 648-654 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   9999999

Value	Unweighted Frequency	%
0	2148	68.4 %
77	1	0.0 %
113	1	0.0 %
114	1	0.0 %
127	1	0.0 %
132	1	0.0 %
136	1	0.0 %
167	1	0.0 %
172	1	0.0 %
181	1	0.0 %
186	1	0.0 %
187	1	0.0 %
193	1	0.0 %
198	1	0.0 %
224	1	0.0 %
231	1	0.0 %
236	1	0.0 %
240	1	0.0 %
250	1	0.0 %
262	1	0.0 %

Value	Unweighted Frequency	%
298	1	0.0 %
519	1	0.0 %
674	1	0.0 %
747	1	0.0 %
754	1	0.0 %
1019	1	0.0 %
1175	1	0.0 %
1401	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 4.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1401.00
- Standard Deviation: 56.51

V95	986 2 G GOV 2495 VOTE

Location:	655-661 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2113	67.3 %
4	1	0.0 %
6	1	0.0 %
10	2	0.1 %
21	1	0.0 %
22	3	0.1 %
23	2	0.1 %
27	1	0.0 %
29	1	0.0 %
30	1	0.0 %
33	1	0.0 %
34	1	0.0 %
36	3	0.1 %
37	1	0.0 %
38	2	0.1 %
40	1	0.0 %

Value	Unweighted Frequency	%
41	2	0.1 %
42	2	0.1 %
43	1	0.0 %
44	2	0.1 %
45	1	0.0 %
48	1	0.0 %
50	2	0.1 %
52	2	0.1 %
54	1	0.0 %
57	1	0.0 %
62	1	0.0 %
73	1	0.0 %
94	1	0.0 %
111	1	0.0 %
133	2	0.1 %
141	1	0.0 %
143	1	0.0 %
149	1	0.0 %
152	1	0.0 %
161	1	0.0 %
176	1	0.0 %
215	1	0.0 %
246	1	0.0 %
288	1	0.0 %
417	1	0.0 %
428	1	0.0 %
743	1	0.0 %
837	1	0.0 %
881	1	0.0 %
1026	1	0.0 %
2569	1	0.0 %
3518	1	0.0 %
4672	1	0.0 %
5480	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 11.09
- Median: 0.00
- Mode: 0.00

- Study 13 -

- Minimum: 0.00
- Maximum: 5480.00
- Standard Deviation: 185.06

V96	986 2 G GOV 2504 VOTE

Location: 662-668 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2006	63.9 %
1	1	0.0 %
2	1	0.0 %
3	3	0.1 %
4	2	0.1 %
5	2	0.1 %
6	4	0.1 %
7	3	0.1 %
8	4	0.1 %
9	6	0.2 %
10	2	0.1 %
11	1	0.0 %
12	5	0.2 %
13	3	0.1 %
14	5	0.2 %
15	6	0.2 %
16	5	0.2 %
17	1	0.0 %
19	5	0.2 %
20	8	0.3 %
21	2	0.1 %
22	4	0.1 %
23	2	0.1 %
24	5	0.2 %
25	2	0.1 %
26	5	0.2 %
27	3	0.1 %
28	6	0.2 %
29	3	0.1 %
30	4	0.1 %
31	3	0.1 %
32	1	0.0 %

Value	Unweighted Frequency	%
33	1	0.0 %
34	2	0.1 %
35	1	0.0 %
36	2	0.1 %
38	1	0.0 %
39	1	0.0 %
42	3	0.1 %
43	2	0.1 %
46	1	0.0 %
48	1	0.0 %
50	1	0.0 %
51	2	0.1 %
52	1	0.0 %
53	2	0.1 %
56	2	0.1 %
59	1	0.0 %
60	2	0.1 %
61	2	0.1 %
64	1	0.0 %
65	1	0.0 %
68	1	0.0 %
71	1	0.0 %
72	1	0.0 %
84	1	0.0 %
94	1	0.0 %
104	1	0.0 %
106	1	0.0 %
111	1	0.0 %
112	1	0.0 %
116	1	0.0 %
122	1	0.0 %
131	1	0.0 %
137	1	0.0 %
148	1	0.0 %
155	1	0.0 %
159	1	0.0 %
170	1	0.0 %
185	1	0.0 %
190	1	0.0 %
193	1	0.0 %

Value	Unweighted Frequency	%
205	1	0.0 %
212	1	0.0 %
344	1	0.0 %
445	1	0.0 %
551	1	0.0 %
625	1	0.0 %
633	1	0.0 %
662	1	0.0 %
770	1	0.0 %
782	1	0.0 %
881	1	0.0 %
1744	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 6.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1744.00
- Standard Deviation: 58.08

V97	986 2 G GOV 2577 VOTE

Location:	669-675 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2073	66.0 %
2	2	0.1 %
3	1	0.0 %
4	5	0.2 %
5	7	0.2 %
6	5	0.2 %
7	2	0.1 %
8	5	0.2 %
9	3	0.1 %
10	5	0.2 %
11	5	0.2 %
12	2	0.1 %

Value	Unweighted Frequency	%
13	4	0.1 %
14	5	0.2 %
15	4	0.1 %
16	3	0.1 %
17	4	0.1 %
18	2	0.1 %
19	3	0.1 %
20	1	0.0 %
21	3	0.1 %
22	3	0.1 %
23	1	0.0 %
24	1	0.0 %
28	2	0.1 %
31	1	0.0 %
32	1	0.0 %
33	1	0.0 %
37	2	0.1 %
45	2	0.1 %
46	1	0.0 %
51	1	0.0 %
54	1	0.0 %
65	1	0.0 %
68	1	0.0 %
75	1	0.0 %
76	1	0.0 %
79	1	0.0 %
91	1	0.0 %
118	1	0.0 %
129	1	0.0 %
132	1	0.0 %
142	1	0.0 %
174	1	0.0 %
234	1	0.0 %
235	1	0.0 %
3869	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 3.15
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 3869.00
- Standard Deviation: 83.68

V98	986 2 G GOV 2578 VOTE

Location:	676-682 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2170	69.1 %
115	1	0.0 %
156	1	0.0 %
317	1	0.0 %
395	1	0.0 %
2498	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 1.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2498.00
- Standard Deviation: 54.80

V99	986 2 G GOV 2613 VOTE

| Location: | 683-689 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 577.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 647074.00
- Standard Deviation: 14018.92

V100	986 2 G GOV 2682 VOTE

| Location: | 690-696 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 36.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 18813.00
- Standard Deviation: 514.92

V101	986 2 G GOV 2762 VOTE

Location:	697-703 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2103	67.0 %
1	1	0.0 %
4	1	0.0 %
16	2	0.1 %
21	1	0.0 %
22	1	0.0 %
23	1	0.0 %
25	2	0.1 %
26	1	0.0 %
27	2	0.1 %
28	1	0.0 %
32	1	0.0 %
34	2	0.1 %
35	1	0.0 %
36	1	0.0 %
37	1	0.0 %
39	1	0.0 %
41	2	0.1 %
42	1	0.0 %
43	1	0.0 %
44	1	0.0 %
45	4	0.1 %
47	1	0.0 %
49	2	0.1 %
50	1	0.0 %
56	1	0.0 %
59	2	0.1 %
60	1	0.0 %

- Study 13 -

Value	Unweighted Frequency	%
63	1	0.0 %
65	2	0.1 %
66	2	0.1 %
68	1	0.0 %
70	1	0.0 %
71	1	0.0 %
76	1	0.0 %
78	1	0.0 %
83	1	0.0 %
84	1	0.0 %
89	1	0.0 %
107	1	0.0 %
116	1	0.0 %
117	1	0.0 %
128	1	0.0 %
129	1	0.0 %
136	1	0.0 %
137	1	0.0 %
164	1	0.0 %
177	1	0.0 %
179	1	0.0 %
180	1	0.0 %
211	1	0.0 %
235	1	0.0 %
294	1	0.0 %
324	1	0.0 %
334	1	0.0 %
343	1	0.0 %
345	1	0.0 %
391	1	0.0 %
612	1	0.0 %
1661	1	0.0 %
1731	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 4.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1731.00
- Standard Deviation: 57.67

V102	**986 2 G GOV 2763 VOTE**

Location:	704-710 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2170	69.1 %
651	1	0.0 %
688	1	0.0 %
964	1	0.0 %
1068	1	0.0 %
2593	1	0.0 %
9999999 (M)	965	30.7 %

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 2.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2593.00
- Standard Deviation: 66.71

V103	**986 2 G GOV 9999 VOTE**

| Location: | 711-717 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 2175 valid cases out of 3140 total cases.

- Mean: 99.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24548.00
- Standard Deviation: 1055.97

V104	**986 2 G GOV TOTAL VOTE**

| Location: | 718-724 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 2175 valid cases out of 3140 total cases.

- Study 13 -

- Mean: 23884.84
- Minimum: 91.00
- Maximum: 2058248.00
- Standard Deviation: 75444.96

V105	986 7 G STATE 0100 VOTE

Location: 725-731 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 11871.74
- Minimum: 0.00
- Maximum: 1423057.00
- Standard Deviation: 45194.60

V106	986 7 G STATE 0112 VOTE

Location: 732-738 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2252	71.7 %
54	1	0.0 %
124	1	0.0 %
132	1	0.0 %
140	1	0.0 %
246	1	0.0 %
256	1	0.0 %
269	1	0.0 %
270	1	0.0 %
282	1	0.0 %
292	1	0.0 %
305	1	0.0 %
306	1	0.0 %
315	1	0.0 %
322	1	0.0 %
334	1	0.0 %
355	1	0.0 %
385	1	0.0 %
408	1	0.0 %
412	1	0.0 %
416	1	0.0 %

Value	Unweighted Frequency	%
421	1	0.0 %
423	1	0.0 %
455	1	0.0 %
456	1	0.0 %
467	1	0.0 %
484	1	0.0 %
488	1	0.0 %
500	1	0.0 %
540	1	0.0 %
546	1	0.0 %
588	1	0.0 %
625	1	0.0 %
663	1	0.0 %
723	1	0.0 %
735	1	0.0 %
812	1	0.0 %
835	1	0.0 %
999	1	0.0 %
1001	1	0.0 %
1102	1	0.0 %
1239	1	0.0 %
1396	1	0.0 %
1572	1	0.0 %
1627	1	0.0 %
1708	1	0.0 %
1718	1	0.0 %
1937	1	0.0 %
2191	1	0.0 %
3081	1	0.0 %
3089	1	0.0 %
3596	1	0.0 %
3820	1	0.0 %
3870	1	0.0 %
3966	1	0.0 %
4463	1	0.0 %
6733	1	0.0 %
6944	1	0.0 %
7864	1	0.0 %
13106	1	0.0 %
13381	1	0.0 %

Value	Unweighted Frequency	%
15399	1	0.0 %
18778	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 60.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 18778.00
- Standard Deviation: 725.84

V107	**986 7 G STATE 0200 VOTE**

Location:	739-745 (width: 7; decimal: 0)
Variable Type:	numeric

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 7854.06
- Minimum: 0.00
- Maximum: 511808.00
- Standard Deviation: 23777.77

V108	**986 7 G STATE 0310 VOTE**

Location:	746-752 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2268	72.2 %
7	2	0.1 %
14	1	0.0 %
15	2	0.1 %
17	2	0.1 %
21	1	0.0 %
22	1	0.0 %
24	1	0.0 %
25	2	0.1 %
29	1	0.0 %
30	3	0.1 %
31	1	0.0 %

Value	Unweighted Frequency	%
32	1	0.0 %
33	2	0.1 %
35	2	0.1 %
39	1	0.0 %
43	1	0.0 %
65	1	0.0 %
69	1	0.0 %
72	1	0.0 %
82	2	0.1 %
83	1	0.0 %
90	1	0.0 %
91	1	0.0 %
100	1	0.0 %
116	1	0.0 %
117	1	0.0 %
123	1	0.0 %
131	1	0.0 %
142	1	0.0 %
173	1	0.0 %
184	1	0.0 %
205	1	0.0 %
317	1	0.0 %
460	1	0.0 %
628	1	0.0 %
674	1	0.0 %
863	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 2.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 863.00
- Standard Deviation: 30.53

V109	**986 7 G STATE 0328 VOTE**

Location:	753-759 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

- Study 13 -

Value	Unweighted Frequency	%
0	2231	71.1 %
1	1	0.0 %
2	1	0.0 %
3	1	0.0 %
4	1	0.0 %
6	1	0.0 %
7	1	0.0 %
8	1	0.0 %
9	3	0.1 %
10	2	0.1 %
13	3	0.1 %
14	4	0.1 %
16	1	0.0 %
19	2	0.1 %
20	1	0.0 %
21	2	0.1 %
22	1	0.0 %
23	2	0.1 %
24	1	0.0 %
25	1	0.0 %
28	1	0.0 %
29	2	0.1 %
30	1	0.0 %
31	2	0.1 %
34	2	0.1 %
36	1	0.0 %
37	1	0.0 %
41	2	0.1 %
42	1	0.0 %
43	1	0.0 %
45	1	0.0 %
48	2	0.1 %
49	1	0.0 %
53	1	0.0 %
54	1	0.0 %
55	1	0.0 %
57	2	0.1 %
60	1	0.0 %
62	1	0.0 %
71	1	0.0 %

Value	Unweighted Frequency	%
72	1	0.0 %
81	1	0.0 %
82	1	0.0 %
84	1	0.0 %
100	1	0.0 %
107	1	0.0 %
118	1	0.0 %
131	1	0.0 %
137	1	0.0 %
166	1	0.0 %
167	1	0.0 %
171	1	0.0 %
226	1	0.0 %
308	1	0.0 %
318	1	0.0 %
331	1	0.0 %
332	2	0.1 %
430	1	0.0 %
497	1	0.0 %
698	1	0.0 %
1148	1	0.0 %
1264	1	0.0 %
1478	1	0.0 %
1663	1	0.0 %
1735	1	0.0 %
4641	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 7.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4641.00
- Standard Deviation: 121.26

V110	**986 7 G STATE 0331 VOTE**

Location:	760-766 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2227	70.9 %
368	1	0.0 %
386	1	0.0 %
516	1	0.0 %
581	1	0.0 %
640	1	0.0 %
649	1	0.0 %
729	1	0.0 %
792	1	0.0 %
814	1	0.0 %
887	1	0.0 %
949	1	0.0 %
962	1	0.0 %
972	1	0.0 %
993	1	0.0 %
1037	1	0.0 %
1061	1	0.0 %
1133	1	0.0 %
1162	1	0.0 %
1179	1	0.0 %
1220	1	0.0 %
1227	1	0.0 %
1255	1	0.0 %
1322	1	0.0 %
1363	1	0.0 %
1416	1	0.0 %
1460	1	0.0 %
1600	1	0.0 %
1634	1	0.0 %
1745	1	0.0 %
1756	1	0.0 %
1771	1	0.0 %
1784	1	0.0 %
1793	1	0.0 %
1803	1	0.0 %
1846	1	0.0 %
1860	1	0.0 %
1954	1	0.0 %
2006	1	0.0 %
2135	1	0.0 %

Value	Unweighted Frequency	%
2154	1	0.0 %
2223	1	0.0 %
2256	1	0.0 %
2315	1	0.0 %
2354	2	0.1 %
2373	1	0.0 %
2468	1	0.0 %
2474	1	0.0 %
2499	1	0.0 %
2606	1	0.0 %
2656	1	0.0 %
2754	1	0.0 %
2782	1	0.0 %
2792	1	0.0 %
2818	1	0.0 %
2935	1	0.0 %
2976	2	0.1 %
3276	1	0.0 %
3280	1	0.0 %
3287	1	0.0 %
3295	1	0.0 %
3410	1	0.0 %
3430	1	0.0 %
3525	1	0.0 %
3578	1	0.0 %
3597	1	0.0 %
3897	1	0.0 %
3936	1	0.0 %
3942	1	0.0 %
3963	1	0.0 %
4257	1	0.0 %
4584	1	0.0 %
5061	1	0.0 %
5166	1	0.0 %
5488	1	0.0 %
5674	1	0.0 %
5817	1	0.0 %
7162	1	0.0 %
10144	1	0.0 %
10742	1	0.0 %

Value	Unweighted Frequency	%
11196	1	0.0 %
11940	1	0.0 %
15101	1	0.0 %
21251	1	0.0 %
35446	1	0.0 %
96513	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 172.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96513.00
- Standard Deviation: 2303.22

V111	**986 7 G STATE 0402 VOTE**

Location:	767-773 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2252	71.7 %
58	1	0.0 %
105	1	0.0 %
107	1	0.0 %
110	1	0.0 %
163	1	0.0 %
201	1	0.0 %
207	1	0.0 %
210	1	0.0 %
238	1	0.0 %
255	1	0.0 %
256	1	0.0 %
259	1	0.0 %
263	1	0.0 %
273	1	0.0 %
274	1	0.0 %
298	1	0.0 %
330	1	0.0 %

Value	Unweighted Frequency	%
333	1	0.0 %
344	1	0.0 %
360	1	0.0 %
382	1	0.0 %
385	1	0.0 %
403	1	0.0 %
416	1	0.0 %
435	1	0.0 %
437	1	0.0 %
442	1	0.0 %
461	1	0.0 %
489	1	0.0 %
501	1	0.0 %
503	1	0.0 %
520	1	0.0 %
536	1	0.0 %
538	1	0.0 %
554	1	0.0 %
566	1	0.0 %
596	1	0.0 %
601	1	0.0 %
698	1	0.0 %
911	1	0.0 %
1000	1	0.0 %
1035	1	0.0 %
1284	1	0.0 %
1402	1	0.0 %
1403	1	0.0 %
1426	1	0.0 %
1543	1	0.0 %
1630	1	0.0 %
1714	1	0.0 %
2060	1	0.0 %
2293	1	0.0 %
2687	1	0.0 %
3270	1	0.0 %
5191	1	0.0 %
6904	1	0.0 %
7180	1	0.0 %
7945	1	0.0 %

- Study 13 -

Value	Unweighted Frequency	%
9628	1	0.0 %
10643	1	0.0 %
11021	1	0.0 %
14857	1	0.0 %
16751	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 55.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16751.00
- Standard Deviation: 677.90

V112	986 7 G STATE 0809 VOTE

Location: 774-780 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2227	70.9 %
897	1	0.0 %
1305	1	0.0 %
1733	1	0.0 %
1820	1	0.0 %
1860	1	0.0 %
2031	1	0.0 %
2134	1	0.0 %
2254	1	0.0 %
2258	1	0.0 %
2537	1	0.0 %
2620	1	0.0 %
2885	1	0.0 %
2997	1	0.0 %
3043	1	0.0 %
3167	1	0.0 %
3218	1	0.0 %
3256	1	0.0 %
3344	1	0.0 %

- Study 13 -

Value	Unweighted Frequency	%
3376	1	0.0 %
3460	1	0.0 %
3586	1	0.0 %
3610	1	0.0 %
3705	1	0.0 %
3779	1	0.0 %
3917	1	0.0 %
3953	1	0.0 %
3969	1	0.0 %
3970	1	0.0 %
4001	1	0.0 %
4006	1	0.0 %
4141	1	0.0 %
4179	1	0.0 %
4275	1	0.0 %
4282	1	0.0 %
4420	1	0.0 %
4423	1	0.0 %
4463	1	0.0 %
4632	1	0.0 %
4691	1	0.0 %
4766	1	0.0 %
4962	1	0.0 %
5510	1	0.0 %
5572	1	0.0 %
5649	1	0.0 %
5653	1	0.0 %
5895	1	0.0 %
5970	1	0.0 %
6001	1	0.0 %
6078	1	0.0 %
6107	1	0.0 %
6146	1	0.0 %
6278	1	0.0 %
6489	1	0.0 %
6576	1	0.0 %
6582	1	0.0 %
6596	1	0.0 %
6782	1	0.0 %
6863	1	0.0 %

Value	Unweighted Frequency	%
6876	1	0.0 %
7242	1	0.0 %
7346	1	0.0 %
8000	1	0.0 %
8237	1	0.0 %
8708	1	0.0 %
8746	1	0.0 %
8916	1	0.0 %
9238	1	0.0 %
9555	1	0.0 %
10226	1	0.0 %
10503	1	0.0 %
10832	1	0.0 %
10944	1	0.0 %
11111	1	0.0 %
11568	1	0.0 %
11732	1	0.0 %
12288	1	0.0 %
12678	1	0.0 %
13098	1	0.0 %
13747	1	0.0 %
16347	1	0.0 %
25150	1	0.0 %
26303	1	0.0 %
44284	1	0.0 %
46613	1	0.0 %
64763	1	0.0 %
101775	1	0.0 %
206071	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 425.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 206071.00
- Standard Deviation: 5329.23

V113	**986 7 G STATE 1404 VOTE**

- Study 13 -

Location:	781-787 (width: 7; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	9999999	

Value	Unweighted Frequency	%
0	2256	71.8 %
13	1	0.0 %
22	1	0.0 %
27	1	0.0 %
49	1	0.0 %
63	1	0.0 %
75	1	0.0 %
91	1	0.0 %
117	1	0.0 %
120	1	0.0 %
122	1	0.0 %
150	1	0.0 %
156	1	0.0 %
161	1	0.0 %
172	1	0.0 %
181	1	0.0 %
209	1	0.0 %
215	1	0.0 %
231	1	0.0 %
241	1	0.0 %
243	1	0.0 %
247	1	0.0 %
300	1	0.0 %
313	1	0.0 %
370	1	0.0 %
381	1	0.0 %
414	1	0.0 %
471	1	0.0 %
545	1	0.0 %
555	1	0.0 %
625	1	0.0 %
632	1	0.0 %
748	1	0.0 %
763	1	0.0 %
764	1	0.0 %
804	1	0.0 %
825	1	0.0 %

Value	Unweighted Frequency	%
887	1	0.0 %
889	1	0.0 %
901	1	0.0 %
902	1	0.0 %
917	1	0.0 %
919	1	0.0 %
1283	1	0.0 %
1337	1	0.0 %
1438	1	0.0 %
1439	1	0.0 %
1537	1	0.0 %
1721	1	0.0 %
2152	1	0.0 %
2197	1	0.0 %
2421	1	0.0 %
3288	1	0.0 %
3936	1	0.0 %
4259	1	0.0 %
4294	1	0.0 %
6505	1	0.0 %
9550	1	0.0 %
17075	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 35.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17075.00
- Standard Deviation: 475.98

V114	**986 7 G STATE 1411 VOTE**

Location:	788-794 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2256	71.8 %
15	1	0.0 %

Value	Unweighted Frequency	%
22	1	0.0 %
42	1	0.0 %
47	1	0.0 %
51	1	0.0 %
68	1	0.0 %
70	1	0.0 %
99	1	0.0 %
102	1	0.0 %
105	1	0.0 %
125	1	0.0 %
131	1	0.0 %
165	1	0.0 %
168	1	0.0 %
169	1	0.0 %
182	1	0.0 %
190	1	0.0 %
193	1	0.0 %
195	1	0.0 %
230	1	0.0 %
236	1	0.0 %
282	1	0.0 %
305	1	0.0 %
324	1	0.0 %
358	1	0.0 %
450	1	0.0 %
495	1	0.0 %
508	1	0.0 %
522	1	0.0 %
563	1	0.0 %
612	1	0.0 %
658	1	0.0 %
686	1	0.0 %
775	1	0.0 %
778	2	0.1 %
983	1	0.0 %
1006	1	0.0 %
1094	1	0.0 %
1311	1	0.0 %
1398	1	0.0 %
1454	1	0.0 %

Value	Unweighted Frequency	%
1459	1	0.0 %
1700	1	0.0 %
1975	1	0.0 %
2014	1	0.0 %
2369	1	0.0 %
2575	1	0.0 %
2757	1	0.0 %
3024	1	0.0 %
3043	1	0.0 %
3395	1	0.0 %
4968	1	0.0 %
5052	1	0.0 %
5074	1	0.0 %
5727	1	0.0 %
7147	1	0.0 %
18515	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 38.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 18515.00
- Standard Deviation: 499.09

V115	**986 7 G STATE 1706 VOTE**

Location:	795-801 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2252	71.7 %
35	1	0.0 %
80	1	0.0 %
114	1	0.0 %
121	1	0.0 %
124	1	0.0 %
128	1	0.0 %
192	1	0.0 %

Value	Unweighted Frequency	%
197	1	0.0 %
216	1	0.0 %
220	1	0.0 %
221	1	0.0 %
222	1	0.0 %
234	1	0.0 %
243	1	0.0 %
251	1	0.0 %
253	1	0.0 %
256	1	0.0 %
264	1	0.0 %
269	1	0.0 %
275	1	0.0 %
276	1	0.0 %
288	1	0.0 %
296	1	0.0 %
315	1	0.0 %
317	1	0.0 %
343	1	0.0 %
344	2	0.1 %
365	1	0.0 %
383	1	0.0 %
387	1	0.0 %
394	1	0.0 %
403	1	0.0 %
407	1	0.0 %
422	1	0.0 %
427	1	0.0 %
428	1	0.0 %
473	1	0.0 %
609	1	0.0 %
826	1	0.0 %
950	1	0.0 %
973	1	0.0 %
1085	1	0.0 %
1124	1	0.0 %
1153	1	0.0 %
1420	1	0.0 %
1486	1	0.0 %
1564	1	0.0 %

Value	Unweighted Frequency	%
1727	1	0.0 %
1912	1	0.0 %
2542	1	0.0 %
2559	1	0.0 %
3000	1	0.0 %
3210	1	0.0 %
3402	1	0.0 %
3585	1	0.0 %
5820	1	0.0 %
6179	1	0.0 %
7116	1	0.0 %
7215	1	0.0 %
13937	1	0.0 %
21393	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 45.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 21393.00
- Standard Deviation: 624.45

V116	**986 7 G STATE 1717 VOTE**

Location:	802-808 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2300	73.2 %
28	1	0.0 %
42	1	0.0 %
121	1	0.0 %
144	1	0.0 %
165	1	0.0 %
166	1	0.0 %
176	1	0.0 %
204	1	0.0 %
212	1	0.0 %

Value	Unweighted Frequency	%
260	1	0.0 %
267	1	0.0 %
322	1	0.0 %
649	1	0.0 %
918	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 1.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 918.00
- Standard Deviation: 27.20

V117	986 7 G STATE 1735 VOTE

| Location: | 809-815 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 96.13
- Minimum: 0.00
- Maximum: 30103.00
- Standard Deviation: 846.50

V118	986 7 G STATE 1743 VOTE

Location:	816-822 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2219	70.7 %
6	1	0.0 %
7	1	0.0 %
10	2	0.1 %
12	2	0.1 %
14	1	0.0 %
16	1	0.0 %
17	1	0.0 %
18	1	0.0 %

Value	Unweighted Frequency	%
19	1	0.0 %
20	1	0.0 %
22	2	0.1 %
25	2	0.1 %
27	1	0.0 %
28	1	0.0 %
29	1	0.0 %
33	2	0.1 %
34	1	0.0 %
35	1	0.0 %
36	2	0.1 %
38	1	0.0 %
40	1	0.0 %
43	1	0.0 %
46	2	0.1 %
49	1	0.0 %
51	1	0.0 %
53	2	0.1 %
54	1	0.0 %
55	1	0.0 %
56	1	0.0 %
58	1	0.0 %
60	1	0.0 %
61	1	0.0 %
67	1	0.0 %
68	1	0.0 %
69	1	0.0 %
70	1	0.0 %
71	2	0.1 %
72	1	0.0 %
73	1	0.0 %
74	2	0.1 %
75	1	0.0 %
76	1	0.0 %
77	1	0.0 %
78	1	0.0 %
80	1	0.0 %
83	2	0.1 %
84	2	0.1 %
85	1	0.0 %

Value	Unweighted Frequency	%
86	1	0.0 %
90	1	0.0 %
92	1	0.0 %
93	1	0.0 %
94	1	0.0 %
97	1	0.0 %
98	2	0.1 %
100	1	0.0 %
101	1	0.0 %
105	1	0.0 %
114	1	0.0 %
116	1	0.0 %
117	1	0.0 %
125	2	0.1 %
130	1	0.0 %
133	1	0.0 %
166	1	0.0 %
173	1	0.0 %
174	1	0.0 %
177	1	0.0 %
181	1	0.0 %
188	1	0.0 %
205	1	0.0 %
334	1	0.0 %
361	1	0.0 %
374	1	0.0 %
380	1	0.0 %
383	1	0.0 %
454	1	0.0 %
670	1	0.0 %
719	1	0.0 %
783	1	0.0 %
882	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 4.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 882.00
- Standard Deviation: 40.46

V119	**986 7 G STATE 2431 VOTE**

Location: 823-829 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2297	73.2 %
34	1	0.0 %
54	1	0.0 %
65	1	0.0 %
69	1	0.0 %
87	1	0.0 %
101	1	0.0 %
139	1	0.0 %
161	1	0.0 %
185	1	0.0 %
202	1	0.0 %
260	1	0.0 %
284	1	0.0 %
302	1	0.0 %
384	1	0.0 %
530	1	0.0 %
2296	1	0.0 %
5902	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 4.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5902.00
- Standard Deviation: 132.93

V120	**986 7 G STATE 2440 VOTE**

Location: 830-836 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2227	70.9 %
8	1	0.0 %
14	1	0.0 %
17	2	0.1 %
19	1	0.0 %
20	1	0.0 %
22	1	0.0 %
23	1	0.0 %
25	3	0.1 %
28	2	0.1 %
31	2	0.1 %
34	1	0.0 %
36	1	0.0 %
37	2	0.1 %
40	1	0.0 %
41	2	0.1 %
42	3	0.1 %
43	1	0.0 %
44	1	0.0 %
46	1	0.0 %
47	2	0.1 %
49	1	0.0 %
50	1	0.0 %
52	1	0.0 %
55	1	0.0 %
60	1	0.0 %
61	1	0.0 %
62	1	0.0 %
63	1	0.0 %
65	1	0.0 %
66	1	0.0 %
67	1	0.0 %
68	2	0.1 %
70	1	0.0 %
73	1	0.0 %
74	1	0.0 %
81	1	0.0 %
83	1	0.0 %
84	1	0.0 %
85	1	0.0 %

Value	Unweighted Frequency	%
88	2	0.1 %
89	1	0.0 %
90	2	0.1 %
94	1	0.0 %
95	1	0.0 %
97	1	0.0 %
99	1	0.0 %
101	2	0.1 %
103	2	0.1 %
104	1	0.0 %
108	1	0.0 %
111	1	0.0 %
119	1	0.0 %
134	1	0.0 %
136	1	0.0 %
149	1	0.0 %
162	1	0.0 %
178	1	0.0 %
182	1	0.0 %
183	1	0.0 %
184	1	0.0 %
198	1	0.0 %
217	1	0.0 %
224	1	0.0 %
237	1	0.0 %
254	1	0.0 %
458	1	0.0 %
519	1	0.0 %
651	1	0.0 %
677	1	0.0 %
734	1	0.0 %
2066	1	0.0 %
4883	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 7.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 4883.00
- Standard Deviation: 115.14

V121	986 7 G STATE 2488 VOTE

Location:	837-843 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2215	70.5 %
4	1	0.0 %
5	2	0.1 %
6	5	0.2 %
7	1	0.0 %
8	1	0.0 %
9	2	0.1 %
10	2	0.1 %
12	1	0.0 %
13	2	0.1 %
14	2	0.1 %
16	2	0.1 %
17	2	0.1 %
18	5	0.2 %
19	2	0.1 %
20	5	0.2 %
21	2	0.1 %
22	2	0.1 %
23	1	0.0 %
24	4	0.1 %
25	2	0.1 %
26	2	0.1 %
27	1	0.0 %
28	1	0.0 %
29	1	0.0 %
30	4	0.1 %
31	3	0.1 %
32	1	0.0 %
33	2	0.1 %
34	2	0.1 %
35	2	0.1 %
36	1	0.0 %
38	2	0.1 %

Value	Unweighted Frequency	%
39	1	0.0 %
40	1	0.0 %
48	2	0.1 %
53	1	0.0 %
54	1	0.0 %
55	1	0.0 %
57	1	0.0 %
69	2	0.1 %
75	1	0.0 %
77	1	0.0 %
79	1	0.0 %
82	1	0.0 %
87	1	0.0 %
91	1	0.0 %
94	1	0.0 %
96	1	0.0 %
103	1	0.0 %
104	1	0.0 %
113	1	0.0 %
119	2	0.1 %
120	1	0.0 %
153	1	0.0 %
155	1	0.0 %
173	1	0.0 %
258	1	0.0 %
376	1	0.0 %
611	1	0.0 %
896	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 2.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 896.00
- Standard Deviation: 26.68

V122	986 7 G STATE 2495 VOTE

Location: 844-850 (width: 7; decimal: 0)

- Study 13 -

Variable Type: numeric

Range of Missing Values (M): 9999999

Value	Unweighted Frequency	%
0	2252	71.7 %
10	1	0.0 %
17	1	0.0 %
32	1	0.0 %
37	1	0.0 %
42	1	0.0 %
46	1	0.0 %
49	1	0.0 %
51	1	0.0 %
53	1	0.0 %
56	1	0.0 %
58	2	0.1 %
59	2	0.1 %
63	1	0.0 %
65	1	0.0 %
67	1	0.0 %
71	1	0.0 %
72	1	0.0 %
73	1	0.0 %
76	1	0.0 %
79	1	0.0 %
84	2	0.1 %
88	1	0.0 %
91	1	0.0 %
93	1	0.0 %
97	1	0.0 %
106	1	0.0 %
113	1	0.0 %
117	1	0.0 %
119	1	0.0 %
120	1	0.0 %
126	1	0.0 %
133	1	0.0 %
152	1	0.0 %
156	1	0.0 %
157	1	0.0 %
161	1	0.0 %
168	1	0.0 %

Value	Unweighted Frequency	%
182	1	0.0 %
185	2	0.1 %
202	1	0.0 %
204	1	0.0 %
234	1	0.0 %
235	1	0.0 %
269	1	0.0 %
300	1	0.0 %
317	1	0.0 %
375	1	0.0 %
381	1	0.0 %
566	1	0.0 %
749	1	0.0 %
875	1	0.0 %
967	1	0.0 %
1037	1	0.0 %
1218	1	0.0 %
1541	1	0.0 %
1559	1	0.0 %
2340	1	0.0 %
2821	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 8.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2821.00
- Standard Deviation: 102.70

V123	986 7 G STATE 2577 VOTE

Location:	851-857 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2213	70.5 %
1	1	0.0 %
2	2	0.1 %

- Study 13 -

Value	Unweighted Frequency	%
3	3	0.1 %
4	6	0.2 %
5	5	0.2 %
6	6	0.2 %
7	5	0.2 %
8	2	0.1 %
9	6	0.2 %
10	5	0.2 %
11	6	0.2 %
12	5	0.2 %
13	3	0.1 %
14	4	0.1 %
15	3	0.1 %
16	2	0.1 %
17	1	0.0 %
18	2	0.1 %
20	2	0.1 %
22	1	0.0 %
23	1	0.0 %
24	2	0.1 %
25	1	0.0 %
26	2	0.1 %
27	1	0.0 %
28	1	0.0 %
31	2	0.1 %
32	2	0.1 %
35	1	0.0 %
50	1	0.0 %
54	1	0.0 %
55	1	0.0 %
58	1	0.0 %
62	2	0.1 %
63	1	0.0 %
72	1	0.0 %
97	1	0.0 %
104	1	0.0 %
105	1	0.0 %
115	1	0.0 %
120	1	0.0 %
130	1	0.0 %

Value	Unweighted Frequency	%
135	1	0.0 %
225	1	0.0 %
284	1	0.0 %
4432	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 3.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4432.00
- Standard Deviation: 92.74

V124	986 7 G STATE 2613 VOTE

Location:	858-864 (width: 7; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2212	70.4 %
20	2	0.1 %
21	1	0.0 %
28	1	0.0 %
29	1	0.0 %
31	1	0.0 %
32	1	0.0 %
33	2	0.1 %
37	1	0.0 %
38	2	0.1 %
41	1	0.0 %
43	1	0.0 %
44	1	0.0 %
45	1	0.0 %
48	1	0.0 %
54	2	0.1 %
56	2	0.1 %
57	1	0.0 %
62	1	0.0 %
63	1	0.0 %

Value	Unweighted Frequency	%
65	1	0.0 %
66	2	0.1 %
68	1	0.0 %
70	1	0.0 %
71	1	0.0 %
74	3	0.1 %
75	1	0.0 %
77	1	0.0 %
78	2	0.1 %
81	2	0.1 %
85	1	0.0 %
87	2	0.1 %
88	1	0.0 %
89	2	0.1 %
90	2	0.1 %
94	2	0.1 %
96	1	0.0 %
99	1	0.0 %
100	1	0.0 %
101	1	0.0 %
103	1	0.0 %
104	1	0.0 %
105	1	0.0 %
108	1	0.0 %
109	1	0.0 %
110	1	0.0 %
111	1	0.0 %
113	1	0.0 %
118	1	0.0 %
126	1	0.0 %
127	1	0.0 %
132	1	0.0 %
137	1	0.0 %
139	1	0.0 %
141	1	0.0 %
142	1	0.0 %
148	1	0.0 %
152	1	0.0 %
154	1	0.0 %
156	1	0.0 %

- Study 13 -

Value	Unweighted Frequency	%
160	1	0.0 %
171	1	0.0 %
178	1	0.0 %
181	1	0.0 %
210	1	0.0 %
221	1	0.0 %
224	1	0.0 %
228	1	0.0 %
239	1	0.0 %
258	1	0.0 %
272	1	0.0 %
281	1	0.0 %
283	1	0.0 %
403	1	0.0 %
424	1	0.0 %
461	1	0.0 %
473	1	0.0 %
568	1	0.0 %
595	1	0.0 %
616	1	0.0 %
620	1	0.0 %
702	1	0.0 %
853	1	0.0 %
872	1	0.0 %
1037	1	0.0 %
1144	1	0.0 %
1291	1	0.0 %
1867	1	0.0 %
12968	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 14.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12968.00
- Standard Deviation: 279.47

V125   **986 7 G STATE 2762 VOTE**

- Study 13 -

Location: 865-871 (width: 7; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   9999999

Value	Unweighted Frequency	%
0	2242	71.4 %
8	1	0.0 %
15	1	0.0 %
16	1	0.0 %
22	1	0.0 %
28	1	0.0 %
30	1	0.0 %
33	1	0.0 %
38	1	0.0 %
41	1	0.0 %
42	1	0.0 %
44	1	0.0 %
46	2	0.1 %
47	1	0.0 %
48	1	0.0 %
49	2	0.1 %
50	1	0.0 %
52	1	0.0 %
53	1	0.0 %
56	3	0.1 %
57	1	0.0 %
61	1	0.0 %
63	1	0.0 %
64	1	0.0 %
69	1	0.0 %
70	1	0.0 %
71	1	0.0 %
73	1	0.0 %
76	3	0.1 %
80	1	0.0 %
86	1	0.0 %
89	1	0.0 %
92	1	0.0 %
95	1	0.0 %
113	2	0.1 %
115	1	0.0 %
120	1	0.0 %

Value	Unweighted Frequency	%
127	1	0.0 %
128	1	0.0 %
143	1	0.0 %
153	1	0.0 %
188	1	0.0 %
190	2	0.1 %
214	1	0.0 %
230	1	0.0 %
287	1	0.0 %
299	1	0.0 %
307	1	0.0 %
338	1	0.0 %
371	1	0.0 %
375	1	0.0 %
428	1	0.0 %
444	1	0.0 %
450	1	0.0 %
455	1	0.0 %
471	1	0.0 %
504	1	0.0 %
573	1	0.0 %
593	1	0.0 %
638	1	0.0 %
668	1	0.0 %
861	1	0.0 %
1083	1	0.0 %
4440	1	0.0 %
5753	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 10.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5753.00
- Standard Deviation: 158.92

V126	986 7 G STATE 9999 VOTE

Location: 872-878 (width: 7; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	9999999

Value	Unweighted Frequency	%
0	2106	67.1 %
1	67	2.1 %
2	16	0.5 %
3	12	0.4 %
4	1	0.0 %
5	9	0.3 %
6	3	0.1 %
7	6	0.2 %
8	1	0.0 %
9	1	0.0 %
11	2	0.1 %
13	1	0.0 %
14	2	0.1 %
16	2	0.1 %
19	1	0.0 %
20	1	0.0 %
29	1	0.0 %
32	1	0.0 %
39	1	0.0 %
43	1	0.0 %
44	1	0.0 %
56	1	0.0 %
62	1	0.0 %
66	1	0.0 %
69	1	0.0 %
117	1	0.0 %
122	1	0.0 %
135	1	0.0 %
163	1	0.0 %
189	1	0.0 %
195	1	0.0 %
279	2	0.1 %
313	1	0.0 %
346	1	0.0 %
518	1	0.0 %
572	1	0.0 %
674	1	0.0 %
774	1	0.0 %

Value	Unweighted Frequency	%
892	1	0.0 %
944	1	0.0 %
999	1	0.0 %
1160	1	0.0 %
1208	1	0.0 %
1273	1	0.0 %
1352	1	0.0 %
1399	1	0.0 %
1473	1	0.0 %
1529	1	0.0 %
1530	1	0.0 %
1531	1	0.0 %
1629	1	0.0 %
1754	1	0.0 %
1880	1	0.0 %
1899	1	0.0 %
1999	1	0.0 %
2033	1	0.0 %
2089	1	0.0 %
2160	1	0.0 %
2178	1	0.0 %
2308	1	0.0 %
2310	1	0.0 %
2438	1	0.0 %
2470	1	0.0 %
2531	1	0.0 %
2608	1	0.0 %
2611	1	0.0 %
2641	1	0.0 %
2745	1	0.0 %
2796	1	0.0 %
2833	1	0.0 %
2862	1	0.0 %
2938	1	0.0 %
3005	1	0.0 %
3376	1	0.0 %
3925	1	0.0 %
4080	1	0.0 %
4905	1	0.0 %
5254	1	0.0 %

Value	Unweighted Frequency	%
5766	1	0.0 %
5835	1	0.0 %
6048	1	0.0 %
6157	1	0.0 %
6252	1	0.0 %
6610	1	0.0 %
7565	1	0.0 %
7925	1	0.0 %
9589	1	0.0 %
9950	1	0.0 %
13958	1	0.0 %
22333	1	0.0 %
27265	1	0.0 %
30193	1	0.0 %
32422	1	0.0 %
39329	1	0.0 %
50172	1	0.0 %
50755	1	0.0 %
69121	1	0.0 %
70354	1	0.0 %
9999999 (M)	826	26.3 %

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 248.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 70354.00
- Standard Deviation: 2970.61

V127	986 7 G STATE TOTAL VOTE

Location:	879-885 (width: 7; decimal: 0)
Variable Type:	numeric

Based upon 2314 valid cases out of 3140 total cases.

- Mean: 20971.30
- Minimum: 78.00
- Maximum: 2000558.00
- Standard Deviation: 70029.83