ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

General Election Data for the United States, 1950-1990

Inter-university Consortium for Political and Social Research

Codebook for National, 1950-1972

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/13/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

ICPSR PROCESSING NOTES FOR #00013

General Election Data for the United States, 1950-1990
– National, 1950-1972

1) **Collection Update:** The SPSS setup files were updated to conform to current standards. SAS and Stata setup files, as well as SPSS and Stata system files, a SAS transport (CPORT) file, an R data file, a tab-delimited data file, and a PDF codebook have been added to the collection.

2) **Recoded Values:** For the case, **IDENTIFICATION NUMBER** = 1090, the value "2I" for variable **V17** has been recoded to system missing.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1950-1972

Variable Name and Label (Total Cases = 3145)		Percent of Cases with Missing Values
46.8% (162 of 346 variables)	have 0% Missing Values	
5.8% (20 of 346 variables)	have 0% - 1% Missing Values	
9.8% (34 of 346 variables)	have 1% - 3% Missing Values	
7.2% (25 of 346 variables)	have 3% - 5% Missing Values	
1.4% (5 of 346 variables)	have 5% - 10% Missing Values	
V12	1962 DIST NUMBR	5.4%
V103	1962 DEM VTS HOUSE	5.4%
V104	1962 REP VTS HOUSE	5.4%
V105	1962 OTHR VTS HOUSE	5.4%
V106	1962 TOTL VTS HOUSE	5.4%
1.2% (4 of 346 variables)	have 10% - 20% Missing Values	
V115	1968 DEM VTS HOUSE	10.1%
V116	1968 REP VTS HOUSE	10.1%
V117	1968 OTHR VTS HOUSE	10.1%
V118	1968 TOTL VTS HOUSE	10.1%
19.7% (68 of 346 variables)	have 20% - 40% Missing Values	
V39	1950 DEM VTS SENATE	34.7%
V40	1950 REP VTS SENATE	34.7%
V41	1950 OTHR VTS SENATE	34.7%
V42	1950 TOTL VTS SENATE	34.7%
V47	1954 DEM VTS SENATE	27.4%
V48	1954 REP VTS SENATE	27.4%
V49	1954 OTHR VTS SENATE	27.4%
V50	1954 TOTL VTS SENATE	27.4%
V51	1956 DEM VTS SENATE	34.8%
V52	1956 REP VTS SENATE	34.8%
V53	1956 OTHR VTS SENATE	34.8%
V54	1956 TOTL VTS SENATE	34.8%
V59	1960 DEM VTS SENATE	29.0%
V60	1960 REP VTS SENATE	29.0%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1950-1972

Variable Name and Label (Total Cases = 3145)		Percent of Cases with Missing Values
V61	1960 OTHR VTS SENATE	29.0%
V62	1960 TOTL VTS SENATE	29.0%
V63	1962 DEM VTS SENATE	34.0%
V64	1962 REP VTS SENATE	34.0%
V65	1962 OTHR VTS SENATE	34.0%
V66	1962 TOTL VTS SENATE	34.0%
V71	1966 DEM VTS SENATE	29.2%
V72	1966 REP VTS SENATE	29.2%
V73	1966 OTHR VTS SENATE	29.2%
V74	1966 TOTL VTS SENATE	29.2%
V75	1968 DEM VTS SENATE	34.0%
V76	1968 REP VTS SENATE	34.0%
V77	1968 OTHR VTS SENATE	34.0%
V78	1968 TOTL VTS SENATE	34.0%
V119	1950 DEM VTS GUB	29.3%
V120	1950 REP VTS GUB	29.3%
V121	1950 OTHR VTS GUB	29.3%
V122	1950 TOTL VTS GUB	29.3%
V123	1952 DEM VTS GUB	34.5%
V124	1952 REP VTS GUB	34.5%
V125	1952 OTHR VTS GUB	34.5%
V126	1952 TOTL VTS GUB	34.5%
V127	1954 DEM VTS GUB	24.4%
V128	1954 REP VTS GUB	24.4%
V129	1954 OTHR VTS GUB	24.4%
V130	1954 TOTL VTS GUB	24.4%
V131	1956 DEM VTS GUB	37.5%
V132	1956 REP VTS GUB	37.5%
V133	1956 OTHR VTS GUB	37.5%
V134	1956 TOTL VTS GUB	37.5%
V135	1958 DEM VTS GUB	23.5%
V136	1958 REP VTS GUB	23.5%
V137	1958 OTHR VTS GUB	23.5%
V138	1958 TOTL VTS GUB	23.5%
V143	1962 DEM VTS GUB	23.6%
V144	1962 REP VTS GUB	23.6%
V145	1962 OTHR VTS GUB	23.6%
V146	1962 TOTL VTS GUB	23.6%
V151	1966 DEM VTS GUB	23.1%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1950-1972

Variable Name and Label (Total Cases = 3145)		Percent of Cases with Missing Values
V152	1966 REP VTS GUB	23.1%
V153	1966 OTHR VTS GUB	23.1%
V154	1966 TOTL VTS GUB	23.1%
V298	970 2 G GOV 0100 VOTE	23.7%
V299	970 2 G GOV 0200 VOTE	23.7%
V300	970 2 G GOV OTHER VOTE	23.7%
V301	970 2 G GOV TOTAL VOTE	23.7%
V312	970 4 G SEN 0100 VOTE	36.5%
V313	970 4 G SEN 0200 VOTE	36.5%
V314	970 4 G SEN OTHER VOTE	36.5%
V315	970 4 G SEN TOTAL VOTE	36.5%
V340	972 5 G SEN 0100 VOTE	26.6%
V341	972 5 G SEN 0200 VOTE	26.6%
V342	972 5 G SEN OTHER VOTE	26.7%
V343	972 5 G SEN TOTAL VOTE	26.7%
8.1% (28 of 346 variables)	have 40% - 99% Missing Values	
V43	1952 DEM VTS SENATE	40.7%
V44	1952 REP VTS SENATE	40.7%
V45	1952 OTHR VTS SENATE	40.7%
V46	1952 TOTL VTS SENATE	40.7%
V55	1958 DEM VTS SENATE	40.7%
V56	1958 REP VTS SENATE	40.7%
V57	1958 OTHR VTS SENATE	40.7%
V58	1958 TOTL VTS SENATE	40.7%
V67	1964 DEM VTS SENATE	40.5%
V68	1964 REP VTS SENATE	40.5%
V69	1964 OTHR VTS SENATE	40.5%
V70	1964 TOTL VTS SENATE	40.5%
V139	1960 DEM VTS GUB	42.8%
V140	1960 REP VTS GUB	42.8%
V141	1960 OTHR VTS GUB	42.8%
V142	1960 TOTL VTS GUB	42.8%
V147	1964 DEM VTS GUB	45.6%
V148	1964 REP VTS GUB	45.6%
V149	1964 OTHR VTS GUB	45.6%
V150	1964 TOTL VTS GUB	45.6%
V155	1968 DEM VTS GUB	53.7%
V156	1968 REP VTS GUB	53.7%
V157	1968 OTHR VTS GUB	53.7%

Table 1: Distribution of Variables by Percentage of Missing Values--National, 1950-1972

Variable Name and Label (Total Cases = 3145)		Percent of Cases with Missing Values
V158	1968 TOTL VTS GUB	53.7%
V326	972 2 G GOV 0100 VOTE	54.7%
V327	972 2 G GOV 0200 VOTE	54.7%
V328	972 2 G GOV OTHER VOTE	54.7%
V329	972 2 G GOV TOTAL VOTE	54.7%
0.0% (0 of 346 variables)	have 100% missing values	

ICPSR 13

General Election Data for the United States, 1950-1990

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

- Study 13 -

General Election Data for the United States, 1950-1990

National, 1950-1972

V1	REGION		
Location:	1-1 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Unweighted Frequency	%
0	67	2.1 %
1	153	4.9 %
2	437	13.9 %
3	620	19.7 %
4	1053	33.5 %
5	371	11.8 %
6	278	8.8 %
7	133	4.2 %
8	31	1.0 %
. (M)	2	0.1 %

Based upon 3143 valid cases out of 3145 total cases.

- Mean: 3.75
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.58

V2	STATE		
Location:	2-3 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Unweighted Frequency	%
1	8	0.3 %
2	16	0.5 %
3	14	0.4 %
4	10	0.3 %
5	5	0.2 %
6	14	0.4 %
11	3	0.1 %
12	21	0.7 %
13	62	2.0 %

Value	Unweighted Frequency	%
14	67	2.1 %
21	102	3.2 %
22	92	2.9 %
23	83	2.6 %
24	88	2.8 %
25	72	2.3 %
31	99	3.1 %
32	105	3.3 %
33	87	2.8 %
34	115	3.7 %
35	93	3.0 %
36	53	1.7 %
37	68	2.2 %
40	139	4.4 %
41	67	2.1 %
42	75	2.4 %
43	67	2.1 %
44	159	5.1 %
45	64	2.0 %
46	82	2.6 %
47	100	3.2 %
48	46	1.5 %
49	254	8.1 %
51	120	3.8 %
52	24	0.8 %
53	77	2.4 %
54	95	3.0 %
56	55	1.7 %
61	14	0.4 %
62	63	2.0 %
63	44	1.4 %
64	56	1.8 %
65	18	0.6 %
66	32	1.0 %
67	29	0.9 %
68	23	0.7 %
71	58	1.8 %
72	36	1.1 %
73	39	1.2 %
81	25	0.8 %

Value	Unweighted Frequency	%
82	7	0.2 %

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 41.40
- Median: 43.00
- Mode: 49.00
- Minimum: 1.00
- Maximum: 82.00
- Standard Deviation: 15.98

V3	DATA TYPE

Location:	4-5 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
1	3143	99.9 %
. (M)	2	0.1 %

Based upon 3143 valid cases out of 3145 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

V4	COUNTY NAME

Location:	6-22 (width: 17; decimal: 0)
Variable Type:	character

Based upon 3145 valid cases out of 3145 total cases.

V5	IDENTIFICATION NUMBER

Location:	23-26 (width: 4; decimal: 0)
Variable Type:	numeric

Based upon 3110 valid cases out of 3145 total cases.

- Mean: 1030.42
- Minimum: 5.00
- Maximum: 8400.00
- Standard Deviation: 1072.49

V6	1950 DIST NUMBR

Location:	27-28 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	99

Value	Unweighted Frequency	%
1	381	12.1 %
2	399	12.7 %
3	280	8.9 %
4	255	8.1 %
5	190	6.0 %
6	222	7.1 %
7	214	6.8 %
8	183	5.8 %
9	140	4.5 %
10	92	2.9 %
11	40	1.3 %
12	27	0.9 %
13	22	0.7 %
14	34	1.1 %
15	31	1.0 %
16	32	1.0 %
17	34	1.1 %
18	42	1.3 %
19	41	1.3 %
20	16	0.5 %
21	38	1.2 %
22	16	0.5 %
23	14	0.4 %
24	17	0.5 %
25	5	0.2 %
26	12	0.4 %
27	2	0.1 %
28	3	0.1 %
29	4	0.1 %
30	5	0.2 %
31	5	0.2 %
32	1	0.0 %
33	5	0.2 %
34	5	0.2 %
35	2	0.1 %

Value	Unweighted Frequency	%
36	1	0.0 %
37	3	0.1 %
38	6	0.2 %
39	5	0.2 %
41	4	0.1 %
42	1	0.0 %
45	3	0.1 %
52	20	0.6 %
53	7	0.2 %
54	7	0.2 %
55	2	0.1 %
56	2	0.1 %
57	2	0.1 %
59	1	0.0 %
60	1	0.0 %
63	1	0.0 %
98	142	4.5 %
99 (M)	128	4.1 %

Based upon 3017 valid cases out of 3145 total cases.

- Mean: 11.88
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 20.96

V7	1952 DIST NUMBR

Location:	29-30 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	99

Value	Unweighted Frequency	%
1	376	12.0 %
2	395	12.6 %
3	266	8.5 %
4	306	9.7 %
5	185	5.9 %
6	282	9.0 %
7	188	6.0 %

Value	Unweighted Frequency	%
8	184	5.9 %
9	139	4.4 %
10	103	3.3 %
11	54	1.7 %
12	29	0.9 %
13	25	0.8 %
14	28	0.9 %
15	30	1.0 %
16	33	1.0 %
17	34	1.1 %
18	48	1.5 %
19	36	1.1 %
20	18	0.6 %
21	38	1.2 %
22	11	0.3 %
23	22	0.7 %
24	5	0.2 %
25	18	0.6 %
26	3	0.1 %
27	2	0.1 %
28	5	0.2 %
29	7	0.2 %
30	1	0.0 %
31	5	0.2 %
32	5	0.2 %
33	5	0.2 %
34	3	0.1 %
35	1	0.0 %
36	8	0.3 %
37	4	0.1 %
38	1	0.0 %
39	3	0.1 %
40	1	0.0 %
43	4	0.1 %
52	22	0.7 %
53	7	0.2 %
54	8	0.3 %
55	2	0.1 %
56	3	0.1 %
57	1	0.0 %

Value	Unweighted Frequency	%
58	1	0.0 %
62	1	0.0 %
63	1	0.0 %
98	142	4.5 %
99 (M)	46	1.5 %

Based upon 3099 valid cases out of 3145 total cases.

- Mean: 11.75
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 20.71

V8	1954 DIST NUMBR

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Value	Unweighted Frequency	%
1	359	11.4 %
2	378	12.0 %
3	266	8.5 %
4	286	9.1 %
5	186	5.9 %
6	283	9.0 %
7	188	6.0 %
8	184	5.9 %
9	140	4.5 %
10	103	3.3 %
11	54	1.7 %
12	29	0.9 %
13	25	0.8 %
14	28	0.9 %
15	30	1.0 %
16	33	1.0 %
17	34	1.1 %
18	48	1.5 %
19	36	1.1 %
20	18	0.6 %

Value	Unweighted Frequency	%
21	38	1.2 %
22	11	0.3 %
23	22	0.7 %
24	5	0.2 %
25	18	0.6 %
26	3	0.1 %
27	2	0.1 %
28	5	0.2 %
29	7	0.2 %
30	1	0.0 %
31	5	0.2 %
32	5	0.2 %
33	5	0.2 %
34	3	0.1 %
35	1	0.0 %
36	8	0.3 %
37	4	0.1 %
38	1	0.0 %
39	3	0.1 %
40	1	0.0 %
43	4	0.1 %
52	22	0.7 %
53	7	0.2 %
54	8	0.3 %
55	2	0.1 %
56	3	0.1 %
57	1	0.0 %
58	1	0.0 %
62	1	0.0 %
63	1	0.0 %
98	142	4.5 %
99 (M)	97	3.1 %

Based upon 3048 valid cases out of 3145 total cases.

- Mean: 11.91
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 20.85

V9	1956 DIST NUMBR

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Value	Unweighted Frequency	%
1	355	11.3 %
2	384	12.2 %
3	266	8.5 %
4	295	9.4 %
5	183	5.8 %
6	279	8.9 %
7	194	6.2 %
8	183	5.8 %
9	140	4.5 %
10	103	3.3 %
11	54	1.7 %
12	29	0.9 %
13	25	0.8 %
14	28	0.9 %
15	30	1.0 %
16	33	1.0 %
17	34	1.1 %
18	48	1.5 %
19	36	1.1 %
20	18	0.6 %
21	38	1.2 %
22	11	0.3 %
23	22	0.7 %
24	5	0.2 %
25	18	0.6 %
26	3	0.1 %
27	2	0.1 %
28	5	0.2 %
29	7	0.2 %
30	1	0.0 %
31	5	0.2 %
32	5	0.2 %
33	5	0.2 %
34	3	0.1 %
35	1	0.0 %

Value	Unweighted Frequency	%
36	8	0.3 %
37	4	0.1 %
38	1	0.0 %
39	3	0.1 %
40	1	0.0 %
43	4	0.1 %
52	24	0.8 %
53	7	0.2 %
54	8	0.3 %
55	2	0.1 %
56	3	0.1 %
57	1	0.0 %
58	1	0.0 %
62	1	0.0 %
63	1	0.0 %
98	142	4.5 %
99 (M)	86	2.7 %

Based upon 3059 valid cases out of 3145 total cases.

- Mean: 11.92
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 20.84

V10	1958 DIST NUMBR

Location:	35-36 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	99

Value	Unweighted Frequency	%
1	367	11.7 %
2	381	12.1 %
3	254	8.1 %
4	275	8.7 %
5	184	5.9 %
6	260	8.3 %
7	196	6.2 %
8	182	5.8 %

Value	Unweighted Frequency	%
9	140	4.5 %
10	103	3.3 %
11	54	1.7 %
12	25	0.8 %
13	29	0.9 %
14	28	0.9 %
15	30	1.0 %
16	33	1.0 %
17	36	1.1 %
18	48	1.5 %
19	31	1.0 %
20	18	0.6 %
21	38	1.2 %
22	11	0.3 %
23	22	0.7 %
24	5	0.2 %
25	18	0.6 %
26	3	0.1 %
27	2	0.1 %
28	5	0.2 %
29	7	0.2 %
30	1	0.0 %
31	5	0.2 %
32	5	0.2 %
33	5	0.2 %
34	3	0.1 %
35	1	0.0 %
36	8	0.3 %
37	4	0.1 %
38	1	0.0 %
39	3	0.1 %
40	1	0.0 %
43	4	0.1 %
52	23	0.7 %
53	7	0.2 %
54	9	0.3 %
55	2	0.1 %
56	3	0.1 %
57	1	0.0 %
58	1	0.0 %

Value	Unweighted Frequency	%
62	1	0.0 %
63	1	0.0 %
98	166	5.3 %
99 (M)	105	3.3 %

Based upon 3040 valid cases out of 3145 total cases.

- Mean: 12.68
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 22.23

V11	1960 DIST NUMBR

Location:	37-38 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	99

Value	Unweighted Frequency	%
1	348	11.1 %
2	362	11.5 %
3	251	8.0 %
4	269	8.6 %
5	185	5.9 %
6	273	8.7 %
7	196	6.2 %
8	182	5.8 %
9	140	4.5 %
10	103	3.3 %
11	54	1.7 %
12	25	0.8 %
13	29	0.9 %
14	28	0.9 %
15	30	1.0 %
16	33	1.0 %
17	36	1.1 %
18	48	1.5 %
19	31	1.0 %
20	18	0.6 %
21	38	1.2 %

Value	Unweighted Frequency	%
22	11	0.3 %
23	22	0.7 %
24	5	0.2 %
25	18	0.6 %
26	3	0.1 %
27	2	0.1 %
28	5	0.2 %
29	7	0.2 %
30	1	0.0 %
31	5	0.2 %
32	5	0.2 %
33	5	0.2 %
34	3	0.1 %
35	1	0.0 %
36	8	0.3 %
37	4	0.1 %
38	1	0.0 %
39	3	0.1 %
40	1	0.0 %
43	4	0.1 %
52	23	0.7 %
53	8	0.3 %
54	8	0.3 %
55	2	0.1 %
56	3	0.1 %
57	1	0.0 %
58	1	0.0 %
62	1	0.0 %
63	1	0.0 %
96	32	1.0 %
98	138	4.4 %
99 (M)	134	4.3 %

Based upon 3011 valid cases out of 3145 total cases.

- Mean: 12.90
- Median: 6.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 22.44

V12	1962 DIST NUMBR

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Value	Unweighted Frequency	%
1	402	12.8 %
2	367	11.7 %
3	250	7.9 %
4	247	7.9 %
5	144	4.6 %
6	205	6.5 %
7	207	6.6 %
8	150	4.8 %
9	137	4.4 %
10	107	3.4 %
11	47	1.5 %
12	28	0.9 %
13	26	0.8 %
14	23	0.7 %
15	32	1.0 %
16	36	1.1 %
17	38	1.2 %
18	44	1.4 %
19	31	1.0 %
20	15	0.5 %
21	46	1.5 %
22	12	0.4 %
23	29	0.9 %
24	5	0.2 %
25	4	0.1 %
26	3	0.1 %
27	4	0.1 %
28	5	0.2 %
29	2	0.1 %
30	7	0.2 %
31	5	0.2 %
32	3	0.1 %
33	5	0.2 %
34	1	0.0 %
35	8	0.3 %

Value	Unweighted Frequency	%
36	1	0.0 %
37	4	0.1 %
38	7	0.2 %
40	1	0.0 %
52	84	2.7 %
53	6	0.2 %
54	9	0.3 %
55	3	0.1 %
56	2	0.1 %
57	1	0.0 %
62	1	0.0 %
65	1	0.0 %
96	32	1.0 %
98	147	4.7 %
99 (M)	171	5.4 %

Based upon 2974 valid cases out of 3145 total cases.

- Mean: 14.03
- Median: 6.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 23.65

V13	1964 DIST NUMBR

Location:	41-42 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	99

Value	Unweighted Frequency	%
1	450	14.3 %
2	414	13.2 %
3	282	9.0 %
4	255	8.1 %
5	171	5.4 %
6	228	7.2 %
7	219	7.0 %
8	158	5.0 %
9	131	4.2 %
10	119	3.8 %

Value	Unweighted Frequency	%
11	53	1.7 %
12	21	0.7 %
13	26	0.8 %
14	23	0.7 %
15	32	1.0 %
16	36	1.1 %
17	38	1.2 %
18	42	1.3 %
19	31	1.0 %
20	15	0.5 %
21	46	1.5 %
22	12	0.4 %
23	29	0.9 %
24	5	0.2 %
25	4	0.1 %
26	3	0.1 %
27	4	0.1 %
28	5	0.2 %
29	2	0.1 %
30	7	0.2 %
31	5	0.2 %
32	3	0.1 %
33	4	0.1 %
34	1	0.0 %
35	8	0.3 %
36	1	0.0 %
37	4	0.1 %
38	7	0.2 %
40	1	0.0 %
52	35	1.1 %
53	8	0.3 %
54	10	0.3 %
55	3	0.1 %
56	1	0.0 %
57	1	0.0 %
59	1	0.0 %
62	1	0.0 %
65	1	0.0 %
96	32	1.0 %
98	80	2.5 %

- Study 13 -

Value	Unweighted Frequency	%
99 (M)	77	2.4 %

Based upon 3068 valid cases out of 3145 total cases.

- Mean: 10.90
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 19.10

V14	**1966 DIST NUMBR**

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99

Value	Unweighted Frequency	%
1	432	13.7 %
2	462	14.7 %
3	272	8.6 %
4	286	9.1 %
5	169	5.4 %
6	218	6.9 %
7	203	6.5 %
8	145	4.6 %
9	118	3.8 %
10	128	4.1 %
11	57	1.8 %
12	20	0.6 %
13	24	0.8 %
14	12	0.4 %
15	18	0.6 %
16	27	0.9 %
17	43	1.4 %
18	49	1.6 %
19	29	0.9 %
20	13	0.4 %
21	49	1.6 %
22	16	0.5 %
23	42	1.3 %
24	7	0.2 %

Value	Unweighted Frequency	%
25	4	0.1 %
26	2	0.1 %
27	4	0.1 %
28	5	0.2 %
29	2	0.1 %
30	7	0.2 %
31	5	0.2 %
32	3	0.1 %
33	5	0.2 %
34	1	0.0 %
35	8	0.3 %
36	1	0.0 %
37	4	0.1 %
38	7	0.2 %
40	1	0.0 %
52	50	1.6 %
53	18	0.6 %
54	10	0.3 %
55	3	0.1 %
56	1	0.0 %
57	1	0.0 %
59	1	0.0 %
63	1	0.0 %
65	1	0.0 %
96	32	1.0 %
98	80	2.5 %
99 (M)	49	1.6 %

Based upon 3096 valid cases out of 3145 total cases.

- Mean: 11.22
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 19.41

V15	1968 DIST NUMBR

Location:	45-46 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	99

Value	Unweighted Frequency	%
1	446	14.2 %
2	479	15.2 %
3	282	9.0 %
4	266	8.5 %
5	173	5.5 %
6	215	6.8 %
7	207	6.6 %
8	149	4.7 %
9	104	3.3 %
10	133	4.2 %
11	56	1.8 %
12	22	0.7 %
13	22	0.7 %
14	12	0.4 %
15	20	0.6 %
16	23	0.7 %
17	42	1.3 %
18	45	1.4 %
19	28	0.9 %
20	13	0.4 %
21	49	1.6 %
22	16	0.5 %
23	42	1.3 %
24	7	0.2 %
25	4	0.1 %
26	2	0.1 %
27	4	0.1 %
28	5	0.2 %
29	2	0.1 %
30	7	0.2 %
31	6	0.2 %
32	3	0.1 %
33	4	0.1 %
34	1	0.0 %
35	8	0.3 %
36	1	0.0 %
37	4	0.1 %
38	7	0.2 %
40	1	0.0 %
52	64	2.0 %

Value	Unweighted Frequency	%
53	17	0.5 %
54	12	0.4 %
55	6	0.2 %
56	1	0.0 %
57	1	0.0 %
59	1	0.0 %
63	1	0.0 %
67	1	0.0 %
98	80	2.5 %
99 (M)	51	1.6 %

Based upon 3094 valid cases out of 3145 total cases.

- Mean: 10.49
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 17.69

V16	1970 DIST NUMBR

Location:	47-48 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	99

Value	Unweighted Frequency	%
1	446	14.2 %
2	480	15.3 %
3	279	8.9 %
4	265	8.4 %
5	173	5.5 %
6	214	6.8 %
7	206	6.6 %
8	146	4.6 %
9	103	3.3 %
10	133	4.2 %
11	56	1.8 %
12	22	0.7 %
13	22	0.7 %
14	12	0.4 %
15	20	0.6 %

Value	Unweighted Frequency	%
16	23	0.7 %
17	42	1.3 %
18	45	1.4 %
19	28	0.9 %
20	13	0.4 %
21	49	1.6 %
22	16	0.5 %
23	42	1.3 %
24	7	0.2 %
25	3	0.1 %
26	2	0.1 %
27	2	0.1 %
28	6	0.2 %
29	1	0.0 %
30	4	0.1 %
31	4	0.1 %
32	5	0.2 %
33	3	0.1 %
34	5	0.2 %
35	3	0.1 %
36	1	0.0 %
37	3	0.1 %
38	6	0.2 %
40	1	0.0 %
52	86	2.7 %
53	18	0.6 %
54	12	0.4 %
55	5	0.2 %
56	1	0.0 %
57	2	0.1 %
59	1	0.0 %
63	1	0.0 %
67	1	0.0 %
98	76	2.4 %
99 (M)	51	1.6 %

Based upon 3094 valid cases out of 3145 total cases.

- Mean: 10.63
- Median: 5.00
- Mode: 2.00

- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 17.73

V17	1972 DIST NUMBR

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 99 , .

Value	Unweighted Frequency	%
1	439	14.0 %
2	448	14.2 %
3	295	9.4 %
4	241	7.7 %
5	195	6.2 %
6	211	6.7 %
7	177	5.6 %
8	113	3.6 %
9	108	3.4 %
10	118	3.8 %
11	62	2.0 %
12	14	0.4 %
13	22	0.7 %
14	10	0.3 %
15	23	0.7 %
16	21	0.7 %
17	37	1.2 %
18	55	1.7 %
19	31	1.0 %
20	8	0.3 %
21	31	1.0 %
22	26	0.8 %
23	28	0.9 %
24	24	0.8 %
25	5	0.2 %
26	2	0.1 %
27	4	0.1 %
29	5	0.2 %
30	5	0.2 %
31	5	0.2 %
32	3	0.1 %
33	4	0.1 %

Value	Unweighted Frequency	%
34	1	0.0 %
35	3	0.1 %
36	3	0.1 %
39	3	0.1 %
43	1	0.0 %
52	152	4.8 %
53	41	1.3 %
54	11	0.3 %
55	4	0.1 %
56	7	0.2 %
57	1	0.0 %
62	1	0.0 %
69	1	0.0 %
98	129	4.1 %
99 (M)	16	0.5 %
. (M)	1	0.0 %

Based upon 3128 valid cases out of 3145 total cases.

- Mean: 13.42
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 21.94

V18	1952 DEM VTS PRES

Location: 51-57 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3099 valid cases out of 3145 total cases.

- Mean: 8427.53
- Minimum: 0.00
- Maximum: 1172454.00
- Standard Deviation: 38863.76

V19	1952 REP VTS PRES

Location: 58-64 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3099 valid cases out of 3145 total cases.

- Mean: 10863.16
- Minimum: 0.00
- Maximum: 1226971.00
- Standard Deviation: 42154.81

V20	1952 OTHR VTS PRES

Location: 65-71 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3099 valid cases out of 3145 total cases.

- Mean: 570.92
- Minimum: 0.00
- Maximum: 156803.00
- Standard Deviation: 5266.89

V21	1952 TOTL VTS PRES

Location: 72-78 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3099 valid cases out of 3145 total cases.

- Mean: 19861.61
- Minimum: 11.00
- Maximum: 2367939.00
- Standard Deviation: 82115.07

V22	1956 DEM VTS PRES

Location: 79-85 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3101 valid cases out of 3145 total cases.

- Mean: 8054.05
- Minimum: 0.00
- Maximum: 1007887.00
- Standard Deviation: 36311.99

V23	1956 REP VTS PRES

Location: 86-92 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3101 valid cases out of 3145 total cases.

- Mean: 11455.84
- Minimum: 0.00

- Maximum: 1293223.00
- Standard Deviation: 45000.11

V24	1956 OTHR VTS PRES

Location: 93-99 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3101 valid cases out of 3145 total cases.

- Mean: 491.77
- Minimum: 0.00
- Maximum: 149864.00
- Standard Deviation: 4093.60

V25	1956 TOTL VTS PRES

Location: 100-106 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3101 valid cases out of 3145 total cases.

- Mean: 20001.66
- Minimum: 91.00
- Maximum: 2276844.00
- Standard Deviation: 81531.61

V26	1960 DEM VTS PRES

Location: 107-113 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3127 valid cases out of 3145 total cases.

- Mean: 10557.00
- Minimum: 0.00
- Maximum: 1378343.00
- Standard Deviation: 48071.45

V27	1960 REP VTS PRES

Location: 114-120 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3127 valid cases out of 3145 total cases.

- Mean: 10900.22
- Minimum: 39.00
- Maximum: 1302661.00
- Standard Deviation: 40138.11

V28	1960 OTHR VTS PRES

Location: 121-127 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3129 valid cases out of 3145 total cases.

- Mean: 537.42
- Minimum: 0.00
- Maximum: 189189.00
- Standard Deviation: 5129.85

V29	1960 TOTL VTS PRES

Location: 128-134 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3129 valid cases out of 3145 total cases.

- Mean: 21980.93
- Minimum: 0.00
- Maximum: 2634499.00
- Standard Deviation: 88553.53

V30	1964 DEM VTS PRES

Location: 135-141 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3125 valid cases out of 3145 total cases.

- Mean: 13302.60
- Minimum: 0.00
- Maximum: 1568300.00
- Standard Deviation: 56420.38

V31	1964 REP VTS PRES

Location: 142-148 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3125 valid cases out of 3145 total cases.

- Mean: 8573.61
- Minimum: 0.00
- Maximum: 1161067.00
- Standard Deviation: 33104.86

V32	1964 OTHR VTS PRES

Location: 149-155 (width: 7; decimal: 0)

| Variable Type: | numeric |

Based upon 3125 valid cases out of 3145 total cases.

- Mean: 665.31
- Minimum: 0.00
- Maximum: 241991.00
- Standard Deviation: 5784.84

| **V33** | **1964 TOTL VTS PRES** |

| Location: | 156-162 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 3125 valid cases out of 3145 total cases.

- Mean: 22541.52
- Minimum: 79.00
- Maximum: 2730918.00
- Standard Deviation: 89235.67

| **V34** | **1968 DEM VTS PRES** |

| Location: | 163-169 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 3130 valid cases out of 3145 total cases.

- Mean: 9847.98
- Minimum: 18.00
- Maximum: 1223251.00
- Standard Deviation: 43175.03

| **V35** | **1968 REP VTS PRES** |

| Location: | 170-176 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 3130 valid cases out of 3145 total cases.

- Mean: 10146.80
- Minimum: 23.00
- Maximum: 1266480.00
- Standard Deviation: 37676.50

| **V36** | **1968 WALLACE VTS PRES** |

| Location: | 177-183 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 3130 valid cases out of 3145 total cases.

- Mean: 3153.62
- Minimum: 0.00
- Maximum: 186921.00
- Standard Deviation: 7932.18

V37	1968 OTHR VTS PRES

Location: 184-190 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3130 valid cases out of 3145 total cases.

- Mean: 184.65
- Minimum: -397.00
- Maximum: 66351.00
- Standard Deviation: 2393.02

V38	1968 TOTL VTS PRES

Location: 191-197 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3130 valid cases out of 3145 total cases.

- Mean: 23333.05
- Minimum: 81.00
- Maximum: 2657982.00
- Standard Deviation: 87233.83

V39	1950 DEM VTS SENATE

Location: 198-204 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2053 valid cases out of 3145 total cases.

- Mean: 7451.31
- Minimum: 5.00
- Maximum: 988132.00
- Standard Deviation: 34127.36

V40	1950 REP VTS SENATE

Location: 205-211 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2053 valid cases out of 3145 total cases.

- Mean: 7874.65
- Minimum: 0.00

- Maximum: 996257.00
- Standard Deviation: 36328.45

V41	1950 OTHR VTS SENATE

Location: 212-218 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2053 valid cases out of 3145 total cases.

- Mean: 348.84
- Minimum: 0.00
- Maximum: 170979.00
- Standard Deviation: 5506.13

V42	1950 TOTL VTS SENATE

Location: 219-225 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2053 valid cases out of 3145 total cases.

- Mean: 15674.80
- Minimum: 7.00
- Maximum: 1992284.00
- Standard Deviation: 71755.89

V43	1952 DEM VTS SENATE

Location: 226-232 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1864 valid cases out of 3145 total cases.

- Mean: 10176.26
- Minimum: 0.00
- Maximum: 683801.00
- Standard Deviation: 35992.38

V44	1952 REP VTS SENATE

Location: 233-239 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1864 valid cases out of 3145 total cases.

- Mean: 10584.04
- Minimum: 0.00
- Maximum: 431639.00
- Standard Deviation: 32792.54

V45	1952 OTHR VTS SENATE
Location:	240-246 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 1864 valid cases out of 3145 total cases.

- Mean: 3266.46
- Minimum: 0.00
- Maximum: 1936147.00
- Standard Deviation: 47613.03

V46	1952 TOTL VTS SENATE
Location:	247-253 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 1864 valid cases out of 3145 total cases.

- Mean: 24026.75
- Minimum: 87.00
- Maximum: 1936147.00
- Standard Deviation: 84327.52

V47	1954 DEM VTS SENATE
Location:	254-260 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2283 valid cases out of 3145 total cases.

- Mean: 4676.87
- Minimum: 0.00
- Maximum: 1058915.00
- Standard Deviation: 27017.66

V48	1954 REP VTS SENATE
Location:	261-267 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2283 valid cases out of 3145 total cases.

- Mean: 3871.61
- Minimum: 0.00
- Maximum: 746013.00
- Standard Deviation: 19885.55

V49	1954 OTHR VTS SENATE
Location:	268-274 (width: 7; decimal: 0)

Variable Type:	numeric
	Based upon 2283 valid cases out of 3145 total cases.

- Mean: 452.82
- Minimum: 0.00
- Maximum: 152169.00
- Standard Deviation: 4097.15

V50	**1954 TOTL VTS SENATE**
Location:	275-281 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2283 valid cases out of 3145 total cases.

- Mean: 9001.29
- Minimum: 51.00
- Maximum: 1804928.00
- Standard Deviation: 46889.70

V51	**1956 DEM VTS SENATE**
Location:	282-288 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2052 valid cases out of 3145 total cases.

- Mean: 10818.08
- Minimum: 28.00
- Maximum: 1077803.00
- Standard Deviation: 44374.11

V52	**1956 REP VTS SENATE**
Location:	289-295 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2052 valid cases out of 3145 total cases.

- Mean: 10355.18
- Minimum: 0.00
- Maximum: 1191584.00
- Standard Deviation: 45617.53

V53	**1956 OTHR VTS SENATE**
Location:	296-302 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2052 valid cases out of 3145 total cases.

- Mean: 196.83
- Minimum: 0.00
- Maximum: 80831.00
- Standard Deviation: 2674.89

V54	1956 TOTL VTS SENATE

Location: 303-309 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2052 valid cases out of 3145 total cases.

- Mean: 21370.08
- Minimum: 144.00
- Maximum: 2233311.00
- Standard Deviation: 90421.49

V55	1958 DEM VTS SENATE

Location: 310-316 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1866 valid cases out of 3145 total cases.

- Mean: 10688.59
- Minimum: 0.00
- Maximum: 1135669.00
- Standard Deviation: 41651.28

V56	1958 REP VTS SENATE

Location: 317-323 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1866 valid cases out of 3145 total cases.

- Mean: 8653.90
- Minimum: 0.00
- Maximum: 974618.00
- Standard Deviation: 33004.29

V57	1958 OTHR VTS SENATE

Location: 324-330 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1866 valid cases out of 3145 total cases.

- Mean: 687.81
- Minimum: 0.00

- Maximum: 137989.00
- Standard Deviation: 5110.31

V58	1958 TOTL VTS SENATE

Location: 331-337 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1866 valid cases out of 3145 total cases.

- Mean: 20030.29
- Minimum: 53.00
- Maximum: 2111556.00
- Standard Deviation: 74824.68

V59	1960 DEM VTS SENATE

Location: 338-344 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2232 valid cases out of 3145 total cases.

- Mean: 7296.47
- Minimum: 0.00
- Maximum: 1407745.00
- Standard Deviation: 37019.58

V60	1960 REP VTS SENATE

Location: 345-351 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2232 valid cases out of 3145 total cases.

- Mean: 6278.08
- Minimum: 0.00
- Maximum: 970050.00
- Standard Deviation: 27876.09

V61	1960 OTHR VTS SENATE

Location: 352-358 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2232 valid cases out of 3145 total cases.

- Mean: 494.06
- Minimum: 0.00
- Maximum: 222043.00
- Standard Deviation: 5736.59

V62	1960 TOTL VTS SENATE

Location:	359-365 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2232 valid cases out of 3145 total cases.

- Mean: 14068.61
- Minimum: 81.00
- Maximum: 2383830.00
- Standard Deviation: 64607.92

V63	1962 DEM VTS SENATE

Location:	366-372 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2076 valid cases out of 3145 total cases.

- Mean: 9392.09
- Minimum: 47.00
- Maximum: 1045121.00
- Standard Deviation: 40657.88

V64	1962 REP VTS SENATE

Location:	373-379 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2076 valid cases out of 3145 total cases.

- Mean: 9305.86
- Minimum: 0.00
- Maximum: 1171678.00
- Standard Deviation: 41334.75

V65	1962 OTHR VTS SENATE

Location:	380-386 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2076 valid cases out of 3145 total cases.

- Mean: 177.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 52039.00
- Standard Deviation: 2114.32

V66	1962 TOTL VTS SENATE

Location: 387-393 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2076 valid cases out of 3145 total cases.

- Mean: 18875.82
- Minimum: 105.00
- Maximum: 2223335.00
- Standard Deviation: 81929.93

V67	1964 DEM VTS SENATE

Location: 394-400 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1872 valid cases out of 3145 total cases.

- Mean: 15394.75
- Minimum: 0.00
- Maximum: 1285738.00
- Standard Deviation: 53234.33

V68	1964 REP VTS SENATE

Location: 401-407 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1872 valid cases out of 3145 total cases.

- Mean: 11861.48
- Minimum: 0.00
- Maximum: 1436745.00
- Standard Deviation: 45035.56

V69	1964 OTHR VTS SENATE

Location: 408-414 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1872 valid cases out of 3145 total cases.

- Mean: 897.05
- Minimum: 0.00
- Maximum: 230852.00
- Standard Deviation: 7473.28

V70	1964 TOTL VTS SENATE

Location: 415-421 (width: 7; decimal: 0)

Variable Type:	numeric
	Based upon 1872 valid cases out of 3145 total cases.

- Mean: 28153.28
- Minimum: 78.00
- Maximum: 2722923.00
- Standard Deviation: 97782.23

V71	**1966 DEM VTS SENATE**
Location:	422-428 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2228 valid cases out of 3145 total cases.

- Mean: 5255.57
- Minimum: 0.00
- Maximum: 944538.00
- Standard Deviation: 24664.07

V72	**1966 REP VTS SENATE**
Location:	429-435 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2228 valid cases out of 3145 total cases.

- Mean: 5881.74
- Minimum: 0.00
- Maximum: 1026012.00
- Standard Deviation: 27296.28

V73	**1966 OTHR VTS SENATE**
Location:	436-442 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2228 valid cases out of 3145 total cases.

- Mean: 388.41
- Minimum: 0.00
- Maximum: 93178.00
- Standard Deviation: 3096.13

V74	**1966 TOTL VTS SENATE**
Location:	443-449 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2228 valid cases out of 3145 total cases.

- Mean: 11525.71
- Minimum: 66.00
- Maximum: 2002178.00
- Standard Deviation: 52179.54

V75	1968 DEM VTS SENATE

Location: 450-456 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2076 valid cases out of 3145 total cases.

- Mean: 12062.49
- Minimum: 46.00
- Maximum: 1344953.00
- Standard Deviation: 49083.66

V76	1968 REP VTS SENATE

Location: 457-463 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2076 valid cases out of 3145 total cases.

- Mean: 11388.39
- Minimum: 0.00
- Maximum: 1232231.00
- Standard Deviation: 43961.01

V77	1968 OTHR VTS SENATE

Location: 464-470 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2076 valid cases out of 3145 total cases.

- Mean: 1026.42
- Minimum: 0.00
- Maximum: 276277.00
- Standard Deviation: 10822.81

V78	1968 TOTL VTS SENATE

Location: 471-477 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2076 valid cases out of 3145 total cases.

- Mean: 24477.30
- Minimum: 180.00

- Maximum: 2613002.00
- Standard Deviation: 96178.98

V79	1950 DEM VTS HOUSE

Location: 478-484 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2994 valid cases out of 3145 total cases.

- Mean: 6174.94
- Minimum: 0.00
- Maximum: 958936.00
- Standard Deviation: 28075.05

V80	1950 REP VTS HOUSE

Location: 485-491 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2994 valid cases out of 3145 total cases.

- Mean: 6291.69
- Minimum: 0.00
- Maximum: 955530.00
- Standard Deviation: 26388.74

V81	1950 OTHR VTS HOUSE

Location: 492-498 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2994 valid cases out of 3145 total cases.

- Mean: 941.35
- Minimum: 0.00
- Maximum: 786017.00
- Standard Deviation: 15905.40

V82	1950 TOTL VTS HOUSE

Location: 499-505 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2994 valid cases out of 3145 total cases.

- Mean: 13407.99
- Minimum: 0.00
- Maximum: 1916023.00
- Standard Deviation: 60638.33

V83	1952 DEM VTS HOUSE

Location: 506-512 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3098 valid cases out of 3145 total cases.

- Mean: 8661.55
- Minimum: 0.00
- Maximum: 1162313.00
- Standard Deviation: 36273.91

V84	1952 REP VTS HOUSE

Location: 513-519 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3098 valid cases out of 3145 total cases.

- Mean: 8937.81
- Minimum: 0.00
- Maximum: 1154750.00
- Standard Deviation: 35101.80

V85	1952 OTHR VTS HOUSE

Location: 520-526 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3098 valid cases out of 3145 total cases.

- Mean: 1030.87
- Minimum: 0.00
- Maximum: 876797.00
- Standard Deviation: 17850.78

V86	1952 TOTL VTS HOUSE

Location: 527-533 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3098 valid cases out of 3145 total cases.

- Mean: 18630.23
- Minimum: 0.00
- Maximum: 2317066.00
- Standard Deviation: 77931.55

V87	1954 DEM VTS HOUSE

Location: 534-540 (width: 7; decimal: 0)

Variable Type:	numeric
	Based upon 3048 valid cases out of 3145 total cases.

- Mean: 6939.00
- Minimum: 0.00
- Maximum: 1009533.00
- Standard Deviation: 32337.82

V88	**1954 REP VTS HOUSE**
Location:	541-547 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 3048 valid cases out of 3145 total cases.

- Mean: 6556.92
- Minimum: 0.00
- Maximum: 820467.00
- Standard Deviation: 27497.12

V89	**1954 OTHR VTS HOUSE**
Location:	548-554 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 3048 valid cases out of 3145 total cases.

- Mean: 416.35
- Minimum: 0.00
- Maximum: 131263.00
- Standard Deviation: 4398.70

V90	**1954 TOTL VTS HOUSE**
Location:	555-561 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 3048 valid cases out of 3145 total cases.

- Mean: 13912.27
- Minimum: 52.00
- Maximum: 1760517.00
- Standard Deviation: 59939.58

V91	**1956 DEM VTS HOUSE**
Location:	562-568 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 3059 valid cases out of 3145 total cases.

- Mean: 9285.66
- Minimum: 0.00
- Maximum: 1086575.00
- Standard Deviation: 38807.83

V92	1956 REP VTS HOUSE

Location: 569-575 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3059 valid cases out of 3145 total cases.

- Mean: 9245.59
- Minimum: 0.00
- Maximum: 1106374.00
- Standard Deviation: 39019.72

V93	1956 OTHR VTS HOUSE

Location: 576-582 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3059 valid cases out of 3145 total cases.

- Mean: 507.17
- Minimum: 0.00
- Maximum: 162916.00
- Standard Deviation: 5796.86

V94	1956 TOTL VTS HOUSE

Location: 583-589 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3059 valid cases out of 3145 total cases.

- Mean: 19038.42
- Minimum: 70.00
- Maximum: 2192949.00
- Standard Deviation: 78695.54

V95	1958 DEM VTS HOUSE

Location: 590-596 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3040 valid cases out of 3145 total cases.

- Mean: 7931.50
- Minimum: 0.00

- Maximum: 1040435.00
- Standard Deviation: 36328.26

V96	1958 REP VTS HOUSE

Location: 597-603 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3040 valid cases out of 3145 total cases.

- Mean: 6507.63
- Minimum: 0.00
- Maximum: 867910.00
- Standard Deviation: 27869.42

V97	1958 OTHR VTS HOUSE

Location: 604-610 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3040 valid cases out of 3145 total cases.

- Mean: 564.85
- Minimum: 0.00
- Maximum: 181521.00
- Standard Deviation: 6416.45

V98	1958 TOTL VTS HOUSE

Location: 611-617 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3040 valid cases out of 3145 total cases.

- Mean: 15003.98
- Minimum: 53.00
- Maximum: 2049445.00
- Standard Deviation: 65839.20

V99	1960 DEM VTS HOUSE

Location: 618-624 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3010 valid cases out of 3145 total cases.

- Mean: 11185.95
- Minimum: 0.00
- Maximum: 1343444.00
- Standard Deviation: 47350.57

| **V100** | **1960 REP VTS HOUSE** |

Location: 625-631 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3010 valid cases out of 3145 total cases.

- Mean: 9538.63
- Minimum: 0.00
- Maximum: 1182728.00
- Standard Deviation: 38687.34

| **V101** | **1960 OTHR VTS HOUSE** |

Location: 632-638 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3010 valid cases out of 3145 total cases.

- Mean: 481.16
- Minimum: 0.00
- Maximum: 162047.00
- Standard Deviation: 5200.69

| **V102** | **1960 TOTL VTS HOUSE** |

Location: 639-645 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3010 valid cases out of 3145 total cases.

- Mean: 21205.74
- Minimum: 94.00
- Maximum: 2526480.00
- Standard Deviation: 85793.79

| **V103** | **1962 DEM VTS HOUSE** |

Location: 646-652 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2975 valid cases out of 3145 total cases.

- Mean: 8620.47
- Minimum: 0.00
- Maximum: 1086361.00
- Standard Deviation: 38245.66

| **V104** | **1962 REP VTS HOUSE** |

Location: 653-659 (width: 7; decimal: 0)

Variable Type:	numeric
	Based upon 2975 valid cases out of 3145 total cases.

- Mean: 8144.88
- Minimum: 0.00
- Maximum: 1079135.00
- Standard Deviation: 33765.49

V105	**1962 OTHR VTS HOUSE**
Location:	660-666 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2975 valid cases out of 3145 total cases.

- Mean: 336.07
- Minimum: 0.00
- Maximum: 129892.00
- Standard Deviation: 3609.84

V106	**1962 TOTL VTS HOUSE**
Location:	667-673 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2975 valid cases out of 3145 total cases.

- Mean: 17101.42
- Minimum: 0.00
- Maximum: 2167107.00
- Standard Deviation: 71678.38

V107	**1964 DEM VTS HOUSE**
Location:	674-680 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 3067 valid cases out of 3145 total cases.

- Mean: 11975.92
- Minimum: 0.00
- Maximum: 1390919.00
- Standard Deviation: 49719.02

V108	**1964 REP VTS HOUSE**
Location:	681-687 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 3067 valid cases out of 3145 total cases.

- Mean: 9020.15
- Minimum: 0.00
- Maximum: 1281623.00
- Standard Deviation: 37089.27

V109	1964 OTHR VTS HOUSE

Location: 688-694 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3067 valid cases out of 3145 total cases.

- Mean: 480.95
- Minimum: 0.00
- Maximum: 196911.00
- Standard Deviation: 5136.47

V110	1964 TOTL VTS HOUSE

Location: 695-701 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3067 valid cases out of 3145 total cases.

- Mean: 21477.02
- Minimum: 77.00
- Maximum: 2634727.00
- Standard Deviation: 86136.42

V111	1966 DEM VTS HOUSE

Location: 702-708 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3096 valid cases out of 3145 total cases.

- Mean: 8431.28
- Minimum: 0.00
- Maximum: 1032374.00
- Standard Deviation: 35237.81

V112	1966 REP VTS HOUSE

Location: 709-715 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3096 valid cases out of 3145 total cases.

- Mean: 8204.42
- Minimum: 0.00

- Maximum: 1299100.00
- Standard Deviation: 35955.34

V113	1966 OTHR VTS HOUSE

Location: 716-722 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3096 valid cases out of 3145 total cases.

- Mean: 445.67
- Minimum: 0.00
- Maximum: 134778.00
- Standard Deviation: 4677.18

V114	1966 TOTL VTS HOUSE

Location: 723-729 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3096 valid cases out of 3145 total cases.

- Mean: 17081.37
- Minimum: 3.00
- Maximum: 2332007.00
- Standard Deviation: 70978.88

V115	1968 DEM VTS HOUSE

Location: 730-736 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2826 valid cases out of 3145 total cases.

- Mean: 10514.45
- Minimum: 0.00
- Maximum: 1175146.00
- Standard Deviation: 43051.37

V116	1968 REP VTS HOUSE

Location: 737-743 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2826 valid cases out of 3145 total cases.

- Mean: 10631.28
- Minimum: 0.00
- Maximum: 1394736.00
- Standard Deviation: 41267.04

V117	**1968 OTHR VTS HOUSE**

Location: 744-750 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2826 valid cases out of 3145 total cases.

- Mean: 721.77
- Minimum: 0.00
- Maximum: 173491.00
- Standard Deviation: 6177.33

V118	**1968 TOTL VTS HOUSE**

Location: 751-757 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2826 valid cases out of 3145 total cases.

- Mean: 21867.50
- Minimum: 198.00
- Maximum: 2577140.00
- Standard Deviation: 84279.16

V119	**1950 DEM VTS GUB**

Location: 758-764 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2224 valid cases out of 3145 total cases.

- Mean: 6224.64
- Minimum: 0.00
- Maximum: 566805.00
- Standard Deviation: 26894.62

V120	**1950 REP VTS GUB**

Location: 765-771 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2224 valid cases out of 3145 total cases.

- Mean: 7095.04
- Minimum: 0.00
- Maximum: 1005344.00
- Standard Deviation: 31125.96

V121	**1950 OTHR VTS GUB**

Location: 772-778 (width: 7; decimal: 0)

Variable Type:	numeric
	Based upon 2224 valid cases out of 3145 total cases.

- Mean: 461.67
- Minimum: 0.00
- Maximum: 160371.00
- Standard Deviation: 5531.90

V122	**1950 TOTL VTS GUB**
Location:	779-785 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2224 valid cases out of 3145 total cases.

- Mean: 13781.36
- Minimum: 7.00
- Maximum: 1572422.00
- Standard Deviation: 58963.30

V123	**1952 DEM VTS GUB**
Location:	786-792 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2061 valid cases out of 3145 total cases.

- Mean: 8058.50
- Minimum: 0.00
- Maximum: 1216582.00
- Standard Deviation: 36573.66

V124	**1952 REP VTS GUB**
Location:	793-799 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2061 valid cases out of 3145 total cases.

- Mean: 7786.09
- Minimum: 0.00
- Maximum: 1125934.00
- Standard Deviation: 31499.71

V125	**1952 OTHR VTS GUB**
Location:	800-806 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2061 valid cases out of 3145 total cases.

- Mean: 371.17
- Minimum: 0.00
- Maximum: 166269.00
- Standard Deviation: 4514.95

V126	1952 TOTL VTS GUB

Location: 807-813 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2061 valid cases out of 3145 total cases.

- Mean: 16215.76
- Minimum: 11.00
- Maximum: 2348002.00
- Standard Deviation: 67827.32

V127	1954 DEM VTS GUB

Location: 814-820 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2377 valid cases out of 3145 total cases.

- Mean: 7251.98
- Minimum: 0.00
- Maximum: 707734.00
- Standard Deviation: 29922.47

V128	1954 REP VTS GUB

Location: 821-827 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2377 valid cases out of 3145 total cases.

- Mean: 6810.43
- Minimum: 0.00
- Maximum: 950611.00
- Standard Deviation: 28437.91

V129	1954 OTHR VTS GUB

Location: 828-834 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2377 valid cases out of 3145 total cases.

- Mean: 447.73
- Minimum: 0.00

- Maximum: 141807.00
- Standard Deviation: 4513.69

V130	1954 TOTL VTS GUB

Location: 835-841 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2377 valid cases out of 3145 total cases.

- Mean: 14510.13
- Minimum: 64.00
- Maximum: 1658648.00
- Standard Deviation: 58334.20

V131	1956 DEM VTS GUB

Location: 842-848 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1965 valid cases out of 3145 total cases.

- Mean: 8469.17
- Minimum: 0.00
- Maximum: 1189993.00
- Standard Deviation: 37240.92

V132	1956 REP VTS GUB

Location: 849-855 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1965 valid cases out of 3145 total cases.

- Mean: 7658.42
- Minimum: 0.00
- Maximum: 1044894.00
- Standard Deviation: 30811.62

V133	1956 OTHR VTS GUB

Location: 856-862 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1965 valid cases out of 3145 total cases.

- Mean: 530.89
- Minimum: 0.00
- Maximum: 173941.00
- Standard Deviation: 5048.79

V134	**1956 TOTL VTS GUB**

Location: 863-869 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1965 valid cases out of 3145 total cases.

- Mean: 16658.48
- Minimum: 94.00
- Maximum: 2240428.00
- Standard Deviation: 67758.61

V135	**1958 DEM VTS GUB**

Location: 870-876 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2407 valid cases out of 3145 total cases.

- Mean: 8457.72
- Minimum: 0.00
- Maximum: 1254226.00
- Standard Deviation: 38059.33

V136	**1958 REP VTS GUB**

Location: 877-883 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2407 valid cases out of 3145 total cases.

- Mean: 6935.53
- Minimum: 0.00
- Maximum: 909429.00
- Standard Deviation: 28973.11

V137	**1958 OTHR VTS GUB**

Location: 884-890 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2407 valid cases out of 3145 total cases.

- Mean: 519.11
- Minimum: 0.00
- Maximum: 151215.00
- Standard Deviation: 4588.28

V138	**1958 TOTL VTS GUB**

Location: 891-897 (width: 7; decimal: 0)

| Variable Type: | numeric |

Based upon 2407 valid cases out of 3145 total cases.

- Mean: 15912.37
- Minimum: 54.00
- Maximum: 2165771.00
- Standard Deviation: 67277.75

| **V139** | **1960 DEM VTS GUB** |

| Location: | 898-904 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 1798 valid cases out of 3145 total cases.

- Mean: 8979.50
- Minimum: 0.00
- Maximum: 1455674.00
- Standard Deviation: 43002.71

| **V140** | **1960 REP VTS GUB** |

| Location: | 905-911 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 1798 valid cases out of 3145 total cases.

- Mean: 7994.55
- Minimum: 11.00
- Maximum: 937625.00
- Standard Deviation: 30128.42

| **V141** | **1960 OTHR VTS GUB** |

| Location: | 912-918 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 1798 valid cases out of 3145 total cases.

- Mean: 476.73
- Minimum: 0.00
- Maximum: 188289.00
- Standard Deviation: 5437.92

| **V142** | **1960 TOTL VTS GUB** |

| Location: | 919-925 (width: 7; decimal: 0) |
| Variable Type: | numeric |

Based upon 1798 valid cases out of 3145 total cases.

- Mean: 17450.78
- Minimum: 89.00
- Maximum: 2399894.00
- Standard Deviation: 72944.64

V143	1962 DEM VTS GUB

Location: 926-932 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2404 valid cases out of 3145 total cases.

- Mean: 8342.23
- Minimum: 0.00
- Maximum: 1191724.00
- Standard Deviation: 36519.92

V144	1962 REP VTS GUB

Location: 933-939 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2404 valid cases out of 3145 total cases.

- Mean: 8614.11
- Minimum: 0.00
- Maximum: 1080113.00
- Standard Deviation: 34569.11

V145	1962 OTHR VTS GUB

Location: 940-946 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2404 valid cases out of 3145 total cases.

- Mean: 597.01
- Minimum: 0.00
- Maximum: 143649.00
- Standard Deviation: 4658.68

V146	1962 TOTL VTS GUB

Location: 947-953 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2404 valid cases out of 3145 total cases.

- Mean: 17553.35
- Minimum: 72.00

- Maximum: 2299244.00
- Standard Deviation: 71999.62

V147	1964 DEM VTS GUB

Location: 954-960 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1712 valid cases out of 3145 total cases.

- Mean: 9722.92
- Minimum: 53.00
- Maximum: 1317595.00
- Standard Deviation: 40252.70

V148	1964 REP VTS GUB

Location: 961-967 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1712 valid cases out of 3145 total cases.

- Mean: 7957.37
- Minimum: 13.00
- Maximum: 1094279.00
- Standard Deviation: 34098.48

V149	1964 OTHR VTS GUB

Location: 968-974 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1712 valid cases out of 3145 total cases.

- Mean: 67.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 28810.00
- Standard Deviation: 751.89

V150	1964 TOTL VTS GUB

Location: 975-981 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1712 valid cases out of 3145 total cases.

- Mean: 17747.85
- Minimum: 78.00
- Maximum: 2411874.00

- Standard Deviation: 73978.50

V151	1966 DEM VTS GUB

Location: 982-988 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2417 valid cases out of 3145 total cases.

- Mean: 8452.54
- Minimum: 0.00
- Maximum: 1037663.00
- Standard Deviation: 32429.07

V152	1966 REP VTS GUB

Location: 989-995 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2417 valid cases out of 3145 total cases.

- Mean: 9479.82
- Minimum: 0.00
- Maximum: 1389995.00
- Standard Deviation: 39071.28

V153	1966 OTHR VTS GUB

Location: 996-1002 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2417 valid cases out of 3145 total cases.

- Mean: 952.97
- Minimum: 0.00
- Maximum: 147381.00
- Standard Deviation: 6961.23

V154	1966 TOTL VTS GUB

Location: 1003-1009 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2417 valid cases out of 3145 total cases.

- Mean: 18885.33
- Minimum: 59.00
- Maximum: 2431093.00
- Standard Deviation: 73134.39

V155	1968 DEM VTS GUB

Location: 1010-1016 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1455 valid cases out of 3145 total cases.

- Mean: 7974.20
- Minimum: 44.00
- Maximum: 1218617.00
- Standard Deviation: 35958.02

V156	1968 REP VTS GUB

Location: 1017-1023 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1455 valid cases out of 3145 total cases.

- Mean: 7468.86
- Minimum: 0.00
- Maximum: 1048960.00
- Standard Deviation: 32190.36

V157	1968 OTHR VTS GUB

Location: 1024-1030 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1455 valid cases out of 3145 total cases.

- Mean: 41.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10291.00
- Standard Deviation: 329.53

V158	1968 TOTL VTS GUB

Location: 1031-1037 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1455 valid cases out of 3145 total cases.

- Mean: 15484.76
- Minimum: 75.00
- Maximum: 2277868.00
- Standard Deviation: 68023.52

V159	1952 % DEM VTS PRES

Location:	1038-1042 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 42.50
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 19.93

V160	**1952 % REP VTS PRES**
Location:	1043-1047 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 54.20
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 19.86

V161	**1952 % OTHR VTS PRES**
Location:	1048-1052 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 6.21
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 21.29

V162	**1956 % DEM VTS PRES**
Location:	1053-1057 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 42.34
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 18.95

V163	**1956 % REP VTS PRES**
Location:	1058-1062 (width: 5; decimal: 2)
Variable Type:	numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 53.74
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 18.43

V164	**1956 % OTHR VTS PRES**

Location: 1063-1067 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 6.71
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 21.22

V165	**1960 % DEM VTS PRES**

Location: 1068-1072 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 46.23
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 16.02

V166	**1960 % REP VTS PRES**

Location: 1073-1077 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 50.90
- Minimum: 4.64
- Maximum: 99.99
- Standard Deviation: 14.91

V167	**1960 % OTHR VTS PRES**

Location: 1078-1082 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 3.93
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 13.30

V168	1964 % DEM VTS PRES

Location: 1083-1087 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 53.33
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 19.30

V169	1964 % REP VTS PRES

Location: 1088-1092 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 42.11
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 14.92

V170	1964 % OTHR VTS PRES

Location: 1093-1097 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 5.81
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 20.54

V171	1968 % DEM VTS PRES

Location: 1098-1102 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 35.55
- Minimum: 3.75

- Maximum: 99.99
- Standard Deviation: 12.31

V172	1968 % REP VTS PRES

Location: 1103-1107 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 44.10
- Minimum: 1.79
- Maximum: 99.99
- Standard Deviation: 16.64

V173	1968 % WALLACE VTS PRES

Location: 1108-1112 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 26.00
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 73.19

V174	1968 % OTHR VTS PRES

Location: 1113-1117 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 0.71
- Median: 0.02
- Mode: 0.00
- Minimum: -0.01
- Maximum: 99.99
- Standard Deviation: 7.13

V175	1950 % DEM VTS SENATE

Location: 1118-1122 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 72.16
- Minimum: 11.88
- Maximum: 99.99

* Standard Deviation: 28.44

V176	1950 % REP VTS SENATE

Location: 1123-1127 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

* Mean: 61.80
* Minimum: 0.00
* Maximum: 99.99
* Standard Deviation: 34.50

V177	1950 % OTHR VTS SENATE

Location: 1128-1132 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

* Mean: 35.44
* Minimum: 0.00
* Maximum: 99.99
* Standard Deviation: 47.19

V178	1952 % DEM VTS SENATE

Location: 1133-1137 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

* Mean: 71.27
* Minimum: 0.00
* Maximum: 99.99
* Standard Deviation: 32.43

V179	1952 % REP VTS SENATE

Location: 1138-1142 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

* Mean: 65.04
* Minimum: 0.00
* Maximum: 99.99
* Standard Deviation: 35.79

V180	1952 % OTHR VTS SENATE

Location: 1143-1147 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 45.13
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 47.91

V181	1954 % DEM VTS SENATE

Location: 1148-1152 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 73.02
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 29.50

V182	1954 % REP VTS SENATE

Location: 1153-1157 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 50.41
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 37.41

V183	1954 % OTHR VTS SENATE

Location: 1158-1162 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 31.35
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 44.86

V184	1956 % DEM VTS SENATE

Location: 1163-1167 (width: 5; decimal: 2)

Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 73.39
- Minimum: 12.38
- Maximum: 99.99
- Standard Deviation: 27.31

V185   1956 % REP VTS SENATE

Location:	1168-1172 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 61.13
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 34.19

V186   1956 % OTHR VTS SENATE

Location:	1173-1177 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 34.95
- Median: 0.16
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 47.48

V187   1958 % DEM VTS SENATE

Location:	1178-1182 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 76.22
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 26.85

V188   1958 % REP VTS SENATE

Location:	1183-1187 (width: 5; decimal: 2)
Variable Type:	numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 61.44
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 35.94

V189	1958 % OTHR VTS SENATE

Location: 1188-1192 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 43.65
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 47.70

V190	1960 % DEM VTS SENATE

Location: 1193-1197 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 71.05
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 27.57

V191	1960 % REP VTS SENATE

Location: 1198-1202 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 55.53
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 34.18

V192	1960 % OTHR VTS SENATE

Location: 1203-1207 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 31.45
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 44.91

V193	1962 % DEM VTS SENATE

Location: 1208-1212 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 70.47
- Minimum: 15.61
- Maximum: 99.99
- Standard Deviation: 26.42

V194	1962 % REP VTS SENATE

Location: 1213-1217 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 63.34
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 30.60

V195	1962 % OTHR VTS SENATE

Location: 1218-1222 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 34.15
- Median: 0.06
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 47.26

V196	1964 % DEM VTS SENATE

Location: 1223-1227 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 73.36
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 26.62

V197	1964 % REP VTS SENATE

Location: 1228-1232 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 64.62
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 31.81

V198	1964 % OTHR VTS SENATE

Location: 1233-1237 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 42.95
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 48.12

V199	1966 % DEM VTS SENATE

Location: 1238-1242 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 65.22
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 29.43

V200	1966 % REP VTS SENATE

Location: 1243-1247 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 61.68
- Minimum: 0.00

- Maximum: 99.99
- Standard Deviation: 30.24

V201	1966 % OTHR VTS SENATE

Location: 1248-1252 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 31.38
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 44.97

V202	1968 % DEM VTS SENATE

Location: 1253-1257 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 68.71
- Minimum: 12.45
- Maximum: 99.99
- Standard Deviation: 27.03

V203	1968 % REP VTS SENATE

Location: 1258-1262 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 64.27
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 29.64

V204	1968 % OTHR VTS SENATE

Location: 1263-1267 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 34.97
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 46.83

V205	1950 % DEM VTS HOUSE

Location: 1268-1273 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 105.94
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 205.04

V206	1950 % REP VTS HOUSE

Location: 1274-1279 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 84.42
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 209.60

V207	1950 % OTHR VTS HOUSE

Location: 1280-1285 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 51.61
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 215.59

V208	1952 % DEM VTS HOUSE

Location: 1286-1291 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 71.09
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 120.76

V209	1952 % REP VTS HOUSE

Location: 1292-1297 (width: 6; decimal: 2)

Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 55.92
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 122.24

V210	**1952 % OTHR VTS HOUSE**
Location:	1298-1303 (width: 6; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 18.15
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 124.18

V211	**1954 % DEM VTS HOUSE**
Location:	1304-1309 (width: 6; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 89.15
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 165.03

V212	**1954 % REP VTS HOUSE**
Location:	1310-1315 (width: 6; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 67.05
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 168.62

V213	**1954 % OTHR VTS HOUSE**
Location:	1316-1321 (width: 6; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 33.22
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 172.90

V214	1956 % DEM VTS HOUSE

Location: 1322-1327 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 85.67
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 155.88

V215	1956 % REP VTS HOUSE

Location: 1328-1333 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 64.14
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 159.10

V216	1956 % OTHR VTS HOUSE

Location: 1334-1339 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 29.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 163.16

V217	1958 % DEM VTS HOUSE

Location: 1340-1345 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 97.07
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 169.95

V218	1958 % REP VTS HOUSE

Location: 1346-1351 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 64.08
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 175.69

V219	1958 % OTHR VTS HOUSE

Location: 1352-1357 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 35.63
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 179.57

V220	1960 % DEM VTS HOUSE

Location: 1358-1363 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 101.31
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 192.24

V221	1960 % REP VTS HOUSE

Location: 1364-1369 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 78.20
- Minimum: 0.00

- Maximum: 999.99
- Standard Deviation: 196.84

V222	1960 % OTHR VTS HOUSE

Location: 1370-1375 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 44.95
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 202.50

V223	1962 % DEM VTS HOUSE

Location: 1376-1381 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 108.95
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 215.71

V224	1962 % REP VTS HOUSE

Location: 1382-1387 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 93.03
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 219.36

V225	1962 % OTHR VTS HOUSE

Location: 1388-1393 (width: 6; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 56.60
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 227.11

V226	**1964 % DEM VTS HOUSE**
Location:	1394-1399 (width: 6; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 82.22
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 148.01

V227	**1964 % REP VTS HOUSE**
Location:	1400-1405 (width: 6; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 62.72
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 150.85

V228	**1964 % OTHR VTS HOUSE**
Location:	1406-1411 (width: 6; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 26.96
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 155.51

V229	**1966 % DEM VTS HOUSE**
Location:	1412-1417 (width: 6; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 69.01
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 119.80

V230	**1966 % REP VTS HOUSE**
Location:	1418-1423 (width: 6; decimal: 2)

| Variable Type: | numeric |
| | Based upon 3145 valid cases out of 3145 total cases. |

- Mean: 58.30
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 120.98

| **V231** | **1966 % OTHR VTS HOUSE** |

Location:	1424-1429 (width: 6; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 17.85
- Minimum: 0.00
- Maximum: 999.99
- Standard Deviation: 123.95

| **V232** | **1968 % DEM VTS HOUSE** |

Location:	1430-1434 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 56.27
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 27.97

| **V233** | **1968 % REP VTS HOUSE** |

Location:	1435-1439 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 51.71
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 27.81

| **V234** | **1968 % OTHR VTS HOUSE** |

Location:	1440-1444 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 12.27
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 30.83

V235	1950 % DEM VTS GUB

Location: 1445-1449 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 71.00
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 30.38

V236	1950 % REP VTS GUB

Location: 1450-1454 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 57.00
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 35.45

V237	1950 % OTHR VTS GUB

Location: 1455-1459 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 30.53
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 45.09

V238	1952 % DEM VTS GUB

Location: 1460-1464 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 68.75
- Minimum: 0.00

- Maximum: 99.99
- Standard Deviation: 30.52

V239	1952 % REP VTS GUB

Location: 1465-1469 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 64.34
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 31.76

V240	1952 % OTHR VTS GUB

Location: 1470-1474 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 35.83
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 47.03

V241	1954 % DEM VTS GUB

Location: 1475-1479 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 70.25
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 28.22

V242	1954 % REP VTS GUB

Location: 1480-1484 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 52.12
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 34.23

V243	**1954 % OTHR VTS GUB**

Location: 1485-1489 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 26.44
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 42.74

V244	**1956 % DEM VTS GUB**

Location: 1490-1494 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 71.28
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 28.28

V245	**1956 % REP VTS GUB**

Location: 1495-1499 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 63.55
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 32.48

V246	**1956 % OTHR VTS GUB**

Location: 1500-1504 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 40.19
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 47.21

V247	**1958 % DEM VTS GUB**

Location: 1505-1509 (width: 5; decimal: 2)

Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 72.05
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 26.65

V248	**1958 % REP VTS GUB**
Location:	1510-1514 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 48.41
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 34.49

V249	**1958 % OTHR VTS GUB**
Location:	1515-1519 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 26.43
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 42.21

V250	**1960 % DEM VTS GUB**
Location:	1520-1524 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 73.54
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 27.64

V251	**1960 % REP VTS GUB**
Location:	1525-1529 (width: 5; decimal: 2)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 67.77
- Minimum: 1.16
- Maximum: 99.99
- Standard Deviation: 30.65

V252	1960 % OTHR VTS GUB

Location: 1530-1534 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 44.33
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 48.83

V253	1962 % DEM VTS GUB

Location: 1535-1539 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 65.41
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 27.46

V254	1962 % REP VTS GUB

Location: 1540-1544 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 55.50
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 30.59

V255	1962 % OTHR VTS GUB

Location: 1545-1549 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 26.18
- Minimum: 0.00

- Maximum: 99.99
- Standard Deviation: 42.10

V256	1964 % DEM VTS GUB

Location: 1550-1554 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 76.84
- Minimum: 20.28
- Maximum: 99.99
- Standard Deviation: 23.63

V257	1964 % REP VTS GUB

Location: 1555-1559 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 68.58
- Minimum: 6.43
- Maximum: 99.99
- Standard Deviation: 30.59

V258	1964 % OTHR VTS GUB

Location: 1560-1564 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 45.69
- Median: 0.90
- Mode: 99.99
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 49.69

V259	1966 % DEM VTS GUB

Location: 1565-1569 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 62.26
- Minimum: 0.00
- Maximum: 99.99

- Standard Deviation: 26.61

V260	1966 % REP VTS GUB

Location: 1570-1574 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 57.07
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 28.50

V261	1966 % OTHR VTS GUB

Location: 1575-1579 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 26.94
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 41.20

V262	1968 % DEM VTS GUB

Location: 1580-1584 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 78.77
- Minimum: 18.06
- Maximum: 99.99
- Standard Deviation: 25.11

V263	1968 % REP VTS GUB

Location: 1585-1589 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 74.81
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 29.04

- Study 13 -

V264	1968 % OTHR VTS GUB

Location: 1590-1594 (width: 5; decimal: 2)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 53.87
- Median: 99.99
- Mode: 99.99
- Minimum: 0.00
- Maximum: 99.99
- Standard Deviation: 49.72

V265	% 1956-52 DEM VTS PRES

Location: 1595-1600 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 410.20
- Minimum: -38.90
- Maximum: 9999.90
- Standard Deviation: 1983.61

V266	% 1960-56 DEM VTS PRES

Location: 1601-1606 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 1166.79
- Minimum: -59.30
- Maximum: 9999.90
- Standard Deviation: 3206.12

V267	% 1964-60 DEM VTS PRES

Location: 1607-1612 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 1321.52
- Minimum: -80.50
- Maximum: 9999.90
- Standard Deviation: 3374.78

V268	% 1956-52 REP VTS PRES

Location:	1613-1618 (width: 6; decimal: 1)
Variable Type:	numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 409.72
- Minimum: -59.40
- Maximum: 9999.90
- Standard Deviation: 1983.71

V269	**% 1960-56 REP VTS PRES**
Location:	1619-1624 (width: 6; decimal: 1)
Variable Type:	numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 884.46
- Minimum: -67.40
- Maximum: 9999.90
- Standard Deviation: 2844.54

V270	**% 1964-56 REP VTS PRES**
Location:	1625-1630 (width: 6; decimal: 1)
Variable Type:	numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 816.22
- Minimum: -60.80
- Maximum: 9999.90
- Standard Deviation: 2751.66

V271	**% 1956-52 OTHR VTS PRES**
Location:	1631-1636 (width: 6; decimal: 1)
Variable Type:	numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 149.87
- Median: 0.00
- Mode: 0.00
- Minimum: -35.40
- Maximum: 9999.90
- Standard Deviation: 1213.44

V272	**% 1960-56 OTHR VTS PRES**

| Location: | 1637-1642 (width: 6; decimal: 1) |

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 147.16
- Minimum: -86.40
- Maximum: 9999.90
- Standard Deviation: 1187.55

| **V273** | **% 1964-60 OTHR VTS PRES** |

Location: 1643-1648 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 76.52
- Minimum: -99.80
- Maximum: 9999.90
- Standard Deviation: 888.76

| **V274** | **% 1952-50 DEM VTS HOUSE** |

Location: 1649-1654 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 505.24
- Minimum: -76.40
- Maximum: 9999.90
- Standard Deviation: 2198.57

| **V275** | **% 1954-52 DEM VTS HOUSE** |

Location: 1655-1660 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 843.12
- Minimum: -100.00
- Maximum: 9999.90
- Standard Deviation: 2772.34

| **V276** | **% 1956-54 DEM VTS HOUSE** |

Location: 1661-1666 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 900.05
- Minimum: -64.80
- Maximum: 9999.90
- Standard Deviation: 2861.98

V277	% 1958-56 DEM VTS HOUSE

Location: 1667-1672 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 488.98
- Minimum: -83.40
- Maximum: 9999.90
- Standard Deviation: 2143.72

V278	% 1960-58 DEM VTS HOUSE

Location: 1673-1678 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 507.96
- Minimum: -82.20
- Maximum: 9999.90
- Standard Deviation: 2205.18

V279	% 1962-60 DEM VTS HOUSE

Location: 1679-1684 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 597.10
- Minimum: -63.10
- Maximum: 9999.90
- Standard Deviation: 2378.01

V280	% 1964-62 DEM VTS HOUSE

Location: 1685-1690 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 563.90
- Minimum: -72.80
- Maximum: 9999.90
- Standard Deviation: 2304.72

V281	% 1966-64 DEM VTS HOUSE

Location: 1691-1696 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 246.63
- Minimum: -72.30
- Maximum: 9999.90
- Standard Deviation: 1565.92

V282	% 1952-50 REP VTS HOUSE

Location: 1697-1702 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 512.29
- Minimum: -58.50
- Maximum: 9999.90
- Standard Deviation: 2196.95

V283	% 1954-52 REP VTS HOUSE

Location: 1703-1708 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 835.94
- Minimum: -56.70
- Maximum: 9999.90
- Standard Deviation: 2774.52

V284	% 1956-54 REP VTS HOUSE

Location: 1709-1714 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 899.88
- Minimum: -100.00

- Maximum: 9999.90
- Standard Deviation: 2862.04

V285	% 1958-56 REP VTS HOUSE

Location: 1715-1720 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 477.49
- Minimum: -68.80
- Maximum: 9999.90
- Standard Deviation: 2146.30

V286	% 1960-58 REP VTS HOUSE

Location: 1721-1726 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 516.08
- Minimum: -51.00
- Maximum: 9999.90
- Standard Deviation: 2203.28

V287	% 1962-60 REP VTS HOUSE

Location: 1727-1732 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 604.94
- Minimum: -66.10
- Maximum: 9999.90
- Standard Deviation: 2376.02

V288	% 1964-62 REP VTS HOUSE

Location: 1733-1738 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 561.44
- Minimum: -80.50
- Maximum: 9999.90
- Standard Deviation: 2305.32

V289	% 1966-64 REP VTS HOUSE

Location: 1739-1744 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 255.64
- Minimum: -59.10
- Maximum: 9999.90
- Standard Deviation: 1564.48

V290	% 1952-50 OTHR VTS HOUSE

Location: 1745-1750 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 508.69
- Median: 0.00
- Mode: 0.00
- Minimum: -100.00
- Maximum: 9999.90
- Standard Deviation: 2197.77

V291	% 1954-52 OTHR VTS HOUSE

Location: 1751-1756 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 839.20
- Median: 0.00
- Mode: 0.00
- Minimum: -100.00
- Maximum: 9999.90
- Standard Deviation: 2773.51

V292	% 1956-54 OTHR VTS HOUSE

Location: 1757-1762 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 899.56
- Median: 0.00
- Mode: 0.00
- Minimum: -43.20

- Maximum: 9999.90
- Standard Deviation: 2862.10

V293	% 1958-56 OTHR VTS HOUSE

Location: 1763-1768 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 483.43
- Median: 0.00
- Mode: 0.00
- Minimum: -100.00
- Maximum: 9999.90
- Standard Deviation: 2144.96

V294	% 1960-58 OTHR VTS HOUSE

Location: 1769-1774 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 511.72
- Median: 0.00
- Mode: 0.00
- Minimum: -100.00
- Maximum: 9999.90
- Standard Deviation: 2204.29

V295	% 1962-60 OTHR VTS HOUSE

Location: 1775-1780 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 600.81
- Median: 0.00
- Mode: 0.00
- Minimum: -100.00
- Maximum: 9999.90
- Standard Deviation: 2377.03

V296	% 1964-62 OTHR VTS HOUSE

Location: 1781-1786 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 563.04
- Median: 0.00
- Mode: 0.00
- Minimum: -44.70
- Maximum: 9999.90
- Standard Deviation: 2304.90

V297	% 1966-64 OTHR VTS HOUSE

Location: 1787-1792 (width: 6; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 251.30
- Minimum: -100.00
- Maximum: 9999.90
- Standard Deviation: 1565.10

V298	970 2 G GOV 0100 VOTE

Location: 1793-1799 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2399 valid cases out of 3145 total cases.

- Mean: 9260.16
- Minimum: 0.00
- Maximum: 1095899.00
- Standard Deviation: 34278.31

V299	970 2 G GOV 0200 VOTE

Location: 1800-1806 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2399 valid cases out of 3145 total cases.

- Mean: 8955.76
- Minimum: 0.00
- Maximum: 1173161.00
- Standard Deviation: 35261.94

V300	970 2 G GOV OTHER VOTE

Location: 1807-1813 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2399 valid cases out of 3145 total cases.

- Mean: 1057.77
- Minimum: 0.00
- Maximum: 175194.00
- Standard Deviation: 6286.46

V301	970 2 G GOV TOTAL VOTE

Location: 1814-1820 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2399 valid cases out of 3145 total cases.

- Mean: 19273.68
- Minimum: 66.00
- Maximum: 2312263.00
- Standard Deviation: 71277.54

V302	970 2 G GOV 0100 %

Location: 1821-1825 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 277.46
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 403.20

V303	970 2 G GOV 0200 %

Location: 1826-1830 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 269.29
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 407.73

V304	970 2 G GOV OTHER %

Location: 1831-1835 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 241.07
- Minimum: 0.00

- Maximum: 999.90
- Standard Deviation: 423.34

V305	970 3 G CONG 0100 VOTE

Location: 1836-1842 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3032 valid cases out of 3145 total cases.

- Mean: 9382.63
- Minimum: 0.00
- Maximum: 1097573.00
- Standard Deviation: 38412.58

V306	970 3 G CONG 0200 VOTE

Location: 1843-1849 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3031 valid cases out of 3145 total cases.

- Mean: 7856.74
- Minimum: 0.00
- Maximum: 1101682.00
- Standard Deviation: 31057.57

V307	970 3 G CONG OTHER VOTE

Location: 1850-1856 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3106 valid cases out of 3145 total cases.

- Mean: 496.94
- Minimum: 0.00
- Maximum: 155887.00
- Standard Deviation: 5113.07

V308	970 3 G CONG TOTAL VOTE

Location: 1857-1863 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3031 valid cases out of 3145 total cases.

- Mean: 17758.92
- Minimum: 64.00
- Maximum: 2239173.00
- Standard Deviation: 69843.39

V309	**970 3 G CONG 0100 %**

Location: 1864-1868 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 92.00
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 177.85

V310	**970 3 G CONG 0200 %**

Location: 1869-1873 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 75.46
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 181.04

V311	**970 3 G CONG OTHER %**

Location: 1874-1878 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 37.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 186.73

V312	**970 4 G SEN 0100 VOTE**

Location: 1879-1885 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1996 valid cases out of 3145 total cases.

- Mean: 12330.25
- Minimum: 0.00
- Maximum: 1257262.00
- Standard Deviation: 49794.09

V313	**970 4 G SEN 0200 VOTE**
Location:	1886-1892 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 1996 valid cases out of 3145 total cases.

- Mean: 9669.43
- Minimum: 0.00
- Maximum: 1022408.00
- Standard Deviation: 35082.98

V314	**970 4 G SEN OTHER VOTE**
Location:	1893-1899 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 1996 valid cases out of 3145 total cases.

- Mean: 2350.17
- Minimum: 0.00
- Maximum: 329905.00
- Standard Deviation: 15678.68

V315	**970 4 G SEN TOTAL VOTE**
Location:	1900-1906 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 1996 valid cases out of 3145 total cases.

- Mean: 24349.85
- Minimum: 69.00
- Maximum: 2315967.00
- Standard Deviation: 88746.96

V316	**970 4 G SEN 0100 %**
Location:	1907-1911 (width: 5; decimal: 1)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 397.80
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 457.16

V317	**970 4 G SEN 0200 %**
Location:	1912-1916 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 390.78
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 462.42

V318	**970 4 G SEN OTHER %**

Location: 1917-1921 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 370.81
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 477.62

V319	**972 1 G PRES 0100 VOTE**

Location: 1922-1928 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3129 valid cases out of 3145 total cases.

- Mean: 9287.05
- Minimum: 0.00
- Maximum: 1189977.00
- Standard Deviation: 40194.24

V320	**972 1 G PRES 0200 VOTE**

Location: 1929-1935 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3129 valid cases out of 3145 total cases.

- Mean: 14933.72
- Minimum: 55.00
- Maximum: 1549717.00
- Standard Deviation: 49814.26

V321	**972 1 G PRES OTHER VOTE**

Location: 1936-1942 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3128 valid cases out of 3145 total cases.

- Mean: 939.67
- Minimum: 0.00
- Maximum: 214407.00
- Standard Deviation: 6248.46

V322	972 1 G PRES TOTAL VOTE

Location: 1943-1949 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3127 valid cases out of 3145 total cases.

- Mean: 25176.58
- Minimum: 62.00
- Maximum: 2830370.00
- Standard Deviation: 91835.99

V323	972 1 G PRES 0100 %

Location: 1950-1954 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 36.43
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 74.02

V324	972 1 G PRES 0200 %

Location: 1955-1959 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 71.06
- Minimum: 14.30
- Maximum: 999.90
- Standard Deviation: 71.31

V325	972 1 G PRES OTHER %

Location: 1960-1964 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 9.07
- Median: 1.50

- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 75.61

V326	**972 2 G GOV 0100 VOTE**

Location: 1965-1971 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1424 valid cases out of 3145 total cases.

- Mean: 7747.23
- Minimum: 0.00
- Maximum: 1178446.00
- Standard Deviation: 35054.27

V327	**972 2 G GOV 0200 VOTE**

Location: 1972-1978 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1424 valid cases out of 3145 total cases.

- Mean: 7556.84
- Minimum: 0.00
- Maximum: 1079035.00
- Standard Deviation: 34085.42

V328	**972 2 G GOV OTHER VOTE**

Location: 1979-1985 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1424 valid cases out of 3145 total cases.

- Mean: 2864.81
- Minimum: 0.00
- Maximum: 637829.00
- Standard Deviation: 22787.70

V329	**972 2 G GOV TOTAL VOTE**

Location: 1986-1992 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 1424 valid cases out of 3145 total cases.

- Mean: 18168.89
- Minimum: 60.00
- Maximum: 2266557.00

- Standard Deviation: 72651.08

V330	972 2 G GOV 0100 %

Location: 1993-1997 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 569.47
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 473.41

V331	972 2 G GOV 0200 %

Location: 1998-2002 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 566.64
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 476.52

V332	972 2 G GOV OTHER %

Location: 2003-2007 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 550.65
- Median: 999.90
- Mode: 999.90
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 494.22

V333	972 3 G CONG 0100 VOTE

Location: 2008-2014 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 3045 valid cases out of 3145 total cases.

- Mean: 11853.81
- Minimum: 0.00
- Maximum: 1463237.00
- Standard Deviation: 47580.66

V334	972 3 G CONG 0200 VOTE
Location:	2015-2021 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 3098 valid cases out of 3145 total cases.

- Mean: 10569.60
- Minimum: 0.00
- Maximum: 1211946.00
- Standard Deviation: 38952.05

V335	972 3 G CONG OTHER VOTE
Location:	2022-2028 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 3098 valid cases out of 3145 total cases.

- Mean: 719.39
- Minimum: 0.00
- Maximum: 229950.00
- Standard Deviation: 6401.01

V336	972 3 G CONG TOTAL VOTE
Location:	2029-2035 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 3042 valid cases out of 3145 total cases.

- Mean: 23275.36
- Minimum: 0.00
- Maximum: 2731842.00
- Standard Deviation: 86952.89

V337	972 3 G CONG 0100 %
Location:	2036-2040 (width: 5; decimal: 1)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 85.49
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 171.25

V338	972 3 G CONG 0200 %
Location:	2041-2045 (width: 5; decimal: 1)

Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 74.95
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 172.94

V339	**972 3 G CONG OTHER %**
Location:	2046-2050 (width: 5; decimal: 1)
Variable Type:	numeric
	Based upon 3145 valid cases out of 3145 total cases.

- Mean: 35.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 178.64

V340	**972 5 G SEN 0100 VOTE**
Location:	2051-2057 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2307 valid cases out of 3145 total cases.

- Mean: 7069.79
- Minimum: 0.00
- Maximum: 954568.00
- Standard Deviation: 27544.70

V341	**972 5 G SEN 0200 VOTE**
Location:	2058-2064 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 2307 valid cases out of 3145 total cases.

- Mean: 8590.59
- Minimum: 0.00
- Maximum: 1294571.00
- Standard Deviation: 35151.99

V342	**972 5 G SEN OTHER VOTE**
Location:	2065-2071 (width: 7; decimal: 0)
Variable Type:	numeric

Based upon 2305 valid cases out of 3145 total cases.

- Mean: 832.92
- Minimum: 0.00
- Maximum: 239020.00
- Standard Deviation: 6466.01

V343	**972 5 G SEN TOTAL VOTE**

Location: 2072-2078 (width: 7; decimal: 0)

Variable Type: numeric

Based upon 2305 valid cases out of 3145 total cases.

- Mean: 16477.19
- Minimum: 65.00
- Maximum: 2260965.00
- Standard Deviation: 63183.42

V344	**972 5 G SEN 0100 %**

Location: 2079-2083 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 300.36
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 422.58

V345	**972 5 G SEN 0200 %**

Location: 2084-2088 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 303.84
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 420.45

V346	**972 5 G SEN OTHER %**

Location: 2089-2093 (width: 5; decimal: 1)

Variable Type: numeric

Based upon 3145 valid cases out of 3145 total cases.

- Mean: 270.28
- Median: 1.30
- Mode: 999.90
- Minimum: 0.00
- Maximum: 999.90
- Standard Deviation: 440.65