

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-000230e6.js:125:11)
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-000230e6.js:126:11)
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-000230e6.js:127:11)
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-000230e6.js:128:11
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-000230e6.js:129:11)
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-000230e6.js:130:11)
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-000230e6.js:131:11)
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-000230e6.js:132:11)
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `server.hmr.overlay` to `false` in `vite.config.js`.

Re

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

Re

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

[/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24](#)

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

Re

- se
- ma

dois t
tudo)

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

(vale

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
   |   ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
   |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-BK9Q7U9H.js:125:11)
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-BK9Q7U9H.js:125:11)
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-BK9Q7U9H.js:125:11)
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-BK9Q7U9H.js:125:11
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-BK9Q7U9H.js:125:11)
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-BK9Q7U9H.js:125:11)
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-BK9Q7U9H.js:125:11)
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-BK9Q7U9H.js:125:11)
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in your Vite config.

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
   |   ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-00000000.js:125:112)
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-00000000.js:125:112)
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-00000000.js:125:112)
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-00000000.js:125:112
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-00000000.js:125:112)
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-00000000.js:125:112)
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-00000000.js:125:112)
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-00000000.js:125:112)
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in `~/.vscode/settings.json`.

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
   |   ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

E1

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

E3

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
   |   ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }  
20 |   import { createElementVNode as _createElementVNode, createTextVNode  
21 |   import _imports_0 from '/qr-zoey.svg'  
    |                               ^  
22 |  
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-0tXs9I.js:120:11)  
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-0tXs9I.js:121:11)  
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-0tXs9I.js:122:11)  
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-0tXs9I.js:123:11  
at async Promise.all (index 3)  
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-0tXs9I.js:124:11)  
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/node_modules/vite/dist/node/chunks/dep-0tXs9I.js:125:11)  
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-0tXs9I.js:126:11)  
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_modules/vite/dist/node/chunks/dep-0tXs9I.js:127:11)
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in `vite.config.js`.

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in

[plugin:vite:import-analysis] Failed to resolve import "/qr-zoey.svg" from "slides.md__slidev_49.md". Does the file exist?

/Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/slides.md__slidev_49.md:21:24

```
19 |   }
20 |   import { createElementVNode as _createElementVNode, createTextVNode
21 |   import _imports_0 from '/qr-zoey.svg'
    |                               ^
22 |
23 |
```

```
at TransformPluginContext._formatLog (file:///Users/zoedsoupe/dev/personal/scti-2026/m
at TransformPluginContext.error (file:///Users/zoedsoupe/dev/personal/scti-2026/minicu
at normalizeUrl (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slide
at async file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/slimes/slides/node_m
at async Promise.all (index 3)
at async TransformPluginContext.transform (file:///Users/zoedsoupe/dev/personal/scti-2
at async EnvironmentPluginContainer.transform (file:///Users/zoedsoupe/dev/personal/sc
at async loadAndTransform (file:///Users/zoedsoupe/dev/personal/scti-2026/minicurso/sl
at async viteTransformMiddleware (file:///Users/zoedsoupe/dev/personal/scti-2026/minic
```

Click outside, press **Esc** key, or fix the code to dismiss.

You can also disable this overlay by setting `command: { overlay: false }` in