

Date Effective/Effective Date 2024-02-24

Heure Effective/Effective Time 12:00:00 AM

| Produit/Product | Montreal | Quebec | Sept-Iles | Toronto | Hamilton | Nanticok e | London | Sarnia | Ottawa | Kingston | Maitland | Belleville | Halifax | Sydney | Saint John | Chatham | Charlotte town | Corner Brook | St. John's |
|-----------------|----------|--------|-----------|---------|----------|---------------|--------|--------|--------|----------|----------|------------|---------|--------|---------------|---------|-------------------|-----------------|---------------|
| RUL | | | | | | | | | | | | | | | | 96.40 | 95.00 | | 99.30 |
| E10 | 101.20 | 101.20 | 106.20 | 88.00 | 88.00 | 87.50 | 89.00 | 87.00 | 89.50 | 89.60 | 89.50 | 90.60 | 89.50 | 91.60 | 89.70 | | | 92.80 | |
| PUL | | | | 109.00 | | | 107.00 | | 107.00 | 107.10 | 107.00 | 108.10 | | | 103.10 | 107.40 | 104.20 | | 105.30 |
| EPUL | 118.20 | 118.20 | 123.20 | 105.50 | 105.50 | 105.00 | | 104.50 | | | | | 98.50 | 100.40 | | | | 104.80 | |
| FURN. W/ PPD | | | | | | | | | | | | | | 110.80 | | | | | |
| FURN. W/O PPD | 124.90 | 124.90 | 129.90 | 101.90 | | 101.90 | 99.90 | 99.90 | 107.90 | | 107.90 | 107.70 | 108.70 | | 110.40 | 114.40 | 111.10 | 112.90 | 107.30 |
| STOVE | 133.90 | 133.90 | 140.90 | 111.90 | | | | | 117.90 | 117.70 | | 117.70 | | | 121.80 | | | | |
| ULSD B | 125.90 | 125.90 | | | | | | | | | 107.90 | | 119.00 | | | | | | |
| ULSD QC 1 | 125.90 | 125.90 | | | | | | | 107.90 | | | | | | | | | | |
| ULSD QC 2 | 126.40 | 126.40 | | | | | | | 107.90 | | | | | | | | | | |
| ULSD QC 3 | 125.90 | 125.90 | | | | | | | | | | | | | | | | | |
| ULSD QC 4 | 125.90 | 125.90 | | | | | | | | | | | | | | | | | |
| ULSD QC 5 | | 125.90 | | | | | | | | | | | | | | | | | |
| ULSD QC 6 | | 135.40 | 141.90 | | | | | | | | | | | | | | | | |
| ULSD QC 7 | | 135.70 | | | | | | | | | | | | | | | | | |
| ULSD QC 9 | 125.90 | 125.90 | | | | | | | | | | | | | | | | | |
| ULSD ONT 1 | 125.90 | | | 101.90 | 101.90 | 101.90 | 99.90 | 99.90 | | 107.70 | 107.90 | 107.70 | | | | | | | |
| ULSD ONT 2 | 125.90 | | | 101.90 | | | | | 107.90 | | 107.90 | | | | | | | | |
| ULSD ONT 3 | | | | 101.90 | | | | | 107.90 | | | | | | | | | | |
| ULSD ONT 4 | | | | | | | | | 107.90 | | | | | | | | | | |
| ULSD ONT 5 | 125.90 | | | 101.90 | | | | | 107.90 | | | | | | | | | | |
| ULSD ONT 6 | | | | 101.90 | | | | | 107.90 | | | | | | | | | | |
| ULSD MAR 1 | | | | | | | | | | | | | 119.00 | 121.10 | | | 121.30 | | |
| ULSD MAR 3 | | 125.90 | | | | | | | | | | | | | 121.10 | 123.10 | | | |
| ULSD NFDL 1 | | | | | | | | | | | | | | | | | | | 124.90 |
| ULSD NFDL 2 | | | | | | | | | | | | | | | | | | 125.40 | |
| ULSD #1 | 135.90 | 135.90 | 142.90 | 111.90 | | | | | 117.90 | 117.70 | | 117.70 | | | | | 120.10 | | |
| R99 | 135.90 | | | | | | | | | | | | | | | | | | |

RUL: Ordinaire sans plomb / Regular Unleaded
E10: Ordinaire sans plomb avec éthanol / Regular Unleaded with Ethanol
PUL: Super sans plomb / Premium Unleaded
EPUL: Super sans plomb avec éthanol / Premium Unleaded with Ethanol
FURN. W/ PPD: Mazout léger no. 2 / Seasonal Furnace Oil
FURN. W/O PPD: Mazout léger no. 2 (Sans PPD) / Furnace Oil (w/o PPD)
STOVE: Mazout léger no. 1 coloré / Stove Oil no. 1 Colored
ULSD B: Diesel Ultra Faible Teneur en Soufre / Ultra Low Sulfur Diesel
ULSD QC 1: UFTS (Montréal) / ULSD (Montreal)
ULSD QC 2: UFTS (Abitibi, Hautes Laurentides, Saguenay) / ULSD (Abitibi, Hautes Laurentides, Saguenay)

| | |
|---------------------|--|
| ULSD QC 3: | UFTS (Québec, Bas du fleuve) / ULSD (Quebec, Bas du Fleuve) |
| ULSD QC 4: | UFTS (Estrie) / ULSD (Eastern Townships) |
| ULSD QC 5: | UFTS (Est du Québec, Gaspésie) / ULSD (Eastern Quebec, Gaspesia) |
| ULSD QC 6: | UFTS (Côte Nord) / ULSD (North Coast) |
| ULSD QC 7: | UFTS (Baie-James et Nord Est du Québec) / ULSD (James Bay and Northeast Quebec) |
| ULSD QC 9: | UFTS (Laurentides et Outaouais) / ULSD (Laurentians & Outaouais) |
| ULSD ONT 1: | UFTS (Toronto, Belleville, Kingston, Sarnia) / ULSD (Toronto, Belleville, Kingston, Sarnia) |
| ULSD ONT 2: | UFTS (Ottawa, Maitland, Cornwall) / ULSD (Ottawa, Maitland, Cornwall) |
| ULSD ONT 3: | UFTS (Bracebridge) / ULSD (Bracebridge) |
| ULSD ONT 4: | UFTS (Pembroke) / ULSD (Pembroke) |
| ULSD ONT 5: | UFTS (Sudbury, North Bay) / ULSD (Sudbury, North Bay) |
| ULSD ONT 6: | UFTS (Timmins) / ULSD (Timmins) |
| ULSD MAR 1: | UFTS (Nouvelle-Écosse & Ile du Prince Edouard) / ULSD (Nova Scotia & PEI) |
| ULSD MAR 2: | UFTS (Sud du Nouveau Brunswick - Saint John, Moncton) / ULSD (South New Brunswick - Saint John, Moncton) |
| ULSD MAR 3: | UFTS (Nord du Nouveau Brunswick - Miramichi) / ULSD (North New Brunswick - Miramichi) |
| ULSD NFDL 1: | UFTS (Terre-Neuve Est - St. John's, Come by Chance) / ULSD (Est Newfoundland - St. John's, Come by Chance) |
| ULSD NFDL 2: | UFTS (Terre-Neuve Ouest - Cornerbrook) / ULSD (West Newfoundland - Cornerbrook) |
| ULSD NFDL 3: | UFTS (Labrador) / ULSD (Labrador) |
| ULSD NFDL 4: | UFTS (Corner Brook, TNL) / ULSD (Corner Brook, NFL) |
| ULSD #1: | Diesel Ultra Faible Teneur en Soufre / Ultra Low Sulfur Diesel |
| R99: | Diesel renouvelable 99% / Renewable Diesel 99% |

1. Prix à la rampe de chargement aux terminaux d'Énergie Valero Inc.
2. Les prix, EXW* à la rampe de chargement des terminaux d'Énergie Valero Inc. (Incoterms 2010), sont établis pour un plein chargement à la rampe de chargement desdits terminaux.
3. Les changements de prix à la rampe de chargement entrent en vigueur à minuit une minute, heure locale, à la date indiquée pour les lieux mentionnés.
4. Tous les prix sont en cents par litre, avant taxes, EXW* à la rampe de chargement d'Énergie Valero Inc.; le volume de produit à charger, les conditions de crédit et le transporteur désigné doivent être préapprouvés avant le chargement.
5. Les prix offerts dépendent de la disponibilité des produits.
6. En cas de divergence entre les prix, l'avis de confirmation de prix a préséance sur les prix affichés au site internet. *À l'usine

1. Loading rack prices at Valero Energy Inc.
2. Loading rack prices, EXW* at Valero Energy Inc. terminals (Incoterms 2010) are established for a full loading at the said terminals' loading racks.
3. Changes to prices at the loading rack are effective as of one minute past midnight, local time, on the date shown for the sites mentioned.
4. All prices are in cents per litre, before taxes, EXW* at Valero Energy Inc. terminals; the volume of product to be loaded, the credit terms and the designated carrier must be preapproved prior to loading.
5. The prices offered are dependent upon product availability.
6. In case of price disparity, the price confirmation notice takes precedence over the prices posted on the web site. *Ex Works